

Contents

Guidelines and clinical practice papers to consult. Guidelines, investigation, prevention, intervention, and other original or orthogonal cardiovascular research is all in support of the best health care and to all.



www.ahjonline.com

Table of Contents

Curriculum in Cardiology

- 159** Effectiveness and safety of drug-eluting stents in vein grafts: A meta-analysis

Dominique Joyal, MD, Kristian B. Filion, PhD, and Mark J. Eisenberg, MD, MPH, Montreal, Quebec, Canada

Trial Design

- 170** Cardiac Death Prevention by aUtomatic DefibrillatoRs in ChurChEs: Rationale and design of the CHURCH trial

Maurizio Ferratini, MD, Andrea Moraschi, MD, Vittorino Ripamonti, MD, Pantaleo Giannuzzi, MD, Francesco Lorito, MD, Gianni De Luca, MD, Niccolò Grieco, MD, Giovanni Sesana, MD, and Renata De Maria, MD, Milan, Italy

Clinical Investigations

Acute Ischemic Heart Disease

- 176** Randomized comparison between clinical evaluation plus N-terminal pro-B-type natriuretic peptide versus exercise testing for decision making in acute chest pain of uncertain origin

Juan Sanchis, MD, Xavier Bosch, MD, Vicente Bodí, MD, Julio Núñez, MD, Ada Doltra, MD, Magda Heras, MD, Luis Mainar, MD, Enrique Santas, MD, Ernest Bragulat, MD, Ana García-Alvarez, MD, Arturo Carratalá, MD, and Angel Llacer, MD, Valencia and Barcelona, Spain

- 183** Primary care practices and determinants of optimal anti-coagulation management in a collaborative care model

Kerby Maud Louis, BSc, Josée Martineau, MSc, BCPS, Isabel Rodrigues, MD, MPH, Martine Fournier, MSc, Djamel Berbiche, PhD, Normand Blais, MD, FRCPI(C), Jeffrey Ginsberg, MD, FRCPI(C), Lucie Blais, PhD, Martine Montigny, MD, FRCPI(C), Sylvie Perreault, PhD, Marie-Claude Vanier, MSc, and Lyne Lalonde, PhD, Montreal, Laval, Longueuil, and Hamilton, Canada

- 190** Routine use of fondaparinux in acute coronary syndromes: A 2-year multicenter experience



François Schiele, MD, PhD, Nicolas Meneveau, MD, PhD, Marie France Seronde, MD, Vincent Descotes-Genon, MD, Joanna Dutheil, MD, Romain Chopard, MD, Fiona Ecarnot, MSc, and Jean-Pierre Bassand, MD On behalf of the Reseau de Cardiologie de Franche Comte, Besançon, France

- 199** Anger expression and risk of coronary heart disease: Evidence from the Nova Scotia Health Survey

Karina W. Davidson, PhD and Elizabeth Mostofsky, MPH, New York, NY; and Boston, MA

Contents *continued*

Coronary Artery Disease

207 Are quality improvements associated with the Get With the Guidelines-Coronary Artery Disease (GWTG-CAD) program sustained over time?: A longitudinal comparison of GWTG-CAD hospitals versus non-GWTG-CAD hospitals

Ying Xian, MD, Wenqin Pan, PhD, Eric D. Peterson, MD, MPH, Paul A. Heidenreich, MD, MS, Christopher P. Cannon, MD, Adrian F. Hernandez, MD, MHS, Bruce Friedman, PhD, MPH, Robert G. Holloway, MD, MPH, and Gregg C. Fonarow, MD for the GWTG Steering Committee and Hospitals, Rochester, NY; Durham, NC; Palo Alto, and Los Angeles, CA; and Boston, MA

215  Parity and risk of later-life maternal cardiovascular disease

Nisha I. Parikh, MD, MPH, Sven Cnattingius, MD, PhD, Paul W. Dickman, PhD, Murray A. Mittleman, MD, DrPH, Jonas F. Ludvigsson, MD, PhD, and Erik Ingelsson, MD, PhD, Boston, MA; and Karolinska Institutet, Stockholm, and Örebro, Sweden

Congestive Heart Failure

222  Does aspirin use adversely influence intermediate-term postdischarge outcomes for hospitalized patients who are treated with angiotensin-converting enzyme inhibitors or angiotensin receptor blockers? Findings from Organized Program to Facilitate Life-Saving Treatment in Hospitalized Patients with Heart Failure (OPTIMIZE-HF)

Phillip D. Levy, MD, MPH, Deepa Nandyal, MD, Robert D. Welch, MD, MS, Jie Lena Sun, MS, Karen Pieper, MS, Jalal K. Ghali, MD, Gregg C. Fonarow, MD, FACC, Mihai Gheorgiade, MD, and Christopher M. O'Connor, MD, Detroit, MI; Durham, NC; Los Angeles, CA; and Chicago, IL

231 Mechanisms of the association between depressive symptoms and long-term mortality in heart failure

Maria C. Zuluaga, MD, Pilar Guallar-Castillón, MD, Carlos Rodríguez-Pascual, MD, Manuel Conde-Herrera, MD, Pedro Conthe, MD, and Fernando Rodríguez-Artalejo, MD, Madrid, Vigo, and Sevilla, Spain

238 Influence of dedicated heart failure clinics on delivery of recommended therapies in outpatient cardiology practices: Findings from the Registry to Improve the Use of Evidence-Based Heart Failure Therapies in the Outpatient Setting (IMPROVE HF)

Nancy M. Albert, PhD, RN, Gregg C. Fonarow, MD, Clyde W. Yancy, MD, Anne B. Curtis, MD, Wendy Gattis Stough, PharmD, Mihai Gheorgiade, MD, J. Thomas Heywood, MD, Mark McBride, PhD, Mandeep R. Mehra, MD, Christopher M. O'Connor, MD, Dwight Reynolds, MD, and Mary Norine Walsh, MD, Cleveland, OH; Los Angeles, and La Jolla, CA; Dallas, TX; Tampa, FL; Research Triangle Park and Durham, NC; Chicago, IL; Cambridge, MA; Baltimore, MD; Oklahoma City, OK; and Indianapolis, IN

245 Systematic review of trials using vasodilators in pulmonary arterial hypertension: Why a new approach is needed

Alejandro Macchia, MD, Roberto Marchioli, MD, Gianni Tognoni, MD, Marco Scarano, MS, RosaMaria Marfisi, MS, Luigi Tavazzi, MD, and Stuart Rich, MD, Chieti, and Contignola, RA, Italy; and Chicago, IL

Diabetes and Metabolism

258 Myocardial infarction and incidence of type 2 diabetes mellitus. Is admission blood glucose an independent predictor for future type 2 diabetes mellitus?

Christa Meisinger, MD, MPH, Judith Beck, MD, Margit Heier, MD, Allmut Hörmann, Bernhard Kuch, MD, Gisela Sietas, and Wolfgang Koenig, MD for the KORA Study Group, Neuherberg, Augsburg, and Ulm, Germany

Electrophysiology

264 Biventricular pacing improves cardiac function and prevents further left atrial remodeling in patients with symptomatic atrial fibrillation after atrioventricular node ablation

Michael V. Orlov, MD, PhD, Julius M. Gardin, MD, Mara Slawsky, MD, Renee L. Bess, BS, RDCS, RVT, Gerald Cohen, MD, William Bailey, MD, Vance Plumb, MD, Horst Flathmann, PhD, and Katerina de Metz, MS, Boston and Springfield, MA; Detroit, MI; Lake Charles, LA; Birmingham, AL; and Lake Oswego, OR

Contents continued

Interventional Cardiology

- 271** Analysis of the long-term effects of drug-eluting stents on coronary arterial wall morphology as assessed by virtual histology intravascular ultrasound

Takashi Kubo, MD, PhD, Akiko Maehara, MD, Gary S. Mintz, MD, Hector M. Garcia-Garcia, MD, MSc, Patrick W. Serruys, MD, PhD, Takahiko Suzuki, MD, Volker Klauss, MD, Satoru Sumitsuji, MD, Amir Lerman, MD, Steven P. Marso, MD, M. Paulina Margolis, MD, PhD, James R. Margolis, MD, Michael C. Foster, MD, Bernard De Bruyne, MD, PhD, Martin B. Leon, MD, and Gregg W. Stone, MD, New York, NY; Rotterdam, The Netherlands; Aichi, and Osaka, Japan; Munich, Germany; Rochester, MN; Kansas City, MO; Rancho Cordova, CA; Miami, FL; Columbia, SC; and Aalst, Belgium

- 278** Intracoronary thrombus formation after drug-eluting stents implantation: Optical coherence tomographic study

Jung-Sun Kim, MD, PhD, Myeong-Ki Hong, MD, PhD, Chunyu Fan, MD, Tae-Hoon Kim, MD, Jae-Min Shim, MD, Sang-Min Park, MD, Young-Guk Ko, MD, Donghoon Choi, MD, PhD, and Yangsoo Jang, MD, PhD, Seoul, South Korea

- 284**  Triple antiplatelet therapy reduces ischemic events after drug-eluting stent implantation: Drug-Eluting stenting followed by Cilostazol treatment REDuces Adverse Serious cardiac Events (DECREASE registry)

Seung-Whan Lee, MD, PhD, Seong-Wook Park, MD, PhD, Sung-Cheol Yun, PhD, Young-Hak Kim, MD, PhD, Duk-Woo Park, MD, PhD, WonJang Kim, MD, Jong-Young Lee, MD, Cheol Whan Lee, MD, PhD, Myeong-Ki Hong, MD, PhD, Jae-Joong Kim, MD, PhD, and Seung-Jung Park, MD, PhD, Seoul, South Korea

Outcomes, Health Policy, and Managed Care

- 292** The effect of obesity on quality of life in patients with diabetes and coronary artery disease

Mark A. Hlatky, MD, Sheng-Chia Chung, MPH, Jorge Escobedo, MD, William B. Hillegass, MD, Kathryn Melsop, MS, William Rogers, MD, and Maria M. Brooks, PhD for the BARI 2D Study Group, Stanford, CA; Pittsburgh, PA; Mexico DF, Mexico; and Birmingham, AL

Imaging and Diagnostic Testing

- 301** Perioperative outcomes in reoperative cardiac surgery guided by cardiac multidetector computed tomographic angiography

Gabriel Maluenda, MD, Matthew A. Goldstein, MD, Gilles Lemesle, MD, Gaby Weissman, MD, Guy Weigold, MD, Marc J. Landsman, BS, Peter C. Hill, MD, Francisco Pita, MD, Paul J. Corso, MD, Steven W. Boyce, MD, Augusto D. Pickard, MD, Ron Waksman, MD, and Allen J. Taylor, MD, Washington, DC

Prevention and Rehabilitation

- 307** Association of statin prescription with small abdominal aortic aneurysm progression

Craig D. Ferguson, MB, BS (Hons), Paula Clancy, PhD, Bernard Bourke, FRACS, Philip J. Walker, FRACS, Anthony Dear, MB, BS (Hons), PhD, Tim Buckenham, FRCP, Paul Norman, DS, FRACS, and Jonathan Golledge, MChir, FRACS, Queensland, New South Wales, Victoria, and Western Australia, Australia; and Christchurch, New Zealand

Surgery

- 314** The right ventricular annular velocity reduction caused by coronary artery bypass graft surgery occurs at the moment of pericardial incision



Beth Unsworth, BSc, Roberto P. Casula, MD, FRCS, FECTS, Andreas A. Kyriacou, MBChB, MRCP, Hemang Yada, MA, MBBS, Andrew Chukwuemeka, LLB, MD, FRCR, Ashok Cherian, MD, Rex de Lisle Stanbridge, MD, FRCS, Thanos Athanasiou, MD, PhD, FETCS, Jamil Mayet, MD, FRCP, and Darrel P. Francis, MA, MD, FRCP, Imperial College, and Paddington, London

Continued on page 4A

Contents *continued*

Ventricular and Congenital Heart Disease

- 323 Relationship between the logistic EuroSCORE and the Society of Thoracic Surgeons Predicted Risk of Mortality score in patients implanted with the CoreValve ReValving System—A Bern-Rotterdam Study**

Nicolo Piazza, MD, FRCPC, Peter Wenaweser, MD, PhD, Menno van Gameren, MD, Thomas Pilgrim, MD, Apostolos Tsikas, MD, Amber Otten, MD, Rutger Nuis, MD, Yoshinobu Onuma, MD, Jin Ming Cheng, MD, A. Pieter Kappetein, MD, PhD, Eric Boersma, MD, PhD, Peter Juni, MD, PhD, Peter de Jaegere, MD, PhD, Stephan Windecker, MD, PhD, and Patrick W. Serruys, MD, PhD, Rotterdam, The Netherlands; and Bern, Switzerland

330 Corrections

Letters to the Editor

e1 Letter to the Editor

Aditya Mandawat, Sachin J. Shah, and Saif S. Rathore,
MPH Cleveland, OH; and New Haven, CT

e3 Electrocardiographic predictors of atrial fibrillation: Methodological considerations

- Polychronis Dilaveris, MD, FESC, and Christodoulos Stefanidis, MD, FESC, FACC, Athens, Greece

e5 Response to letter by Drs Dilaveris and Stefanidis:
Electrocardiographic predictors of atrial fibrillation:
Methodological considerations

Marco V. Perez, MD, and Victor F. Froelicher, MD,
FACC, Palo Alto, CA

e7 Letter to the Editor—Solomon about Laskey Study

Richard Solomon, University of Vermont College of Medicine, Fletcher Allen Health Care

e9 Laskey response to Solomon

Warren Laskey, MD