

Brief Contents

I. Introduction

Chapter 1: Overview of the Immune System	1
Chapter 2: Cells, Organs, and Microenvironments of the Immune System	31
Chapter 3: Recognition and Response	69

II. Innate Immunity

Chapter 4: Innate Immunity	113
Chapter 5: The Complement System	165

III. Adaptive Immunity: Antigen Receptors and MHC

Chapter 6: The Organization and Expression of Lymphocyte Receptor Genes	205
Chapter 7: The Major Histocompatibility Complex and Antigen Presentation	249

IV. Adaptive Immunity: Development

Chapter 8: T-Cell Development	293
Chapter 9: B-Cell Development	321

V. Adaptive Immunity: Effector Responses

Chapter 10: T-Cell Activation, Helper Subset Differentiation, and Memory	353
Chapter 11: B-Cell Activation, Differentiation, and Memory Generation	391
Chapter 12: Effector Responses: Antibody- and Cell-Mediated Immunity	433
Chapter 13: Barrier Immunity: The Immunology of Mucosa and Skin	473
Chapter 14: The Adaptive Immune Response in Space and Time	511

VI. The Immune System in Health and Disease

Chapter 15: Allergy, Hypersensitivities, and Chronic Inflammation	549
Chapter 16: Tolerance, Autoimmunity, and Transplantation	593
Chapter 17: Infectious Diseases and Vaccines	637
Chapter 18: Immunodeficiency Diseases	681
Chapter 19: Cancer and the Immune System	727

VII. Experimental Methods

Chapter 20: Experimental Systems and Methods	759
---	-----

Appendix I: CD Antigens	A-1
Appendix II: Cytokines and Associated JAK-STAT Signaling Molecules	B-1
Appendix III: Chemokines and Chemokine Receptors	C-1
Glossary	G-1
Answers to Study Questions	AN-1
Index	I-1

Contents

Chapter 1: Overview of the Immune System 1

A Historical Perspective of Immunology 2

- Early Vaccination Studies Led the Way to Immunology 2
- Vaccination Is an Ongoing, Worldwide Enterprise 4
- Immunology Is about More than Just Vaccines and Infectious Disease 6
- Immunity Involves Both Humoral and Cellular Components 7
- How Are Foreign Substances Recognized by the Immune System? 9

Important Concepts for Understanding the Mammalian Immune Response 12

- Pathogens Come in Many Forms and Must First Breach Natural Barriers 12
- The Immune Response Quickly Becomes Tailored to Suit the Assault 14
- Pathogen Recognition Molecules Can Be Encoded as Genes or Generated by DNA Rearrangement 15
- Tolerance Ensures That the Immune System Avoids Destroying the Host 16
- The Immune Response Is Composed of Two Interconnected Arms: Innate Immunity and Adaptive Immunity 17
- Immune Cells and Molecules Can Be Found in Many Places 18
- Adaptive Immune Responses Typically Generate Memory 21

The Good, Bad, and Ugly of the Immune System 21

- Inappropriate or Dysfunctional Immune Responses Can Result in a Range of Disorders 22
- The Immune Response Renders Tissue Transplantation Challenging 25
- Cancer Presents a Unique Challenge to the Immune Response 26

Conclusion 26

References 27

Study Questions 28

Chapter 2: Cells, Organs, and Microenvironments of the Immune System 31

Hematopoiesis and Cells of the Immune System 33

- Hematopoietic Stem Cells Differentiate into All Red and White Blood Cells 33
- HSCs Differentiate into Myeloid and Lymphoid Blood Cell Lineages 35
- Cells of the Myeloid Lineage Are the First Responders to Infection 38
- Cells of the Lymphoid Lineage Regulate the Adaptive Immune Response 43

Primary Lymphoid Organs: Where Immune Cells Develop 47

- The Site of Hematopoiesis Changes during Embryonic Development 47
- The Bone Marrow Is the Main Site of Hematopoiesis in the Adult 50
- The Thymus Is the Primary Lymphoid Organ Where T Cells Mature 52

Secondary Lymphoid Organs: Where the Immune Response Is Initiated 56

- Secondary Lymphoid Organs Are Distributed throughout the Body and Share Some Anatomical Features 56
- Blood and Lymphatics Connect Lymphoid Organs and Infected Tissue 56
- The Lymph Node Is a Highly Specialized Secondary Lymphoid Organ 57
- The Spleen Organizes the Immune Response against Blood-Borne Pathogens 60
- Barrier Organs Also Have Secondary Lymphoid Tissue 62
- Tertiary Lymphoid Tissues Also Organize and Maintain an Immune Response 63

Conclusion 65

References 66

Study Questions 67

Chapter 3: Recognition and Response 69

General Properties of Immune Receptor-Ligand Interactions 70

- Receptor-Ligand Binding Occurs via Multiple Noncovalent Bonds 70
- How Do We Describe the Strength of Receptor-Ligand Interactions? 71
- Interactions between Receptors and Ligands Can Be Multivalent 71

• Combinatorial Expression of Protein Chains Can Increase Ligand-Binding Diversity	72	Immune Responses: The Outcomes of Immune System Recognition	105
• Adaptive Immune Receptor Genes Undergo Rearrangement in Individual Lymphocytes	73	• Changes in Protein Expression Facilitate Migration of Leukocytes into Infected Tissues	105
• Levels of Receptor and Ligand Expression Can Vary during an Immune Response	73	• Activated Macrophages and Neutrophils May Clear Pathogens without Invoking Adaptive Immunity	106
• Local Concentrations of Ligands May Be Extremely High during Cell-Cell Interactions	74	• Antigen Activation Optimizes Antigen Presentation by Dendritic Cells	106
• Many Immune Receptors Include Immunoglobulin Domains	75	• Cytokine Secretion by Dendritic Cells and T Cells Can Direct the Subsequent Immune Response	106
• Immune Antigen Receptors Can Be Transmembrane, Cytosolic, or Secreted	76	• Antigen Stimulation by T and B Cells Promotes Their Longer-Term Survival	107
Immune Antigen Receptor Systems	77	• Antigen Binding by T Cells Induces Their Division and Differentiation	107
• The B-Cell Receptor Has the Same Antigen Specificity as Its Secreted Antibodies	77	• Antigen Binding by B Cells Induces Their Division and Differentiation	107
• T-Cell Antigen Receptors Recognize Antigen in the Context of MHC Proteins	84	Conclusion	109
• Receptors of Innate Immunity Bind to Conserved Molecules on Pathogens	89	References	110
Cytokines and Their Receptors	91	Study Questions	111
• Cytokines Are Described by Their Functions and the Distances at Which They Act	91	Chapter 4: Innate Immunity	113
• Cytokines Exhibit the Attributes of Pleiotropy, Redundancy, Synergism, Antagonism, and Cascade Induction	93	Anatomical Barriers to Infection	116
• Cytokines of the IL-1 Family Promote Proinflammatory Signals	94	• Epithelial Barriers Prevent Pathogen Entry into the Body's Interior	117
• Class 1 Cytokines Share a Common Structural Motif But Have Varied Functions	94	• Antimicrobial Proteins and Peptides Kill Would-Be Invaders	117
• Class 2 Cytokines Are Grouped into Three Families of Interferons	95	Cellular Innate Response Receptors and Signaling	120
• TNF Family Cytokines May Be Soluble or Membrane-Bound	97	• Toll-Like Receptors Initiate Responses to Many Types of Molecules from Extracellular Pathogens	120
• The IL-17 Family of Cytokines and Receptors Is the Most Recently Identified	98	• C-Type Lectin Receptors Bind Carbohydrates on the Surfaces of Extracellular Pathogens	127
• Chemokines Induce the Directed Movement of Leukocytes	99	• NOD-Like Receptors Bind PAMPs from Cytosolic Pathogens	128
A Conceptual Framework for Understanding Cell Signaling	100	• ALRs Bind Cytosolic DNA	129
• Ligand Binding Can Induce Dimerization or Multimerization of Receptors	100	• RLRs Bind Cytosolic Viral RNA	132
• Ligand Binding Can Induce Phosphorylation of Tyrosine Residues in Receptors or Receptor-Associated Molecules	102	• cGAS and STING Are Activated by Cytosolic DNA and Dinucleotides	133
• Src-Family Kinases Play Important Early Roles in the Activation of Many Immune Cells	102	Induced Innate Immunity Effector Mechanisms	133
• Intracellular Adapter Proteins Gather Members of Signaling Pathways	103	• Expression of Innate Immunity Proteins Is Induced by PRR Signaling	135
• Common Sequences of Downstream Effector Relays Pass the Signal to the Nucleus	104	• Phagocytosis Is an Important Mechanism for Eliminating Pathogens	139
• Not All Ligand-Receptor Signals Result in Transcriptional Alterations	105	• Regulated Cell Death Contributes to Pathogen Elimination	143
		• Local Inflammation Is Triggered by Innate Immune Responses	145

Innate Lymphoid Cells	146		
• Natural Killer Cells Are ILCs with Cytotoxic Activity	146		
• ILC Populations Produce Distinct Cytokines and Have Different Roles	147		
Regulation and Evasion of Innate and Inflammatory Responses	148		
• Innate and Inflammatory Responses Can Be Harmful	148		
• Innate and Inflammatory Responses Are Regulated Both Positively and Negatively	149		
• Pathogens Have Evolved Mechanisms to Evade Innate and Inflammatory Responses	152		
Interactions between the Innate and Adaptive Immune Systems	152		
• The Innate Immune System Activates Adaptive Immune Responses	153		
• Recognition of Pathogens by Dendritic Cells Influences Helper T-Cell Differentiation	154		
• Some Antigens Containing PAMPs Can Activate B Cells Independent of Helper T Cells	155		
• Adjuvants Activate Innate Immune Responses That Increase the Effectiveness of Immunizations	156		
• Some Pathogen Clearance Mechanisms Are Common to Both Innate and Adaptive Immune Responses	156		
Ubiquity of Innate Immunity	156		
• Some Innate Immune System Components Occur across the Plant and Animal Kingdoms	157		
• Invertebrate and Vertebrate Innate Immune Responses Show Both Similarities and Differences	159		
Conclusion	160		
References	160		
Study Questions	162		
Chapter 5: The Complement System	165		
The Major Pathways of Complement Activation	168		
• The Classical Pathway Is Initiated by Antibody Binding to Antigens	169		
• The Lectin Pathway Is Initiated When Soluble Proteins Recognize Microbial Antigens	174		
• The Alternative Pathway Is Initiated in Three Distinct Ways	175		
• The Three Complement Pathways Converge at the Formation of C5 Convertase and Generation of the MAC	179		
The Diverse Functions of Complement	180		
• Complement Receptors Connect Complement-Tagged Pathogens to Effector Cells	181		
• Complement Enhances Host Defense against Infection	185		
• Complement Acts at the Interface between Innate and Adaptive Immunities	188		
• Complement Aids in the Contraction Phase of the Immune Response	189		
The Regulation of Complement Activity	191		
• Complement Activity Is Passively Regulated by Short Protein Half-Lives and Host Cell Surface Composition	191		
• The C1 Inhibitor, C1INH, Promotes Dissociation of C1 Components	191		
• Decay-Accelerating Factor Promotes Decay of C3 Convertases	191		
• Factor I Degrades C3b and C4b	193		
• CD59 (Protectin) Inhibits the MAC Attack	195		
• Carboxypeptidases Can Inactivate the Anaphylatoxins C3a and C5a	196		
Complement Deficiencies	196		
Microbial Complement Evasion Strategies	197		
The Evolutionary Origins of the Complement System	198		
Conclusion	200		
References	201		
Study Questions	202		
Chapter 6: The Organization and Expression of Lymphocyte Receptor Genes	205		
The Puzzle of Immunoglobulin Gene Structure	206		
• Investigators Proposed Two Early Theoretical Models of Antibody Genetics	206		
• Breakthrough Experiments Revealed That Multiple Gene Segments Encode the Immunoglobulin Light Chain	208		
Multigene Organization of Immunoglobulin Genes	212		
• κ Light-Chain Genes Include V, J, and C Segments	212		
• λ Light-Chain Genes Include Paired J and C Segments	212		
• Heavy-Chain Gene Organization Includes V _H , D, J _H , and C _H Segments	214		
• The Antibody Genes Found in Mature B Cells Are the Product of DNA Recombination	214		
The Mechanism of V(D)J Recombination	215		
• V(D)J Recombination in Lymphocytes Is a Highly Regulated Sequential Process	216		
• Recombination Is Directed by Recombination Signal Sequences	217		

• Gene Segments Are Joined by a Diverse Group of Proteins	218	• Allelic Forms of MHC Genes Are Inherited in Linked Groups Called Haplotypes	258
• V(D)J Recombination Occurs in a Series of Well-Regulated Steps	220	• MHC Molecules Are Codominantly Expressed	259
• Five Mechanisms Generate Antibody Diversity in Naïve B Cells	225	• Class I and Class II Molecules Exhibit Diversity at Both the Individual and Species Levels	261
• The Regulation of V(D)J Gene Recombination Involves Chromatin Alteration	229	• MHC Polymorphism Is Primarily Limited to the Antigen-Binding Groove	263
B-Cell Receptor Expression	232	The Role and Expression Pattern of MHC Molecules	265
• Each B Cell Synthesizes only one Heavy Chain and One Light Chain	232	• MHC Molecules Present Both Intracellular and Extracellular Antigens	267
• Receptor Editing of Potentially Autoreactive Receptors Occurs in Light Chains	233	• MHC Class I Expression Is Found Throughout the Body	267
• mRNA Splicing Regulates the Expression of Membrane-Bound versus Secreted Ig	234	• Expression of MHC Class II Molecules Is Primarily Restricted to Antigen-Presenting Cells	268
T-Cell Receptor Genes and Their Expression	237	• MHC Expression Can Change with Changing Conditions	268
• Understanding the Protein Structure of the TCR Was Critical to the Process of Discovering the Genes	237	• MHC Alleles Play a Critical Role in Immune Responsiveness	271
• The β -Chain Gene Was Discovered Simultaneously in Two Different Laboratories	237	• Seminal Studies Demonstrate That T Cells Recognize Peptide Presented in the Context of Self-MHC Alleles	271
• A Search for the α -Chain Gene Led to the γ -Chain Gene Instead	238	• Evidence Suggests Distinct Antigen Processing and Presentation Pathways	275
• TCR Genes Are Arranged in V, D, and J Clusters of Gene Segments	239	The Endogenous Pathway of Antigen Processing and Presentation	276
• Recombination of TCR Gene Segments Proceeds at a Different Rate and Occurs at Different Stages of Development in $\alpha\beta$ versus $\gamma\delta$ T Cells	241	• Peptides Are Generated by Protease Complexes Called Proteasomes	276
• The Process of TCR Gene Segment Rearrangement Is Very Similar to Immunoglobulin Gene Recombination	241	• Peptides Are Transported from the Cytosol to the Rough Endoplasmic Reticulum	277
• TCR Expression Is Controlled by Allelic Exclusion	243	• Chaperones Aid Peptide Assembly with MHC Class I Molecules	278
Conclusion	244	The Exogenous Pathway of Antigen Processing and Presentation	279
References	244	• Peptides Are Generated from Internalized Antigens in Endocytic Vesicles	279
Study Questions	245	• The Invariant Chain Guides Transport of MHC Class II Molecules to Endocytic Vesicles	280
Chapter 7: The Major Histocompatibility Complex and Antigen Presentation	249	• Peptides Assemble with MHC Class II Molecules by Displacing CLIP	281
The Structure and Function of MHC Class I and II Molecules	250	Unconventional Antigen Processing and Presentation	283
• Class I Molecules Consist of One Large Glycoprotein Heavy Chain Plus a Small Protein Light Chain	250	• Dendritic Cells Can Cross-Present Exogenous Antigen via MHC Class I Molecules	283
• Class II Molecules Consist of Two Nonidentical Membrane-Bound Glycoprotein Chains	252	• Cross-Presentation by APCs Is Essential for the Activation of Naïve CD8 ⁺ T Cells	283
• Class I and II Molecules Exhibit Polymorphism in the Region That Binds to Peptides	252	Presentation of Nonpeptide Antigens	285
The Organization and Inheritance of MHC Genes	255	Conclusion	287
• The MHC Locus Encodes the Three Major Classes of MHC Molecules	256	References	287
		Study Questions	288

Chapter 8: T-Cell Development	293		
Early Thymocyte Development	295		
• Thymocytes Progress through Four Double-Negative Stages	295		
• Thymocytes Express Either $\alpha\beta$ or $\gamma\delta$ T Cell Receptors	297		
• DN Thymocytes Undergo β -Selection, Which Results in Proliferation and Differentiation	298		
Positive and Negative Selection	299		
• Thymocytes "Learn" MHC Restriction in the Thymus	300		
• T Cells Undergo Positive and Negative Selection	302		
• Positive Selection Ensures MHC Restriction	303		
• Negative Selection (Central Tolerance) Ensures Self-Tolerance	306		
• The Selection Paradox: Why Don't We Delete All Cells We Positively Select?	308		
• An Alternative Model Can Explain the Thymic Selection Paradox	310		
• Do Positive and Negative Selection Occur at the Same Stage of Development, or in Sequence?	310		
Lineage Commitment	311		
• Several Models Have Been Proposed to Explain Lineage Commitment	311		
• Transcription Factors Th-POK and Runx3 Regulate Lineage Commitment	312		
• Double-Positive Thymocytes May Commit to Other Types of Lymphocytes	313		
Exit from the Thymus and Final Maturation	313		
Other Mechanisms That Maintain Self-Tolerance	314		
• T _{REG} Cells Negatively Regulate Immune Responses	314		
• Peripheral Mechanisms of Tolerance Also Protect against Autoreactive Thymocytes	315		
Conclusion	315		
References	316		
Study Questions	317		
Chapter 9: B-Cell Development	321		
B-Cell Development in the Bone Marrow	323		
• Changes in Cell-Surface Markers, Gene Expression, and Immunoglobulin Gene Rearrangements Define the Stages of B-Cell Development	323		
• The Earliest Steps in Lymphocyte Differentiation Culminate in the Generation of a Common Lymphoid Progenitor	325		
• The Later Stages of B-Cell Development Result in Commitment to the B-Cell Phenotype and the Stepwise Rearrangement of Immunoglobulin Genes	328		
• Immature B Cells in the Bone Marrow Are Exquisitely Sensitive to Tolerance Induction through the Elimination of Self-Reactive Cells	335		
Completion of B-Cell Development in the Spleen	337		
• T1 and T2 Transitional B Cells Form in the Spleen and Undergo Selection for Survival and against Self-Reactivity	337		
• T2 B Cells Give Rise to Mature Follicular B-2 B Cells	340		
• T3 B Cells Are Primarily Self-Reactive and Anergic	340		
The Properties and Development of B-1 and Marginal Zone B Cells	342		
• B-1a, B-1b, and MZ B Cells Differ Phenotypically and Functionally from B-2 B Cells	342		
• B-1a B Cells Are Derived from a Distinct Developmental Lineage	344		
Comparison of B- and T-Cell Development	345		
Conclusion	348		
References	349		
Study Questions	350		
Chapter 10: T-Cell Activation, Helper Subset Differentiation, and Memory	353		
T-Cell Activation and the Two-Signal Hypothesis	354		
• TCR Signaling Provides Signal 1 and Sets the Stage for T-Cell Activation	356		
• Costimulatory Signals Are Required for Optimal T-Cell Activation Whereas Coinhibitory Signals Prevent T-Cell Activation	359		
• Clonal Anergy Results If a Costimulatory Signal Is Absent	363		
• Cytokines Provide Signal 3	364		
• Antigen-Presenting Cells Provide Costimulatory Ligands and Cytokines to Naïve T Cells	365		
• Superantigens Are a Special Class of T-Cell Activators	366		
Helper CD4⁺ T-Cell Differentiation	367		
• Helper T Cells Can Be Divided into Distinct Subsets and Coordinate Type 1 and Type 2 Responses	368		
• The Differentiation of Helper T-Cell Subsets Is Regulated by Polarizing Cytokines	369		
• Each Effector Helper T-Cell Subset Has Unique Properties	371		
• Helper T Cells May Not Be Irrevocably Committed to a Lineage	381		
• Helper T-Cell Subsets Play Critical Roles in Immune Health and Disease	381		

T-Cell Memory	383	Negative Regulation of B Cells	426
• Naïve, Effector, and Memory T Cells Can Be Distinguished by Differences in Surface Protein Expression	383	• Negative Signaling through CD22 Balances Positive BCR-Mediated Signaling	426
• Memory Cell Subpopulations Are Distinguished by Their Locale and Effector Activity	385	• Negative Signaling through the Receptor FcγRIIb Inhibits B-Cell Activation	427
• Many Questions Remain Surrounding Memory T-Cell Origins and Functions	385	• CD5 Acts as a Negative Regulator of B-Cell Signaling	427
Conclusion	386	• B-10 B Cells Act as Negative Regulators by Secreting IL-10	427
References	387	Conclusion	428
Study Questions	389	References	428
Chapter 11: B-Cell Activation, Differentiation, and Memory Generation	391	Study Questions	430
T-Dependent B-Cell Responses: Activation	394	Chapter 12: Effector Responses: Antibody- and Cell-Mediated Immunity	433
• Naïve B Cells Encounter Antigen in the Lymph Nodes and Spleen	395	Antibody-Mediated Effector Functions	434
• B-Cell Recognition of Cell-Bound Antigen Culminates in the Formation of an Immunological Synapse	398	• Antibodies Provide Protection against Pathogens, Toxins, and Harmful Cells in a Variety of Ways	435
• Antigen Binding to the BCR Leads to Activation of a Signal Transduction Cascade within the B Cell	399	• Different Antibody Classes Mediate Different Effector Functions	438
• B Cells Also Receive and Propagate Signals through Coreceptors	401	• Fc Receptors Mediate Many Effector Functions of Antibodies	442
• B Cells Use More Than One Mechanism to Acquire Antigen from Antigen-Presenting Cells	401	• Protective Effector Functions Vary among Antibody Classes	445
• Antigen Receptor Binding Induces Internalization and Antigen Presentation	402	• Antibodies Have Many Therapeutic Uses in Treating Diseases	445
• The Early Phases of the T-Dependent Response Are Characterized by Chemokine-Directed B-Cell Migration	402	Cell-Mediated Effector Responses	448
• Specification of the Stimulated B-Cell Fate Depends on Transcription Factor Expression	407	• Cytotoxic T Lymphocytes Recognize and Kill Infected or Tumor Cells via T-Cell Receptor Activation	448
T-Dependent B-Cell Responses: Differentiation and Memory Generation	408	• Natural Killer Cell Activity Depends on the Balance of Activating and Inhibitory Signals	459
• Some Activated B Cells Differentiate into Plasma Cells That Form the Primary Focus	408	• NKT Cells Bridge the Innate and Adaptive Immune Systems	465
• Other Activated B Cells Enter the Follicles and Initiate a Germinal Center Response	409	Conclusion	468
• The Mechanisms of Somatic Hypermutation and Class Switch Recombination	413	References	469
• Memory B Cells Recognizing T-Dependent Antigens Are Generated Both within and outside the Germinal Center	417	Study Questions	470
• Most Newly Generated B Cells Are Lost at the End of the Primary Immune Response	421	Chapter 13: Barrier Immunity: The Immunology of Mucosa and Skin	473
T-Independent B-Cell Responses	421	Common Themes in Barrier Immune Systems	475
• T-Independent Antigens Stimulate Antibody Production in the Absence of T-Cell Help	421	• All Barrier Surfaces Are Lined by One or More Layers of Epithelial Cells	476
• Two Novel Subclasses of B Cells Mediate the Response to T-Independent Antigens	423	• Barrier Organs Are Populated by Innate and Adaptive Immune Cells That Interact with Epithelium and Secondary Lymphoid Tissue	479
		• Barrier Immune Systems Initiate Both Tolerogenic and Inflammatory Responses to Microorganisms	480

Intestinal Immunity	481		
• The Gut Is Organized into Different Anatomical Sections and Tissue Layers	483		
• Gut Epithelial Cells Vary in Phenotype and Function	484		
Setting the Stage: Maintaining Immune Homeostasis in the Intestine	487		
• The Gut Immune System Maintains a Barrier between the Microbiome and the Epithelium	488		
• Antigen Is Delivered from the Intestinal Lumen to Antigen-Presenting Cells in Multiple Ways	488		
• Immune Homeostasis in the Intestine Is Promoted by Several Innate and Adaptive Cell Types	489		
• The Immune Systems in the Small and Large Intestines Differ	494		
• Commensal Microbes Help Maintain Tolerogenic Tone in the Intestine	494		
Springing into Action: Intestinal Immune System Response to Invasion	496		
• The Gut Immune System Recognizes and Responds to Harmful Pathogens	496		
• The Intestinal Immune System Can Mount Both Type 1 and Type 2 Responses	498		
Dysbiosis, Inflammatory Bowel Disease, and Celiac Disease	500		
Other Barrier Immune Systems	501		
• The Respiratory Immune System Shares Many Features with the Intestinal Immune System	502		
• The Skin Is a Unique Barrier Immune System	506		
Conclusion	508		
References	508		
Study Questions	510		
Chapter 14: The Adaptive Immune Response in Space and Time	511		
Immune Cells in Healthy Tissue: Homeostasis	512		
• Naïve Lymphocytes Circulate between Secondary and Tertiary Lymphoid Tissues	512		
• Extravasation Is Driven by Sequential Activation of Surface Molecules	515		
• Naïve Lymphocytes Browse for Antigen along the Reticular Network of Secondary Lymphoid Organs	519		
Immune Cell Response to Antigen: The Innate Immune Response	522		
• Innate Immune Cells Are Activated by Antigen Binding to Pattern Recognition Receptors	522		
• Antigen Travels in Two Different Forms to Secondary Lymphoid Tissue via Afferent Lymphatics	523		
• Antigen-Presenting Cells Presenting Processed Antigen Travel to the T-Cell Zones of Secondary Lymphoid Tissue	525		
• Unprocessed Antigen Travels to the B-Cell Zones	526		
• Blood-Borne Antigen Is Captured by Specialized APCs at the Marginal Zone of the Spleen	527		
First Contact between Antigen and Lymphocytes	527		
• Naïve CD4 ⁺ T Cells Arrest Their Movements after Engaging Antigens	527		
• B Cells Seek Help from CD4 ⁺ T Cells at the Border between the Follicle and Paracortex of the Lymph Node	528		
• Dynamic Imaging Adds New Perspectives on B- and T-Cell Behavior in Germinal Centers	529		
• CD8 ⁺ T Cells Are Activated in the Lymph Node via a Multicellular Interaction	529		
• A Summary of the Timing of a Primary Response	531		
• Differentiation into Central Memory T Cells Begins Early in the Primary Response	532		
• The Immune Response Contracts within 10 to 14 Days	534		
The Effector and Memory Cell Response	535		
• Activated Lymphocytes Exit the Lymph Node and Recirculate through Different Tissues	535		
• Chemokine Receptors and Adhesion Molecules Regulate Homing of Memory and Effector Lymphocytes to Peripheral Tissues	536		
The Immune Response: Case Studies	537		
• CD8 ⁺ T-Cell Response to Infection with <i>Toxoplasma gondii</i>	538		
• Resident Memory T-Cell Response to Herpes Simplex Virus Infection	540		
• Host Immune Cell Response to a Tissue Graft	540		
• Dendritic Cell Contribution to <i>Listeria</i> Infection	542		
• T-Cell Response to Tumors	543		
• Regulatory T Cells Inhibit the Immune Response in Multiple Ways	543		
Conclusion	544		
References	544		
Study Questions	546		
Chapter 15: Allergy, Hypersensitivities, and Chronic Inflammation	549		
Allergies: Type I Hypersensitivity	551		
• IgE Antibodies Are Responsible for Type I Hypersensitivity	551		
• Many Allergens Can Elicit a Type I Response	551		

• IgE Antibodies Act by Binding Antigen, Resulting in the Cross-Linking of Fc ϵ Receptors	554	Chapter 16: Tolerance, Autoimmunity, and Transplantation	593
• IgE Receptor Signaling Is Tightly Regulated	556	Establishment and Maintenance of Tolerance	594
• Granulocytes Produce Molecules Responsible for Type I Hypersensitivity Symptoms	558	• Antigen Sequestration, or Evasion, Is One Means to Protect Self Antigens from Attack	595
• Type I Hypersensitivities Are Characterized by Both Early and Late Responses	559	• Central Tolerance Processes Occur in Primary Lymphoid Organs	595
• There Are Several Categories of Type I Hypersensitivity Reactions	561	• Cells That Mediate Peripheral Tolerance Are Generated Outside Primary Lymphoid Organs	597
• Susceptibility to Type I Hypersensitivity Reactions Is Influenced by Both Environmental Factors and Genetics	562	• Multiple Immune Cell Types Work in the Periphery to Inhibit Anti-Self Responses	598
• Diagnostic Tests and Treatments Are Available for Allergic Reactions	568	Autoimmunity	602
• Why Did Allergic Responses Evolve?	570	• Some Autoimmune Diseases Target Specific Organs	604
Antibody-Mediated (Type II) Hypersensitivity	571	• Some Autoimmune Diseases Are Systemic	608
• Transfusion Reactions Are an Example of Type II Hypersensitivity	572	• Both Intrinsic and Extrinsic Factors Can Favor Susceptibility to Autoimmune Disease	611
• Hemolytic Disease of the Newborn Is Caused by Type II Reactions	573	• What Causes Autoimmunity?	612
• Hemolytic Anemia Can Be Drug Induced	575	• Treatments for Autoimmune Disease Range from General Immune Suppression to Targeted Immunotherapy	614
Immune Complex-Mediated (Type III) Hypersensitivity	575	Transplantation Immunology	617
• Immune Complexes Can Damage Various Tissues	575	• Demand for Transplants Is High, but Organ Supplies Remain Low	617
• Immune Complex-Mediated Hypersensitivity Can Resolve Spontaneously	576	• Antigenic Similarity between Donor and Recipient Improves Transplant Success	619
• Auto-Antigens Can Be Involved in Immune Complex-Mediated Reactions	576	• Some Organs Are More Amenable to Transplantation Than Others	621
• Arthus Reactions Are Localized Type III Hypersensitivity Reactions	577	• Matching Donor and Recipient Involves Prior Assessment of Histocompatibility	622
Delayed-Type (Type IV) Hypersensitivity	577	• Allograft Rejection Follows the Rules of Immune Specificity and Memory	624
• The Initiation of a Type IV DTH Response Involves Sensitization by Antigen	578	• Graft Rejection Takes a Predictable Clinical Course	624
• The Effector Phase of a Classical DTH Response Is Induced by Second Exposure to a Sensitizing Antigen	579	• Immunosuppressive Therapy Can Be Either General or Target-Specific	627
• The DTH Reaction Can Be Detected by a Skin Test	580	• Immune Tolerance to Allografts Is Favored in Certain Instances	630
• Contact Dermatitis Is a Type IV Hypersensitivity Response	580	Conclusion	632
Chronic Inflammation	582	References	633
• Infections Can Cause Chronic Inflammation	582	Study Questions	634
• There Are Noninfectious Causes of Chronic Inflammation	582	Chapter 17: Infectious Diseases and Vaccines	637
• Obesity Is Associated with Chronic Inflammation	583	The Importance of Barriers and Vectors in Infectious Disease	639
• Chronic Inflammation Can Cause Systemic Disease	584	The Link between Location and Immune Effector Mechanism	641
Conclusion	587		
References	588		
Study Questions	589		

• Mucosal or Barrier Infections Are Typically Controlled by T _H 2-Type Responses	642
• Extracellular Pathogens Must Be Recognized and Attacked Using Extracellular Tools	642
• Mechanisms That Recognize Infected Host Cells Are Required to Combat Intracellular Infections	644
Viral Infections	644
• The Antiviral Innate Response Provides Key Instructions for the Later Adaptive Response	644
• Many Viruses Are Neutralized by Antibodies	646
• Cell-Mediated Immunity is Important for Viral Control and Clearance	647
• Viruses Employ Several Strategies to Evade Host Defense Mechanisms	647
• The Imprinting of a Memory Response Can Influence Susceptibility to Future Viral Infection	650
Bacterial Infections	651
• Immune Responses to Extracellular and Intracellular Bacteria Differ	651
• Bacteria Can Evade Host Defense Mechanisms at Several Different Stages	652
Parasitic Infections	654
• Protozoan Parasites Are a Diverse Set of Unicellular Eukaryotes	654
• Parasitic Worms (Helminths) Typically Generate Weak Immune Responses	655
Fungal Infections	655
• Innate Immunity Controls Most Fungal Infections	657
• Immunity against Fungal Pathogens Can Be Acquired	659
Emerging and Re-emerging Infectious Diseases	659
• Some Noteworthy New Infectious Diseases Have Appeared Recently	660
• Diseases May Re-emerge for Various Reasons	661
Vaccines	662
• Basic Research and Rational Design Advance Vaccine Development	663
• Protective Immunity Can Be Achieved by Active or Passive Immunization	663
• There Are Several Vaccine Strategies, Each with Unique Advantages and Challenges	666
• Adding a Conjugate or Multivalent Component Can Improve Vaccine Immunogenicity	674
• Adjuvants Are Included to Enhance the Immune Response to a Vaccine	675

Conclusion	676
References	676
Study Questions	677

Chapter 18: Immunodeficiency Diseases **681**

Primary Immunodeficiencies	682
• Primary Immunodeficiency Diseases Are Often Detected Early in Life	686
• Combined Immunodeficiencies Disrupt Adaptive Immunity	686
• B-Cell Immunodeficiencies Exhibit Depressed Production of One or More Antibody Isotypes	691
• Disruptions to Innate Immune Components May Also Impact Adaptive Responses	692
• Complement Deficiencies Are Relatively Common	694
• NK-Cell Deficiencies Increase Susceptibility to Viral Infections and Cancer	694
• Immunodeficiency Disorders That Disrupt Immune Regulation Can Manifest as Autoimmunity	695
• Immunodeficiency Disorders Are Treated by Replacement Therapy	696
• Animal Models of Immunodeficiency Have Been Used to Study Basic Immune Function	697
Secondary Immunodeficiencies	699
• Secondary Immunodeficiencies May Be Caused by a Variety of Factors	699
• HIV/AIDS Has Claimed Millions of Lives Worldwide	700
• The Retrovirus HIV-1 Is the Causative Agent of AIDS	702
• HIV-1 is Spread by Intimate Contact with Infected Body Fluids	704
• In Vitro Studies Have Revealed the Structure and Life Cycle of HIV	705
• HIV Variants with Preference for CCR5 or CXCR4 Coreceptors Play Different Roles in Infection	709
• Infection with HIV Leads to Gradual Impairment of Immune Function	710
• Changes over Time Lead to Progression to AIDS	712
• Antiretroviral Therapy Inhibits HIV Replication, Disease Progression, and Infection of Others	713
• A Vaccine May Be the Only Way to Stop the HIV/AIDS Pandemic	717
Conclusion	722
References	723
Study Questions	724

Chapter 19: Cancer and the Immune System 727

Terminology and the Formation of Cancer 728

- Accumulated DNA Alterations or Translocation Can Induce Cancer 729
- Genes Associated with Cancer Control Cell Proliferation and Survival 730
- Malignant Transformation Involves Multiple Steps 732

Tumor Antigens 735

- Tumor-Specific Antigens Contain Unique Sequences 735
- Tumor-Associated Antigens Are Normal Cellular Proteins with Unique Expression Patterns 736

The Immune Response to Cancer 737

- Immunoediting Can Both Protect Against and Promote Tumor Growth 738
- Innate and Adaptive Pathways Participate in Cancer Detection and Eradication 741
- Some Immune Response Elements Can Promote Cancer Survival 743
- Tumor Cells Evolve to Evade Immune Recognition and Apoptosis 744

Anticancer Immunotherapies 745

- Monoclonal Antibodies Can Be Used to Direct the Immune Response to Tumor Cells 747
- Tumor-Specific T Cells Can Be Expanded, or Even Created 748
- Therapeutic Vaccines May Enhance the Antitumor Immune Response 752
- Manipulation of Comodulatory Signals, Using Checkpoint Blockade 752

Conclusion 755

References 755

Study Questions 756

Chapter 20: Experimental Systems and Methods 759

Antibody Generation 760

- Polyclonal Antibodies Are Secreted by Multiple Clones of Antigen-Specific B Cells 760
- A Monoclonal Antibody Is the Product of a Single Stimulated B Cell 761
- Monoclonal Antibodies Can Be Modified for Use in the Laboratory or the Clinic 762

Immunoprecipitation- and Agglutination-Based Techniques 762

- Immunoprecipitation Can Be Performed in Solution 763

- Immunoprecipitation of Soluble Antigens Can Be Performed in Gel Matrices 763
- Immunoprecipitation Enables Isolation of Specific Molecules from Cell and Tissue Extracts 764
- Hemagglutination Reactions Can Be Used to Detect Any Antigen Conjugated to the Surface of Red Blood Cells 764
- Hemagglutination Inhibition Reactions Are Used to Detect the Presence of Viruses and of Antiviral Antibodies 765
- Bacterial Agglutination Can Be Used to Detect Antibodies to Bacteria 765

Antibody Assays Based on Molecules Bound to Solid-Phase Supports 766

- Radioimmunoassays Are Used to Measure the Concentrations of Biologically Relevant Proteins and Hormones in Body Fluids 766
- ELISAs Use Antibodies or Antigens Covalently Bound to Enzymes 767
- ELISPOT Assays Measure Molecules Secreted by Individual Cells 770
- Western Blotting Is an Assay That Can Identify a Specific Protein in a Complex Protein Mixture 771

Methods to Determine the Affinity of Antigen-Antibody Interactions 772

- Equilibrium Dialysis Can Be Used to Measure Antibody Affinity for Antigen 772
- Surface Plasmon Resonance Is Now Commonly Used for Measurements of Antibody Affinity 773

Antibody-Mediated Microscopic Visualization of Cells and Subcellular Structures 774

- Immunocytochemistry and Immunohistochemistry Use Enzyme-Conjugated Antibodies to Create Images of Fixed Tissues 774
- Immunoelectron Microscopy Uses Gold Beads to Visualize Antibody-Bound Antigens 775

Immunofluorescence-Based Imaging Techniques 775

- Fluorescence Can Be Used to Visualize Cells and Molecules 778
- Confocal Fluorescence Microscopy Provides Three-Dimensional Images of Extraordinary Clarity 779
- Multiphoton Fluorescence Microscopy Is a Variation of Confocal Microscopy 779
- Intravital Imaging Allows Observation of Immune Responses in Vivo 780
- Visualization and Analysis of DNA Sequences in Intact Chromatin 780

Flow Cytometry and Cell Sorting	781	Analysis of Chromatin Structure	793
• The Flow Cytometer Measures Scattered and Fluorescent Light from Cells Flowing Past a Laser Beam	782	• Chromatin Immunoprecipitation Experiments Characterize Protein-DNA Interactions	793
• Sophisticated Software Allows the Investigator to Identify Individual Cell Populations within a Sample	783	• Chromosome Conformation Capture Technologies Analyze Long-Range Chromosomal DNA Interactions	793
• Flow Cytometers and Fluorescence-Activated Cell Sorters Have Important Clinical Applications	786	CRISPR-Cas9	794
• The Analysis of Multicolor Fluorescence Data Has Required the Development of Increasingly Sophisticated Software	786	Whole-Animal Experimental Systems	795
• CyTOF Uses Antibodies to Harness the Power of Mass Spectrometry	787	• Animal Research Is Subject to Federal Guidelines That Protect Nonhuman Research Species	796
• Magnets Can Be Used in a Gentle, Sterile Method for Sorting Cells	787	• Inbred Strains Reduce Experimental Variation	796
Cell Cycle Analysis	788	• Congenic Strains Are Used to Study the Effects of Particular Gene Loci on Immune Responses	797
• Tritiated Thymidine Uptake Was One of the First Methods Used to Assess Cell Division	788	• Adoptive Transfer Experiments Allow in Vivo Examination of Isolated Cell Populations	798
• Colorimetric Assays for Cell Division Are Rapid and Eliminate the Use of Radioactive Isotopes	789	• Transgenic Animals Carry Genes That Have Been Artificially Introduced	798
• Bromodeoxyuridine-Based Assays for Cell Division Use Antibodies to Detect Newly Synthesized DNA	789	• Knock-in and Knockout Technologies Replace an Endogenous with a Nonfunctional or Engineered Gene Copy	798
• Propidium Iodide Enables Analysis of the Cell Cycle Status of Cell Populations	790	• The Cre/lox System Enables Inducible Gene Deletion in Selected Tissues	801
• Carboxyfluorescein Succinimidyl Ester Can Be Used to Follow Cell Division	790	References	803
Assays of Cell Death	791	Study Questions	804
• The ⁵¹ Cr Release Assay Was the First Assay Used to Measure Cell Death	791	Appendix I: CD Antigens	A-1
• Fluorescently Labeled Annexin A5 Measures Phosphatidylserine in the Outer Lipid Envelope of Apoptotic Cells	792	Appendix II: Cytokines and Associated JAK-STAT Signaling Molecules	B-1
• The TUNEL Assay Measures Apoptotically Generated DNA Fragmentation	792	Appendix III: Chemokines and Chemokine Receptors	C-1
• Caspase Assays Measure the Activity of Enzymes Involved in Apoptosis	793	Glossary	G-1
		Answers to Study Questions	AN-1
		Index	I-1