

Contents

Part A Fundamentals

| | | |
|----------|--|----------|
| I | Riemannian and Lorentzian geometry | 3 |
| I.1 | Introduction | 3 |
| I.2 | Differentiable manifolds and mappings | 3 |
| I.2.1 | Differentiable manifolds | 3 |
| I.2.2 | Differentiable mappings | 4 |
| I.2.3 | Submanifolds | 5 |
| I.2.4 | Tangent and cotangent spaces | 5 |
| I.2.5 | Vector fields and 1-forms | 6 |
| I.2.6 | Moving frames | 6 |
| I.3 | Tensors and tensor fields | 7 |
| I.3.1 | Tensors, products and contraction | 7 |
| I.3.2 | Tensor fields. Pullback and Lie derivative | 8 |
| I.3.3 | Exterior forms | 9 |
| I.4 | Structure coefficients of moving frames | 10 |
| I.5 | Pseudo-Riemannian metrics | 11 |
| I.5.1 | General properties | 11 |
| I.5.2 | Riemannian metrics | 12 |
| I.5.3 | Lorentzian metrics | 13 |
| I.6 | Causality | 14 |
| I.6.1 | Causal and null cones | 14 |
| I.6.2 | Future and past | 14 |
| I.6.3 | Spacelike submanifolds | 15 |
| I.6.4 | Length and geodesics | 15 |
| I.7 | Connections | 16 |
| I.7.1 | Linear connection | 16 |
| I.7.2 | Riemannian connection | 18 |
| I.8 | Geodesics, another definition | 19 |
| I.8.1 | Pseudo-Riemannian manifolds | 19 |
| I.8.2 | Riemannian manifolds | 20 |
| I.8.3 | Lorentzian manifolds | 20 |
| I.9 | Curvature | 20 |
| I.9.1 | Definitions | 20 |
| I.9.2 | Symmetries and antisymmetries | 21 |
| I.9.3 | Differential Bianchi identity and contractions | 22 |
| I.10 | Geodesic deviation | 22 |
| I.11 | Linearized Ricci tensor | 23 |
| I.11.1 | Linearized Bianchi identities | 24 |

| | | |
|-----------|---|-----------|
| I.12 | Physical comment | 24 |
| I.13 | Solutions of selected exercises | 24 |
| I.14 | Problems | 28 |
| I.14.1 | Liouville theorem | 28 |
| I.14.2 | Codifferential δ and Laplacian of an exterior form | 29 |
| I.14.3 | Geodesic normal coordinates | 30 |
| I.14.4 | Cases $d = 1, 2,$ and 3 | 30 |
| I.14.5 | Wave equation satisfied by the Riemann tensor | 30 |
| I.14.6 | The Bel–Robinson tensor | 31 |
| I.14.7 | The Weyl tensor | 32 |
| I.14.8 | The Cotton–York tensor | 33 |
| I.14.9 | Linearization of the Riemann tensor | 34 |
| I.14.10 | Second derivative of the Ricci tensor | 34 |
| II | Special relativity | 35 |
| II.1 | Introduction | 35 |
| II.2 | Newtonian mechanics | 35 |
| II.2.1 | The Galileo–Newton Spacetime | 35 |
| II.2.2 | Newtonian dynamics. Galileo group | 35 |
| II.2.3 | Physical comment | 36 |
| II.2.4 | The Maxwell equations in Galileo–Newton spacetime | 37 |
| II.3 | The Lorentz and Poincaré groups | 38 |
| II.4 | Lorentz contraction and dilation | 39 |
| II.5 | Electromagnetic field and Maxwell equations in Minkowski spacetime M^4 | 40 |
| II.6 | Maxwell equations in arbitrary dimensions | 42 |
| II.7 | Special Relativity | 43 |
| II.7.1 | Proper time | 43 |
| II.7.2 | Proper frame and relative velocities | 44 |
| II.8 | Some physical comments | 45 |
| II.9 | Dynamics of a pointlike mass | 46 |
| II.9.1 | Newtonian law | 46 |
| II.9.2 | Relativistic law | 46 |
| II.9.3 | Newtonian approximation of the relativistic equation | 47 |
| II.9.4 | Equivalence of mass and energy | 48 |
| II.9.5 | Particles with zero rest mass | 49 |
| II.10 | Continuous matter | 49 |
| II.10.1 | Case of dust (incoherent matter), massive particles | 51 |
| II.10.2 | Perfect fluids | 51 |
| II.10.3 | Yang–Mills fields | 52 |
| II.11 | Problems | 54 |
| II.11.1 | Lorentz transformation of the Maxwell equations | 54 |
| II.11.2 | The relativistic Doppler–Fizeau effect | 54 |

| | | |
|------------|---|----|
| III | General Relativity | 55 |
| III.1 | Introduction | 55 |
| III.2 | Principle of general covariance | 55 |
| III.3 | The Galileo–Newton equivalence principle | 55 |
| III.4 | General Relativity | 57 |
| III.4.1 | Einstein equivalence principles | 57 |
| III.4.2 | Conclusion | 58 |
| III.5 | Constants and units of measurement | 59 |
| III.6 | Classical fields in General Relativity | 60 |
| III.6.1 | Perfect fluid | 60 |
| III.6.2 | Electromagnetic field | 61 |
| III.6.3 | Charged fluid | 61 |
| III.7 | Gravitation and curvature | 62 |
| III.8 | Observations and experiments | 62 |
| III.8.1 | The Einstein equivalence principle | 62 |
| III.8.2 | Deviation of light rays | 63 |
| III.8.3 | Proper time, gravitational time delay | 63 |
| III.8.4 | Conclusion | 65 |
| III.9 | Problems | 65 |
| III.9.1 | Newtonian gravitation theory in absolute space and time $E^n \times R$ | 65 |
| III.9.2 | Mass in length units (case $n = 3$) | 66 |
| III.9.3 | Planck units | 67 |
| IV | The Einstein equations | 68 |
| IV.1 | Introduction | 68 |
| IV.2 | The Einstein equations | 69 |
| IV.2.1 | The Einstein equations in vacuum | 69 |
| IV.2.2 | Equations with sources | 70 |
| IV.2.3 | Matter sources | 71 |
| IV.2.4 | Field sources | 71 |
| IV.3 | The cosmological constant | 72 |
| IV.4 | General Einsteinian spacetimes | 72 |
| IV.4.1 | Regularity | 73 |
| IV.4.2 | Boundary conditions | 73 |
| IV.4.3 | Physical comment | 74 |
| IV.5 | Newtonian approximation | 75 |
| IV.5.1 | Determination of G_E | 75 |
| IV.5.2 | Equations of motion | 76 |
| IV.5.3 | Post-Newtonian approximation | 77 |
| IV.6 | Minkowskian approximation | 79 |
| IV.6.1 | Linearized equations at η | 79 |
| IV.6.2 | Plane gravitational waves | 79 |
| IV.6.3 | Further results on gravitational waves | 81 |
| IV.6.4 | Tidal force | 81 |
| IV.6.5 | Gravitational radiation | 82 |
| IV.7 | Strong high-frequency waves | 82 |
| IV.7.1 | Introduction | 82 |
| IV.7.2 | Phase and polarization | 84 |

| | | | |
|----------|------------------------------------|---|-----|
| | IV.7.3 | Propagation and backreaction | 85 |
| | IV.7.4 | Observable displacements | 87 |
| | IV.8 | Stationary spacetimes | 87 |
| | IV.8.1 | Definition | 87 |
| | IV.8.2 | Equations | 88 |
| | IV.8.3 | Non-existence of gravitational solitons | 90 |
| | IV.8.4 | Gauss's law | 90 |
| | IV.9 | Lagrangians | 91 |
| | IV.9.1 | Einstein–Hilbert Lagrangian in vacuo | 92 |
| | IV.9.2 | Lagrangians for Einstein equations with sources | 92 |
| | IV.10 | Observations and experiments | 94 |
| | IV.11 | Problems | 95 |
| | IV.11.1 | The Einstein cylinder | 95 |
| | IV.11.2 | de Sitter spacetime | 96 |
| | IV.11.3 | Anti-de Sitter spacetime | 97 |
| | IV.11.4 | Taub–NUT spacetime | 98 |
| | IV.11.5 | The quadrupole formula | 99 |
| | IV.11.6 | Gravitational waves | 100 |
| | IV.11.7 | Landau–Lifshitz pseudotensor | 100 |
| | IV.11.8 | High-frequency waves from a spherically symmetric star | 101 |
| | IV.11.9 | Static solutions with compact spacelike sections | 103 |
| | IV.11.10 | Mass of an asymptotically Euclidean spacetime | 104 |
| | IV.11.11 | Taub Lagrangian | 104 |
| V | The Schwarzschild spacetime | | 105 |
| | V.1 | Introduction | 105 |
| | V.2 | Spherically symmetric spacetimes | 105 |
| | V.3 | Schwarzschild metric | 107 |
| | V.4 | Other coordinates | 108 |
| | V.4.1 | Isotropic coordinates | 109 |
| | V.4.2 | Wave (also called harmonic) coordinates | 109 |
| | V.4.3 | Painlevé–Gullstrand-like coordinates | 110 |
| | V.4.4 | Regge–Wheeler coordinates | 111 |
| | V.5 | Schwarzschild spacetime and event horizon | 111 |
| | V.6 | The motion of the planets and perihelion precession | 112 |
| | V.6.1 | Equations | 112 |
| | V.6.2 | Results of observations | 114 |
| | V.6.3 | Escape velocity | 116 |
| | V.7 | Stability of circular orbits | 117 |
| | V.8 | Deflection of light rays | 118 |
| | V.8.1 | Theoretical prediction | 118 |
| | V.8.2 | Fermat's principle and light travel parameter time | 120 |
| | V.8.3 | Results of observation | 120 |

| | | |
|-----------|---|-----|
| V.9 | Redshift and time dilation | 121 |
| | V.9.1 Redshift | 121 |
| | V.9.2 Time dilation | 121 |
| V.10 | Spherically symmetric interior solutions | 122 |
| | V.10.1 Static solutions. Upper limit on mass | 123 |
| | V.10.2 Matching with an exterior solution | 125 |
| | V.10.3 Non-static interior solutions | 126 |
| V.11 | Spherically symmetric gravitational collapse | 127 |
| | V.11.1 Tolman, Gu, Hu, and Claudel– Newman metrics | 127 |
| | V.11.2 Monotonically decreasing density | 130 |
| V.12 | Problems | 132 |
| | V.12.1 Relativistic and Newtonian gravitational masses | 132 |
| | V.12.2 The Reissner–Nordström solution | 132 |
| | V.12.3 Schwarzschild spacetime in dimension $n + 1$ | 133 |
| | V.12.4 Schwarzschild metric in isotropic coordinates, $n = 3$ | 133 |
| | V.12.5 Wave coordinates for the Schwarzschild metric in dimension $n + 1$ | 135 |
| VI | Black holes | 136 |
| VI.1 | Introduction | 136 |
| VI.2 | The Schwarzschild black hole | 136 |
| VI.3 | Eddington–Finkelstein extensions | 137 |
| | VI.3.1 Eddington–Finkelstein white hole | 139 |
| | VI.3.2 Kruskal spacetime | 139 |
| VI.4 | Stationary black holes | 141 |
| | VI.4.1 Axisymmetric and stationary spacetimes | 141 |
| VI.5 | The Kerr spacetime and black hole | 142 |
| | VI.5.1 Boyer–Lindquist coordinates | 142 |
| | VI.5.2 The Kerr–Schild spacetime | 143 |
| | VI.5.3 Essential singularity | 144 |
| | VI.5.4 Horizons | 144 |
| | VI.5.5 Limit of stationarity. The ergosphere | 144 |
| | VI.5.6 Extended Kerr spacetime | 145 |
| | VI.5.7 Absence of realistic interior solutions or models of collapse | 145 |
| VI.6 | Uniqueness theorems for stationary black holes | 146 |
| | VI.6.1 The Israel uniqueness theorem | 146 |
| | VI.6.2 Uniqueness of the Kerr black hole | 146 |
| | VI.6.3 Stability of the Kerr black hole | 146 |
| VI.7 | General black holes | 147 |
| | VI.7.1 Definitions | 147 |
| | VI.7.2 Weak cosmic censorship conjecture | 148 |
| | VI.7.3 Thermodynamics of black holes | 148 |

| | | |
|------------|--|------------|
| VI.8 | Conclusions | 149 |
| VI.8.1 | Observations | 149 |
| VI.8.2 | The interiors of black holes | 150 |
| VI.9 | Solution of Exercise VI.3.1 | 150 |
| VI.10 | Problems | 151 |
| VI.10.1 | Lemaître coordinates | 151 |
| VI.10.2 | Reissner–Nordström black hole | 152 |
| VI.10.3 | Kerr–Newman metric | 152 |
| VI.10.4 | Irreducible mass (Christodoulou–Ruffini) | 152 |
| VI.10.5 | The Riemannian Penrose inequality | 153 |
| VII | Introduction to cosmology | 155 |
| VII.1 | Introduction | 155 |
| VII.2 | The first cosmological models | 156 |
| VII.2.1 | Einstein static universe | 156 |
| VII.2.2 | de Sitter spacetime | 157 |
| VII.2.3 | General models | 157 |
| VII.3 | Cosmological principle | 157 |
| VII.3.1 | Assumptions | 157 |
| VII.3.2 | Observational support | 158 |
| VII.4 | Robertson–Walker spacetimes | 158 |
| VII.4.1 | Robertson–Walker universes, metric at given t | 159 |
| VII.4.2 | Robertson–Walker cosmologies | 160 |
| VII.5 | General properties of Robertson–Walker spacetimes | 161 |
| VII.5.1 | Cosmological redshift | 161 |
| VII.5.2 | The Hubble law | 162 |
| VII.5.3 | Deceleration parameter | 163 |
| VII.5.4 | Age and future of the universe | 164 |
| VII.6 | Friedmann–Lemaître universes | 164 |
| VII.6.1 | Equations | 164 |
| VII.6.2 | Density parameter | 165 |
| VII.6.3 | Einstein–de Sitter universe | 166 |
| VII.6.4 | General models with $p = 0$ | 166 |
| VII.6.5 | Λ CDM cosmological model | 167 |
| VII.7 | Primordial cosmology | 167 |
| VII.8 | Solution of Exercises VII.6.1 and VII.6.2 | 168 |
| VII.9 | Problems | 169 |
| VII.9.1 | Isotropic and homogeneous Riemannian manifolds | 169 |
| VII.9.2 | Age of the universe | 170 |
| VII.9.3 | Classical Friedmann–Lemaître universes | 171 |
| VII.9.4 | Milne universe | 172 |

Part B Advanced topics

| | | |
|---------|---|-----|
| VIII | General Einsteinian spacetimes. The Cauchy problem | 175 |
| VIII.1 | Introduction | 175 |
| VIII.2 | Wave coordinates | 176 |
| | VIII.2.1 Generalized wave coordinates | 177 |
| | VIII.2.2 Damped wave coordinates | 178 |
| VIII.3 | Evolution in wave gauge | 178 |
| | VIII.3.1 Solution of the reduced equations in vacuum | 178 |
| | VIII.3.2 Equations with sources | 179 |
| VIII.4 | Preservation of the wave gauges | 179 |
| | VIII.4.1 Wave gauge constraints | 180 |
| VIII.5 | Local existence and uniqueness | 181 |
| VIII.6 | Solution of the wave gauge constraints | 181 |
| | VIII.6.1 Asymptotically Euclidean manifolds | 183 |
| | VIII.6.2 Compact manifolds | 184 |
| VIII.7 | Geometric $n + 1$ splitting | 184 |
| | VIII.7.1 Adapted frame and coframe | 184 |
| | VIII.7.2 Dynamical system with constraints for \bar{g} and K | 187 |
| | VIII.7.3 Geometric Cauchy problem. Regularity assumptions | 189 |
| VIII.8 | Solution of the constraints by the conformal method | 190 |
| | VIII.8.1 Conformally formulated (CF) constraints | 190 |
| | VIII.8.2 Elliptic system | 192 |
| | VIII.8.3 Physical comment | 193 |
| VIII.9 | Motion of a system of compact bodies | 193 |
| | VIII.9.1 Effective one-body (EOB) method | 194 |
| | VIII.9.2 Numerical Relativity | 194 |
| VIII.10 | Global properties | 195 |
| | VIII.10.1 Global hyperbolicity and global uniqueness | 195 |
| | VIII.10.2 Global existence | 195 |
| VIII.11 | Singularities and cosmic censorship conjectures | 196 |
| | VIII.11.1 Strong cosmic censorship conjecture | 196 |
| | VIII.11.2 Weak cosmic censorship conjecture | 197 |
| VIII.12 | Problems | 198 |
| | VIII.12.1 Symmetric hyperbolic systems | 198 |
| | VIII.12.2 The wave equation as a symmetric hyperbolic system | 200 |
| | VIII.12.3 The evolution set of Maxwell equations as a first-order symmetric hyperbolic system | 202 |

| | | |
|------------|---|-----|
| VIII.12.4 | Conformal transformation of the CF constraints | 202 |
| VIII.12.5 | Einstein equations in dimension $2 + 1$ | 202 |
| VIII.12.6 | Electrovac Einsteinian spacetimes, constraints | 203 |
| VIII.12.7 | Electrovac Einsteinian spacetimes, Lorenz gauge | 204 |
| VIII.12.8 | Wave equation for F | 205 |
| VIII.12.9 | Wave equation for the Riemann tensor | 206 |
| VIII.12.10 | First-order symmetric hyperbolic system for the Riemann tensor, Bel–Robinson energy | 207 |
| VIII.12.11 | Schwarzschild trapped surface | 207 |
| IX | Relativistic fluids | 208 |
| IX.1 | Introduction | 208 |
| IX.2 | Case of dust | 208 |
| IX.3 | Charged dust | 210 |
| IX.4 | Perfect fluid | 211 |
| IX.4.1 | Stress–energy tensor | 211 |
| IX.4.2 | Euler equations | 212 |
| IX.5 | Thermodynamics | 212 |
| IX.5.1 | Conservation of rest mass | 212 |
| IX.5.2 | Definitions. Conservation of entropy | 212 |
| IX.5.3 | Equations of state ($n = 3$) | 213 |
| IX.6 | Wave fronts and propagation speeds | 215 |
| IX.6.1 | Characteristic determinant | 215 |
| IX.6.2 | Wave front propagation speed | 216 |
| IX.6.3 | Case of perfect fluids | 217 |
| IX.7 | Cauchy problem for the Euler and entropy system | 218 |
| IX.7.1 | The Euler and entropy equations as a Leray hyperbolic system | 219 |
| IX.7.2 | First-order symmetric hyperbolic systems | 220 |
| IX.8 | Coupled Einstein–Euler–entropy system | 221 |
| IX.8.1 | Initial data | 221 |
| IX.8.2 | Evolution | 222 |
| IX.9 | Dynamical velocity | 222 |
| IX.9.1 | Fluid index and Euler equations | 222 |
| IX.9.2 | Vorticity tensor and Helmholtz equations | 223 |
| IX.9.3 | General perfect fluid enthalpy h | 224 |
| IX.10 | Irrotational flows | 225 |
| IX.10.1 | Definition and properties | 225 |
| IX.10.2 | Coupling with the Einstein equations | 225 |
| IX.11 | Equations in a flow-adapted frame | 226 |
| IX.12 | Shocks | 226 |
| IX.13 | Charged fluids | 226 |
| IX.13.1 | Equations | 226 |

| | | | |
|----------|---------|---|-----|
| | IX.13.2 | Fluids with zero conductivity | 227 |
| | IX.13.3 | Fluids with finite conductivity | 228 |
| IX.14 | | Magnetohydrodynamics | 229 |
| | IX.14.1 | Equations | 229 |
| | IX.14.2 | Wave fronts | 230 |
| IX.15 | | Yang–Mills fluids (quark–gluon plasmas) | 231 |
| IX.16 | | Viscous fluids | 231 |
| | IX.16.1 | Generalized Navier–Stokes equations | 232 |
| | IX.16.2 | A Leray–Ohya hyperbolic system for viscous fluids | 233 |
| IX.17 | | The heat equation | 234 |
| IX.18 | | Conclusion | 235 |
| IX.19 | | Solution of Exercise IX.6.2 | 235 |
| IX.20 | | Problems | 235 |
| | IX.20.1 | Specific volume | 235 |
| | IX.20.2 | Motion of isolated bodies | 235 |
| | IX.20.3 | Euler equations for the dynamic velocity | 236 |
| | IX.20.4 | Hyperbolic Leray system for the dynamical velocity | 237 |
| | IX.20.5 | Geodesics of conformal metric | 239 |
| | IX.20.6 | Cosmological equation of state $p = (\gamma - 1)\mu$ | 240 |
| X | | Relativistic kinetic theory | 241 |
| X.1 | | Introduction | 241 |
| X.2 | | Distribution function | 242 |
| | X.2.1 | Definition | 242 |
| | X.2.2 | Interpretation | 242 |
| | X.2.3 | Moments of the distribution function | 243 |
| | X.2.4 | Particles of a given rest mass | 245 |
| X.3 | | Vlasov equations | 246 |
| | X.3.1 | General relativistic (GR)–Vlasov equation | 246 |
| | X.3.2 | EM–GR–Vlasov equation | 247 |
| | X.3.3 | Yang–Mills plasmas | 248 |
| X.4 | | Solution of a Vlasov equation | 249 |
| | X.4.1 | Construction | 249 |
| | X.4.2 | Global existence theorem | 250 |
| | X.4.3 | Stress–energy tensor | 250 |
| X.5 | | The Einstein–Vlasov system | 251 |
| | X.5.1 | Equations | 251 |
| | X.5.2 | Conservation law | 251 |
| X.6 | | The Cauchy problem | 252 |
| | X.6.1 | Cauchy data and constraints | 252 |
| | X.6.2 | Evolution | 253 |
| | X.6.3 | Local existence and uniqueness theorem | 253 |
| | X.6.4 | Global theorems | 253 |
| X.7 | | The Maxwell–Einstein–Vlasov system | 254 |
| | X.7.1 | Particles with given rest mass and charge | 254 |
| | X.7.2 | Particles with random masses and charges | 255 |
| X.8 | | Boltzmann equation. Definitions | 256 |

| | | |
|--------|--|-----|
| X.9 | Moments and conservation laws | 257 |
| X.10 | Einstein–Boltzmann system | 258 |
| X.11 | Thermodynamics | 259 |
| X.11.1 | Entropy and the H theorem | 259 |
| X.11.2 | Maxwell–Jüttner equilibrium distribution | 261 |
| X.11.3 | Dissipative fluids | 262 |
| X.12 | Extended thermodynamics | 262 |
| X.13 | Solutions of selected exercises | 262 |
| X.14 | Problems | 264 |
| X.14.1 | Liouville’s theorem and generalization | 264 |
| X.14.2 | Vlasov equation for particles with random charges | 264 |
| X.14.3 | Distribution function on a Robertson–Walker spacetime with Vlasov source | 265 |
| | References | 267 |
| | Index | 273 |