

Contents

<i>Series Preface</i>	xvii
<i>Foreword</i>	xix
<i>Preface</i>	xxi
<i>Author</i>	xxiii
<i>List of Symbols</i>	xxv
<i>List of Abbreviations</i>	xxix
PART ONE Fundamentals	
1 Introduction	1
1.1 The Concept of Distributed Optical Fibre Sensors	3
1.1.1 Optical Fibre Sensors	3
1.1.2 The Advent of Multiplexed Sensors	6
1.1.3 Distributed Optical Fibre Sensors	7
1.2 Historical Development of DOFS	9
1.2.1 Optical TDR: An Enabling Technology	9
1.2.2 Distributed Temperature Sensors	11
1.2.3 Elastic and Inelastic Scattering	11
1.2.4 Raman OTDR	13
1.2.5 Brillouin-Based Distributed Sensing	14
1.2.6 Distributed Sensing with Rayleigh Backscatter	15
1.3 Performance Criteria in Distributed Fibre-Optic Sensors	16
1.3.1 Four Key Criteria	16
1.3.1.1 Measurand resolution	17
1.3.1.2 Range	17
1.3.1.3 Spatial resolution	17
1.3.1.4 Sampling resolution	19
1.3.1.5 Measurement time	19
1.3.2 Interplay between Performance Criteria	20
1.3.3 Estimation of Key Performance Parameters	21
1.3.4 Sensor Accuracy and Cross-Talk	22
1.4 History of Commercialisation: Successes and Failures	22
1.4.1 Raman DTS	22
1.4.2 Commercial Brillouin-Based Distributed Strain and Temperature Sensors	24
1.4.3 Distributed Vibration Sensing	24
1.5 Other Technologies	25
1.6 Distributed Sensing and Dense Point Sensor Arrays	25
1.7 Organisation of the Book	26
References	26

2 Optical Fibre Technology	31
2.1 Propagation in Optical Fibres	31
2.1.1 Types of Optical Fibre	33
2.1.1.1 Step-index multimode fibres	33
2.1.1.2 Graded-index multimode fibres	34
2.1.1.3 Single-mode optical fibres	36
2.1.2 Loss Mechanisms	37
2.1.2.1 Absorption	37
2.1.2.2 Scattering	37
2.1.2.3 Other loss mechanisms	39
2.1.3 Bandwidth of Optical Fibres	40
2.2 Construction of Optical Fibres	41
2.3 Principal Components Used in Distributed Sensing Systems	42
2.3.1 Lasers	42
2.3.1.1 Broad contact semiconductor lasers	42
2.3.1.2 Fabry-Pérot single-mode laser diodes	43
2.3.1.3 Semiconductor distributed feedback lasers	44
2.3.1.4 External cavity feedback semiconductor lasers	44
2.3.1.5 Semiconductor DFB lasers with active phase/frequency feedback	44
2.3.1.6 Fibre DFB lasers	44
2.3.1.7 Tunable lasers	45
2.3.1.8 Symbols for optical sources	45
2.3.2 Optical Amplifiers	45
2.3.2.1 Doped fibre amplifiers	45
2.3.2.2 Semiconductor optical amplifiers	46
2.3.2.3 Symbol for optical amplifiers	46
2.3.3 Fused-Taper Couplers	46
2.3.4 Micro-Bulk Optics	47
2.3.5 Isolators, Circulators and Faraday Rotation Mirrors	47
2.3.6 Fibre Bragg Gratings	47
2.3.7 Modulators	48
2.3.7.1 Acousto-optic modulators	48
2.3.7.2 Electro-optic modulators	49
2.3.8 Switches	49
2.3.9 Polarisation Controllers	50
2.3.10 Connectors and Splices	50
2.3.11 Detectors	50
2.3.12 Other Symbols	52
References	52
3 Principles of Optical Time-Domain Reflectometry (OTDR) for Distributed Sensing	55
3.1 Optical Time-Domain Reflectometry	55
3.1.1 Single-Ended Measurement	56
3.1.2 Double-Ended Measurement	60
3.1.3 Capture Fraction	64
3.1.4 Coherence Effects	66
3.1.5 Signal Levels	72
3.2 OTDR System Design	73
3.2.1 Sources and Detectors	73
3.2.2 Common System Designs	74
3.2.3 Noise in Optical Receivers	75

3.2.3.1	Worked example 1: Multimode, short-wavelength OTDR	78
3.2.3.2	Worked example 2: Single-mode, long-wavelength OTDR	85
3.2.4	Overload Considerations	85
3.2.5	Acquisition and Further Processing	86
3.2.6	Limitations to Power Launched	87
3.3	Enhancing the OTDR Range	88
3.3.1	Improved Detection	88
3.3.1.1	Coherent detection systems	88
3.3.2	Photon Counting	91
3.3.3	Spread-Spectrum Techniques	92
3.3.3.1	OFDR	92
3.3.3.2	Coherent OFDR	92
3.3.3.3	Incoherent OFDR	94
3.3.3.4	Pulse compression coding	94
3.3.3.5	Frequency-diverse C-OTDR	99
3.3.4	Amplified OTDR Systems	101
3.4	Trends in OTDR	102
3.5	Applying Fibre Reflectometry to Distributed Sensing	102
	References	103

PART TWO Distributed Sensing Technology

107

4 Raman-Based Distributed Temperature Sensors (DTSs)

4.1	Principles of Raman OTDR	109
4.1.1	Spontaneous Raman Scattering	109
4.1.2	Temperature Sensitivity of the Raman Scattering	111
4.1.3	Raman Backscatter Signals	114
4.2	Raman OTDR Design	115
4.2.1	Wavelength, Laser and Fibre Selection	117
4.2.2	Reference Coil Design	119
4.2.3	Receiver Design	120
4.2.4	Principal Types of Raman OTDR Systems	120
4.2.4.1	Short-range systems	120
4.2.4.2	High-performance systems operating at around 1064 nm	121
4.2.4.3	Long-range systems	121
4.3	Performance of Raman OTDR DTS Systems	121
4.3.1	Spatial Resolution	121
4.3.2	Temperature Resolution	122
4.3.3	Fundamental Limitations	122
4.3.4	Signal-to-Noise Ratio	125
4.3.5	Performance Comparisons: A Figure of Merit and Typical Specifications	125
4.4	Alternative Approaches to Raman OTDR	128
4.4.1	Optical Frequency-Domain Reflectometry (OFDR)	128
4.4.1.1	Data acquisition in Raman OFDR	129
4.4.1.2	Signal recovery	130
4.4.1.3	Comparison with OTDR methods	130
4.4.2	Pulse Compression Coding (PCC)	131
4.4.3	Systems for Very High Spatial Resolution	132

4.4.3.1	Time-correlated single-photon counting	134
4.4.3.2	Multichannel photon counting	136
4.4.3.3	Correction for dead time and other detector imperfections	136
4.4.3.4	Recent improvements in photon counting	136
4.4.3.5	Comparison with analog direct detection	137
4.5	Practical Issues and Solutions	137
4.5.1	Loss Compensation	137
4.5.1.1	Fibre degradation	138
4.5.1.2	Doubled-ended measurements	143
4.5.1.3	'J-fibre' configuration	144
4.5.1.4	Multi-wavelength measurements	145
4.5.1.5	Raman ratio with separate sources	145
4.5.1.6	Anti-Stokes Raman with Rayleigh loss correction	147
4.5.1.7	Dual sources separated by two Stokes shifts	148
4.5.1.8	Summary of the loss compensation methods	148
4.5.2	Calibration	149
4.5.3	Probe Power Limitations	150
4.5.3.1	Addressing the linear power limitation	151
4.5.3.2	The role of wavelength selection in extending linearity	152
4.5.4	Insufficient Filter Rejection	152
4.5.5	Forward Raman Scattering	153
4.5.6	High-Temperature Operation of Raman Sensors: Addressing the Reduction in Sensitivity	154
4.5.7	Brillouin Backscatter	154
4.6	Summary	155
References		155
5	Brillouin-Based Distributed Temperature and Strain Sensors	161
5.1	Spontaneous Brillouin Scattering	162
5.1.1	The Effect	162
5.1.2	Frequency Shift	162
5.1.3	Spectral Width	163
5.1.4	Sensitivity to Temperature and Strain	164
5.1.4.1	Sensitivity coefficients	164
5.1.4.2	Sensitivity of the intensity to temperature	165
5.1.4.3	Sensitivity of intensity to strain	166
5.1.4.4	Loss compensation for intensity measurements	166
5.1.4.5	Sensitivity of the Brillouin frequency shift	167
5.1.4.6	Coating and coupling effects	168
5.2	Stimulated Brillouin Scattering	169
5.3	Systems Based on SpBS	171
5.3.1	Optical Separation	171
5.3.2	Electrical Separation	177
5.3.3	Estimation of Frequency, Gain and Linewidth	183
5.3.4	Limitations and Benefits	184
5.3.4.1	Launched power	185
5.3.4.2	Spatial resolution	186
5.4	Recent Advances in Distributed Strain Sensing Based on SpBS	187
5.4.1	Remote Amplification for Range Extension	187

5.4.1.1	Distributed Raman amplification	188
5.4.1.2	Remotely pumped rare-earth-doped fibre amplifiers	190
5.4.1.3	Hybrid Raman/EDFA amplification	192
5.4.2	Fast Measurement Techniques	192
5.4.2.1	Frequency discriminators	192
5.4.2.2	Parallel multi-frequency acquisition	192
5.4.2.3	Signal tracking	193
5.4.3	Pulse Compression Coding	194
5.4.4	Simultaneous Multi-Frequency Measurement	194
5.4.5	Dual-Pulse Method in BOTDR	195
5.4.6	Spectral Efficiency	197
5.5	System Based on SBS	197
5.5.1	BOTDA	197
5.5.2	Optical Arrangements for BOTDA	199
5.5.3	Sensitivity and Spatial Resolution	203
5.5.4	Trade-Offs in BOTDA	203
5.5.5	Composite Pulse Methods in BOTDA	203
5.5.5.1	Single shaped pump interrogation	203
5.5.5.2	Differential pump interrogation	205
5.5.5.3	Simultaneous gain/loss interrogation	206
5.5.6	Pulse Compression Coding	206
5.5.6.1	Pulse compression coding for range extension	206
5.5.6.2	Pulse compression coding as an extension of composite pulse techniques	207
5.5.7	Slow Light Correction	207
5.5.8	BOFDA	208
5.5.9	Performance and Limitations	208
5.5.9.1	Parallel (multi-tone) acquisition approaches	208
5.5.9.2	Slope-assisted fast acquisition	210
5.5.9.3	Distance enhancements in BOTDA through remote amplification	210
5.5.9.4	Power limitations due to SPM	211
5.5.10	Phase Measurement in BOTDA	211
5.6	Brillouin Sensors Based on Coherence-Domain Reflectometry: BOCDA and BOCDR	213
5.6.1	BOCDA	213
5.6.1.1	Simplified BOCDA approach	215
5.6.1.2	Range extension	215
5.6.1.3	Background noise suppression	216
5.6.1.4	BOCDA using phase coding	216
5.6.1.5	Low coherence BOCDA	217
5.6.2	BOCDR	217
5.7	Dynamic Bragg Gratings	218
5.8	Polarisation Effects	220
5.9	Summary	221
	References	222
6	Rayleigh Backscatter: Distributed Vibration Sensors and Static Measurements	231
6.1	Distributed Vibration Sensors	232
6.1.1	Recall of Coherent Rayleigh Backscatter	232
6.1.2	Timescales in Distributed Vibration Sensing	232
6.1.3	Modelling of Coherent OTDR	234
6.2	Amplitude-Based Coherent Rayleigh Backscatter DVS	235

881	6.3	Differential Phase-Measuring DVS (dΦ-DVS)	239
901	6.3.1	Techniques for dΦ-DVS	240
921	6.3.2	Phase Unwrapping	240
941	6.3.3	Dual-Pulse DVS	241
961	6.3.4	Interferometric Phase Recovery dΦ-DVS	246
981	6.3.5	Heterodyne DVS (hDVS)	249
1001	6.3.6	Homodyne DVS	254
1021	6.4	Comparison and Performance of the DVS Techniques	256
1041	6.5	Issues and Solutions	257
1061	6.5.1	Fading	257
1081	6.5.1.1	Requirements for statistically independent signals	257
1101	6.5.1.2	The effect of diversity on signal quality	259
1121	6.5.1.3	Specific arrangements for frequency diversity	260
1141	6.5.1.4	Alternative approaches to diversity in DVS	261
1161	6.5.2	Reflections	262
1181	6.5.3	Dynamic Range of the Signal	262
1201	6.5.4	Dynamic Range of the Measurand	263
1221	6.5.5	Linearity in dΦ-DVS Systems	264
1241	6.5.6	Optical Non-Linearity	266
1261	6.6	Dynamic Measurements Converted to Strain	267
1281	6.7	Static Measurements with Coherent Rayleigh Backscatter	267
1301	6.7.1	Static vs. Dynamic Measurements	267
1321	6.7.2	Coherent Rayleigh Backscatter in Static Measurements	267
1341	6.7.2.1	Illustration of the coherent Rayleigh response to static measurements	267
1361	6.7.2.2	Relationship between the backscatter power spectrum and the refractive index variations	271
1381	6.7.3	Obtaining Location-Dependent Data from Frequency-Domain Rayleigh Backscatter	271
1401	6.7.3.1	Frequency-domain-only interrogation	271
1421	6.7.3.2	Combined time-/frequency-domain interrogation	272
1441	6.7.4	Limitations in Frequency-Scanned Coherent Rayleigh Backscatter	272
1461	6.7.5	Quasi Static Strain Measurements as a Vibration Sensor	273
1481	6.8	Linearisation of the Dynamic Strain Measurement in Intensity Coherent OTDR	274
1501	6.9	Summary	274
1521		References	275

PART THREE Applications of Distributed Sensors

7	Applications of Distributed Temperature Sensors (DTSs)	281
7.1	Energy Cables: Dynamic Rating of Carrying Capacity	281
7.2	Transformers	282
7.3	Generators and Circuit Breakers	283
7.4	Fire Detection	283
7.5	Process Plant	284
7.6	Cryogenic Measurements	285
7.7	Pipelines: Leak Detection and Flow Assurance	286
7.8	Borehole Measurement (Geothermal, Oil and Gas)	288
7.8.1	Completion of Oil and Gas Wells	288
7.8.2	Deployment of Optical Fibres in Wells	290

7.8.3	Steam-Assisted Heavy Oil Production	294
7.8.4	Conventional Oil	295
7.8.5	Thermal Tracer Techniques	297
7.8.6	Injector Wells: Warm Back and Hot Slugs	297
7.8.7	Intervention Services	298
7.8.8	Geothermal Energy Extraction	299
7.8.9	CO ₂ Sequestration	299
7.8.10	Gas Wells	299
7.8.11	Gas Lift Valves	300
7.8.12	Electric Submersible Pumps (ESP)	300
7.8.13	Well Integrity Monitoring	301
7.8.14	Hydrate Production	301
7.8.15	Subsea DTS Deployment	302
7.9	Cement and Concrete Curing	302
7.10	Hydrology	303
7.10.1	Dams and Dykes	303
7.10.2	Near-Surface Hydrology, Streams and Estuaries	304
7.11	Environment and Climate Studies	305
7.12	Building Efficiency Research	305
7.13	Nuclear	306
7.14	Mining	307
7.15	Conveyors	307
7.16	Measurements Inferred from Temperature	308
7.16.1	Thermal Measurement of Air Flow	308
7.16.2	Liquid-Level Measurement	309
7.16.3	Performance of Active Fibre Components	310
7.17	Summary	310
References		310
8	Distributed Strain Sensors: Practical Issues, Solutions and Applications	315
8.1	Separation of Temperature and Strain Effects	315
8.1.1	Separation through Cable Design	315
8.1.2	Hybrid Measurement	316
8.1.2.1	Spontaneous Brillouin intensity and frequency measurement	316
8.1.2.2	Raman/Brillouin hybrid approach	316
8.1.2.3	Coherent Rayleigh/Brillouin hybrid	317
8.1.2.4	Brillouin/fluorescence	317
8.1.3	Discrimination Based Solely on Features of the Brillouin Spectrum	317
8.1.3.1	Independent optical cores	317
8.1.3.2	Multiple Brillouin peaks with distinct properties	318
8.1.3.3	Polarisation-maintaining fibres and photonic crystal fibres	318
8.1.3.4	Few-mode fibres	318
8.1.3.5	Multi-wavelength interrogation	319
8.1.3.6	Direct measurement of the Brillouin beat spectrum	319
8.1.3.7	Fibres designed for Brillouin measurand discrimination	320
8.2	Inferring Other Measurands from Temperature or Strain	322
8.2.1	Pressure	322
8.2.2	Liquid Flow	322
8.2.3	Chemical Detection	323
8.3	Polymer Fibre Based Strain Measurement	324

8.4	Applications of Distributed Strain Measurements	325
8.4.1	Mechanical Coupling and Limitations on Strain Measurements	325
8.4.2	Energy Cables	326
8.4.3	Telecommunications	326
8.4.4	Civil Engineering	327
8.4.4.1	Tunnels	327
8.4.4.2	Crack detection	327
8.4.4.3	Damage in offshore structures	328
8.4.5	Nuclear	328
8.4.6	Shape Sensing	328
8.4.7	Composite Structural Health Monitoring	329
8.4.8	Casing Deformation	329
8.4.9	Pipeline Integrity Monitoring	329
8.4.10	Compaction and Subsidence in Subterranean Formations	330
8.4.11	Ground Movement and Geomechanics	330
8.4.12	River Banks and Levees	332
8.4.13	Security/Perimeter Fence	332
8.5	Summary	333
	References	333

9 Applications of Distributed Vibration Sensors (DVSs)

9.1	Active Seismic Applications	340
9.1.1	Surface Seismic Acquisition	340
9.1.2	Borehole Seismic Surveying	341
9.1.2.1	Introduction to borehole seismic acquisition	341
9.1.2.2	Optical borehole seismic acquisition on wireline cable	343
9.1.2.3	Borehole seismic acquisition using permanently installed optical cables	345
9.1.3	Response of Distributed Vibration Sensors to Acoustic or Seismic Waves	346
9.1.3.1	Distance resolution in differential phase DVS systems	346
9.1.3.2	Nature of the measurement	347
9.1.3.3	Gauge length effects	348
9.1.3.4	Angular and directional response	353
9.1.3.5	Interaction of wavenumber filtering and angular response	354
9.1.3.6	Polarity of the seismic signal captured with DVS	356
9.1.3.7	Pulse duration	356
9.1.3.8	Sampling rates	358
9.1.3.9	Diversity in borehole seismic acquisition with DVS	358
9.1.4	Examples of Borehole Seismic DVS Data	359
9.1.5	Coupling in Borehole Seismic	361
9.1.6	DVS in Surface Seismic	363
9.2	Security – Perimeter, Pipeline Surveillance	364
9.3	Transportation	370
9.4	Energy Cables	371
9.4.1	Subsea Cables	371
9.4.2	Detection of Faults and Partial Discharge	372
9.4.3	Wind and Ice Loading in Overhead Cables	372
9.5	Production and Integrity Applications in Boreholes	373
9.5.1	Flow Monitoring	373
9.5.1.1	Total vibration energy	374
9.5.1.2	Spectral discrimination in DVS analysis	374

9.5.1.3	Tube wave velocity	376
9.5.1.4	Turbulent structure velocity	376
9.5.1.5	Ultra-low frequency	376
9.5.1.6	Sensor placement	377
9.5.1.7	Conveyance methods for DVS	377
9.5.1.8	Applications of DVS flow monitoring in boreholes	377
9.5.2	Hydrofracturing Monitoring Using Microseismic Events	378
9.5.3	Artificial Lift Monitoring	378
9.5.4	Perforation	380
9.5.5	Well Abandonment	381
9.6	Multimode Fibre in Distributed Vibration Sensing	381
9.7	Interpretation of DVS Data	382
	References	382

10 Other Distributed Sensors 387

10.1	Loss-Based Sensors	387
10.1.1	Micro-Bending-Based Sensors	387
10.1.1.1	Safety barriers	389
10.1.1.2	Linear heat detection	389
10.1.1.3	Moisture/hydrocarbon sensing	390
10.1.2	Radiation Detection	390
10.1.3	Loss of Numerical Aperture	391
10.1.4	Rare-Earth-Doped Fibre Temperature Sensing	392
10.2	Fluorescence	394
10.3	Changes in Capture Fraction	394
10.4	Polarisation Optical Time-Domain Reflectometry (POTDR)	395
10.4.1	Basic Principles of POTDR	395
10.4.2	POTDR in High-Birefringence Fibres	396
10.4.3	Polarisation Optical Frequency-Domain Reflectometry	398
10.4.4	Dual-Wavelength Beat Length Measurements	398
10.4.5	Full Polarimetric Analysis of POTDR Signals	399
10.4.6	Alternative Approaches to Estimating the Distribution of the State of Polarisation	400
10.4.7	Applications of POTDR	400
10.4.7.1	Distributed pressure sensing	400
10.4.7.2	Current/magnetic fields	401
10.4.7.3	Polarisation mode dispersion	402
10.4.7.4	Vibration sensing	402
10.5	Blackbody Radiation	403
10.6	Forward-Scattering Methods	403
10.6.1	Mode Coupling in Dual-Mode Fibres	404
10.6.2	Modalmetric Sensors	405
10.6.3	Distributed Interferometers	406
10.7	Non-Linear Optical Methods	408
10.7.1	Stimulated Raman	409
10.7.2	The Kerr Effect in Distributed Temperature Sensing	409
10.7.3	The Kerr Effect for POTDR in High-Birefringence Fibres	410
10.7.4	Two-Photon Fluorescence	411
10.8	Closing Comments	413
	References	413

