

Contents

	Acknowledgments	v
	List of tables	xxiii
	List of figures	xxv
	Preface	xxxi
I	Warming up	1
1	Introduction	3
1.1	Read me first!	4
1.1.1	Downloading the example datasets and programs	4
1.1.2	Other user-written programs	4
	The fre command	4
	The esttab command	5
	The extremes command	5
1.2	Why use Stata?	5
1.2.1	ANOVA	5
1.2.2	Supercharging your ANOVA	8
1.2.3	Stata is economical	8
1.2.4	Statistical powerhouse	8
1.2.5	Easy to learn	9
1.2.6	Simple and powerful data management	10
1.2.7	Access to user-written programs	10
1.2.8	Point and click or commands: Your choice	11
1.2.9	Powerful yet simple	11
1.2.10	Access to Stata source code	11

1.2.11	Online resources for learning Stata	11
1.2.12	And yet there is more!	13
1.3	Overview of the book	13
1.3.1	Part I: Warming up	13
1.3.2	Part II: Between-subjects ANOVA models	13
1.3.3	Part III: Repeated measures and longitudinal models	14
1.3.4	Part IV: Regression models	15
1.3.5	Part V: Stata overview	15
1.3.6	The GSS dataset	16
1.3.7	Language used in the book	17
1.3.8	Online resources for this book	19
1.4	Recommended resources and books	19
1.4.1	Getting started	19
1.4.2	Data management in Stata	20
1.4.3	Reproducing your results	20
1.4.4	Recommended Stata Press books	21
2	Descriptive statistics	23
2.1	Chapter overview	23
2.2	Using and describing the GSS dataset	23
2.3	One-way tabulations	26
2.4	Summary statistics	31
2.5	Summary statistics by one group	32
2.6	Two-way tabulations	34
2.7	Cross-tabulations with summary statistics	37
2.8	Closing thoughts	37
3	Basic inferential statistics	39
3.1	Chapter overview	39
3.2	Two-sample t tests	40
3.3	Paired sample t tests	42
3.4	One-sample t tests	43

3.5	Two-sample test of proportions	43
3.6	One-sample test of proportions	46
3.7	Chi-squared and Fisher's exact test	48
3.8	Correlations	50
3.9	Immediate commands	51
3.9.1	Immediate test of two means	51
3.9.2	Immediate test of one mean	52
3.9.3	Immediate test of two proportions	53
3.9.4	Immediate test of one proportion	53
3.9.5	Immediate cross-tabulations	54
3.10	Closing thoughts	56
II	Between-subjects ANOVA models	57
4	One-way between-subjects ANOVA	59
4.1	Chapter overview	59
4.2	Comparing two groups using a t test	59
4.3	Comparing two groups using ANOVA	63
4.3.1	Computing effect sizes	67
4.4	Comparing three groups using ANOVA	69
4.4.1	Testing planned comparisons using contrast	72
4.4.2	Computing effect sizes for planned comparisons	75
4.5	Estimation commands and postestimation commands	77
4.6	Interpreting confidence intervals	82
4.7	Closing thoughts	84
5	Contrasts for a one-way ANOVA	85
5.1	Chapter overview	85
5.2	Introducing contrasts	86
5.2.1	Computing and graphing means	88
5.2.2	Making contrasts among means	89
5.2.3	Graphing contrasts	90

5.2.4	Options with the margins and contrast commands	92
5.2.5	Computing effect sizes for contrasts	96
5.2.6	Summary	98
5.3	Overview of contrast operators	98
5.4	Compare each group against a reference group	99
5.4.1	Selecting a specific contrast	100
5.4.2	Selecting a different reference group	101
5.4.3	Selecting a contrast and reference group	101
5.5	Compare each group against the grand mean	102
5.5.1	Selecting a specific contrast	104
5.6	Compare adjacent means	105
5.6.1	Reverse adjacent contrasts	108
5.6.2	Selecting a specific contrast	109
5.7	Comparing with the mean of subsequent and previous levels	111
5.7.1	Comparing with the mean of previous levels	115
5.7.2	Selecting a specific contrast	116
5.8	Polynomial contrasts	117
5.9	Custom contrasts	120
5.10	Weighted contrasts	123
5.11	Pairwise comparisons	125
5.12	Closing thoughts	133
6	Analysis of covariance	135
6.1	Chapter overview	135
6.2	Example 1: ANCOVA with an experiment using a pretest	136
6.3	Example 2: Experiment using covariates	142
6.4	Example 3: Observational data	146
6.4.1	Model 1: No covariates	147
6.4.2	Model 2: Demographics as covariates	148
6.4.3	Model 3: Demographics, socializing as covariates	148
6.4.4	Model 4: Demographics, socializing, health as covariates	150

6.5	Some technical details about adjusted means	152
6.5.1	Computing adjusted means: Method 1	154
6.5.2	Computing adjusted means: Method 2	155
6.5.3	Computing adjusted means: Method 3	157
6.5.4	Differences between method 2 and method 3	158
6.5.5	Adjusted means: Summary	160
6.6	Closing thoughts	160
7	Two-way factorial between-subjects ANOVA	161
7.1	Chapter overview	161
7.2	Two-by-two models: Example 1	163
7.2.1	Simple effects	168
7.2.2	Estimating the size of the interaction	170
7.2.3	More about interaction	171
7.2.4	Summary	172
7.3	Two-by-three models	173
7.3.1	Example 2	173
	Simple effects	175
	Simple contrasts	176
	Partial interaction	177
	Comparing optimism therapy with traditional therapy	178
7.3.2	Example 3	180
	Simple effects	182
	Partial interactions	183
7.3.3	Summary	185
7.4	Three-by-three models: Example 4	185
7.4.1	Simple effects	188
7.4.2	Simple contrasts	188
7.4.3	Partial interaction	190
7.4.4	Interaction contrasts	191
7.4.5	Summary	193

7.5	Unbalanced designs	193
7.6	Interpreting confidence intervals	198
7.7	Closing thoughts	200
8	Analysis of covariance with interactions	203
8.1	Chapter overview	203
8.2	Example 1: IV has two levels	206
8.2.1	Question 1: Treatment by depression interaction	210
8.2.2	Question 2: When is optimism therapy superior?	213
8.2.3	Example 1: Summary	219
8.3	Example 2: IV has three levels	220
8.3.1	Questions 1a and 1b	225
	Question 1a	225
	Question 1b	226
8.3.2	Questions 2a and 2b	227
	Question 2a	227
	Question 2b	228
8.3.3	Overall interaction	230
8.3.4	Example 2: Summary	231
8.4	Closing thoughts	231
9	Three-way between-subjects analysis of variance	233
9.1	Chapter overview	233
9.2	Two-by-two-by-two models	234
9.2.1	Simple interactions by season	236
9.2.2	Simple interactions by depression status	237
9.2.3	Simple effects	239
9.3	Two-by-two-by-three models	240
9.3.1	Simple interactions by depression status	242
9.3.2	Simple partial interaction by depression status	242
9.3.3	Simple contrasts	244
9.3.4	Partial interactions	244

9.4	Three-by-three-by-three models and beyond	246
9.4.1	Partial interactions and interaction contrasts	248
9.4.2	Simple interactions	252
9.4.3	Simple effects and simple contrasts	256
9.5	Closing thoughts	257
10	Supercharge your analysis of variance (via regression)	259
10.1	Chapter overview	259
10.2	Performing ANOVA tests via regression	260
10.3	Supercharging your ANOVA	264
10.3.1	Complex surveys	265
10.3.2	Homogeneity of variance	269
10.3.3	Robust regression	273
10.3.4	Quantile regression	275
10.4	Main effects with interactions: anova versus regress	276
10.5	Closing thoughts	280
11	Power analysis for analysis of variance and covariance	281
11.1	Chapter overview	281
11.2	Power analysis for a two-sample t test	282
11.2.1	Example 1: Replicating a two-group comparison	282
11.2.2	Example 2: Using standardized effect sizes	284
11.2.3	Estimating effect sizes	286
11.2.4	Example 3: Power for a medium effect	287
11.2.5	Example 4: Power for a range of effect sizes	288
11.2.6	Example 5: For a given N, compute the effect size	290
11.2.7	Example 6: Compute effect sizes given unequal Ns	291
11.3	Power analysis for one-way ANOVA	293
11.3.1	Overview	293
	Hypothesis 1. Traditional therapy versus control	293
	Hypothesis 2: Optimism therapy versus control	294

	Hypothesis 3: Optimism therapy versus traditional therapy	294
	Summary of hypotheses	295
11.3.2	Example 7: Testing hypotheses 1 and 2	295
11.3.3	Example 8: Testing hypotheses 2 and 3	298
11.3.4	Summary	301
11.4	Power analysis for ANCOVA	301
11.4.1	Example 9: Using pretest as a covariate	301
11.4.2	Example 10: Using correlated variables as covariates	303
11.5	Power analysis for two-way ANOVA	306
11.5.1	Example 11: Replicating a two-by-two analysis	306
11.5.2	Example 12: Standardized simple effects	307
11.5.3	Example 13: Standardized interaction effect	309
11.5.4	Summary: Power for two-way ANOVA	309
11.6	Closing thoughts	310
III	Repeated measures and longitudinal designs	311
12	Repeated measures designs	313
12.1	Chapter overview	313
12.2	Example 1: One-way within-subjects designs	314
12.3	Example 2: Mixed design with two groups	319
12.4	Example 3: Mixed design with three groups	324
12.5	Comparing models with different residual covariance structures	329
12.6	Example 1 revisited: Using compound symmetry	331
12.7	Example 1 revisited again: Using small-sample methods	333
12.8	An alternative analysis: ANCOVA	337
12.9	Closing thoughts	341
13	Longitudinal designs	343
13.1	Chapter overview	343
13.2	Example 1: Linear effect of time	344
13.3	Example 2: Interacting time with a between-subjects IV	350

13.4	Example 3: Piecewise modeling of time	356
13.5	Example 4: Piecewise effects of time by a categorical predictor	363
13.5.1	Baseline slopes	367
13.5.2	Treatment slopes	368
13.5.3	Jump at treatment	370
13.5.4	Comparisons among groups at particular days	372
13.5.5	Summary of example 4	375
13.6	Closing thoughts	376
IV	Regression models	377
14	Simple and multiple regression	379
14.1	Chapter overview	379
14.2	Simple linear regression	380
14.2.1	Decoding the output	382
14.2.2	Computing predicted means using the margins command	383
14.2.3	Graphing predicted means using the marginsplot command	386
14.3	Multiple regression	389
14.3.1	Describing the predictors	390
14.3.2	Running the multiple regression model	391
14.3.3	Computing adjusted means using the margins command	392
14.3.4	Describing the contribution of a predictor	394
	One-unit change	395
	Multiple-unit change	395
	Milestone change in units	396
	One SD change in predictor	397
	Partial and semipartial correlation	398
14.4	Testing multiple coefficients	400
14.4.1	Testing whether coefficients equal zero	400
14.4.2	Testing the equality of coefficients	401
14.4.3	Testing linear combinations of coefficients	402

14.5	Closing thoughts	403
15	More details about the regress command	405
15.1	Chapter overview	405
15.2	Regression options	405
15.3	Redisplaying results	408
15.4	Identifying the estimation sample	411
15.5	Stored results	412
15.6	Storing results	415
15.7	Displaying results with the estimates table command	417
15.8	Closing thoughts	418
16	Presenting regression results	419
16.1	Chapter overview	419
16.2	Presenting a single model	420
16.3	Presenting multiple models	423
16.4	Creating regression tables using esttab	427
16.4.1	Presenting a single model with esttab	428
16.4.2	Presenting multiple models with esttab	435
16.4.3	Exporting results to other file formats	436
16.5	More commands for presenting regression results	438
16.5.1	outreg	438
16.5.2	outreg2	438
16.5.3	xml_tab	438
16.5.4	coefplot	439
16.6	Closing thoughts	440
17	Tools for model building	443
17.1	Chapter overview	443
17.2	Fitting multiple models on the same sample	443
17.3	Nested models	448
17.3.1	Example 1: A simple example	449
17.3.2	Example 2: A more realistic example	451

17.4	Stepwise models	454
17.5	Closing thoughts	456
18	Regression diagnostics	457
18.1	Chapter overview	457
18.2	Outliers	458
18.2.1	Standardized residuals	460
18.2.2	Studentized residuals, leverage, Cook's D	463
18.2.3	Graphs of residuals, leverage, and Cook's D	466
18.2.4	DFBETAs and avplots	467
18.2.5	Running a regression with and without observations	471
18.3	Nonlinearity	472
18.3.1	Checking for nonlinearity graphically	472
18.3.2	Using scatterplots to check for nonlinearity	473
18.3.3	Checking for nonlinearity using residuals	474
18.3.4	Checking for nonlinearity using a locally weighted smoother	475
18.3.5	Graphing an outcome mean at each level of predictor	476
18.3.6	Summary	479
18.3.7	Checking for nonlinearity analytically	479
	Adding power terms	480
	Using factor variables	481
18.4	Multicollinearity	485
18.5	Homoskedasticity	487
18.6	Normality of residuals	489
18.7	Closing thoughts	491
19	Power analysis for regression	493
19.1	Chapter overview	493
19.2	Power for simple regression	493
19.3	Power for multiple regression	500
19.4	Power for a nested multiple regression	500
19.5	Closing thoughts	504

V	Stata overview	507
20	Common features of estimation commands	509
20.1	Chapter overview	509
20.2	Common syntax	510
20.3	Analysis using subsamples	511
20.4	Robust standard errors	512
20.5	Prefix commands	513
20.5.1	The <code>by:</code> prefix	513
20.5.2	The <code>nestreg:</code> prefix	514
20.5.3	The <code>stepwise:</code> prefix	515
20.5.4	The <code>svy:</code> prefix	515
20.5.5	The <code>mi estimate:</code> prefix	516
20.6	Setting confidence levels	516
20.7	Postestimation commands	517
20.8	Closing thoughts	517
21	Postestimation commands	519
21.1	Chapter overview	519
21.2	The <code>contrast</code> command	519
21.3	The <code>margins</code> command	524
21.3.1	The <code>at()</code> option	525
21.3.2	Margins with factor variables	529
21.3.3	Margins with factor variables and the <code>at()</code> option	533
21.3.4	The <code>dydx()</code> option	534
21.4	The <code>marginsplot</code> command	539
21.5	The <code>pwcompare</code> command	550
21.6	Closing thoughts	555
22	Stata data management commands	557
22.1	Chapter overview	557
22.2	Reading data into Stata	558
22.2.1	Reading Stata datasets	558

22.2.2	Reading Excel workbooks	559
22.2.3	Reading comma-separated files	560
22.2.4	Reading other file formats	560
22.3	Saving data	561
22.4	Labeling data	562
22.4.1	Variable labels	563
22.4.2	A looping trick	563
22.4.3	Value labels	565
22.5	Creating and recoding variables	566
22.5.1	Creating new variables with generate	566
22.5.2	Modifying existing variables with replace	567
22.5.3	Extensions to generate egen	568
22.5.4	Recode	569
22.6	Keeping and dropping variables	570
22.7	Keeping and dropping observations	572
22.8	Combining datasets	574
22.8.1	Appending datasets	574
22.8.2	Merging datasets	576
22.9	Reshaping datasets	578
22.9.1	Reshaping datasets wide to long	578
22.9.2	Reshaping datasets long to wide	580
22.10	Closing thoughts	582
23	Stata equivalents of common IBM SPSS Commands	583
23.1	Chapter overview	584
23.2	ADD FILES	584
23.3	AGGREGATE	586
23.4	ANOVA	588
23.5	AUTORECODE	589
23.6	CASESTOVARS	591
23.7	COMPUTE	593

23.8	CORRELATIONS	594
23.9	CROSSTABS	594
23.10	DATA LIST	596
23.11	DELETE VARIABLES	597
23.12	DESCRIPTIVES	599
23.13	DISPLAY	600
23.14	DOCUMENT	601
23.15	FACTOR	602
23.16	FILTER	602
23.17	FORMATS	603
23.18	FREQUENCIES	603
23.19	GET FILE	605
23.20	GET TRANSLATE	605
23.21	LOGISTIC REGRESSION	606
23.22	MATCH FILES	606
23.23	MEANS	608
23.24	MISSING VALUES	608
23.25	MIXED	610
23.26	MULTIPLE IMPUTATION	611
23.27	NOMREG	611
23.28	PLUM	612
23.29	PROBIT	613
23.30	RECODE	614
23.31	RELIABILITY	615
23.32	RENAME VARIABLES	615
23.33	SAVE	617
23.34	SELECT IF	618
23.35	SAVE TRANSLATE	618
23.36	SORT CASES	618
23.37	SORT VARIABLES	619

23.38 SUMMARIZE	619
23.39 T-TEST	619
23.40 VALUE LABELS	620
23.41 VARIABLE LABELS	621
23.42 VARSTOCASES	623
23.43 Closing thoughts	624
References	625
Author index	627
Subject index	629