

Contents

| | | |
|---------------|--|-----|
| 1. | Preface | 1 |
| 2. | Introduction | 1 |
| 3. | Position of the powdery mildews in the fungal system | 2 |
| 4. | History of the taxonomy of the <i>Erysiphales</i> | 3 |
| 5. | Classification of <i>Erysiphaceae</i> after Braun (1987a, 1995) | 3 |
| 5.1. | Proposed revised classification of the holomorph genera | 4 |
| 5.1.1. | Summary of revised classification | 5 |
| 5.2. | Subgeneric divisions (sections) within holomorphs | 5 |
| 5.3. | Revisions of species | 5 |
| 6. | Phylogeny | 6 |
| 7. | Fossil powdery mildews | 8 |
| 8. | Biology, host range and distribution | 8 |
| 8.1. | Disease symptoms | 8 |
| 8.2. | Hyperparasites of powdery mildews | 8 |
| 9. | Characters of value for the taxonomy of powdery mildews | 9 |
| 9.1. | Anamorphs | 9 |
| 9.2. | Mycelium | 10 |
| 9.3. | Appressoria on the mycelium | 10 |
| 9.4. | Haustoria | 11 |
| 9.5. | Conidiophores | 12 |
| 9.6. | Conidia | 13 |
| 9.6.1. | Fibrosin bodies | 14 |
| 9.7. | Conidial germination | 15 |
| 9.7.1. | Categorisation of conidial germination types | 15 |
| 9.7.1.1. | Descriptions of conidial germination types | 16 |
| 9.7.2. | Importance of conidial germination patterns in identification | 22 |
| 9.7.3. | Standardisation of germination tests | 22 |
| 9.8. | Conidia as viewed by SEM | 23 |
| 9.9. | Classification of anamorph taxa | 29 |
| 9.9.1. | Summary of holomorph classification, conidial germination and SEM data | 31 |
| 10. | Teleomorphs | 32 |
| 10.1. | Chasmothecium development | 33 |
| 10.2. | Chasmothecium development based on TEM examination | 34 |
| 10.3. | Anatomy | 35 |
| 10.4. | Appendages | 36 |
| 10.5. | Asci and ascospores | 36 |
| 10.6. | The genera | 37 |
| 11. | Species identification | 39 |
| 12. | Extent of present knowledge and gaps to be filled | 40 |
| 13. | The keys | 41 |
| 13.1. | Key to the genera (and sections) based on teleomorph and anamorph data | 41 |
| 13.2. | Key to the genera (and sections) just based on anamorphs | 43 |
| 13.3. | Keys to the species based on host families | 45 |
| 14. | The descriptions | 86 |
| 14.1. | <i>Erysiphales</i> , <i>Erysiphaceae</i> | 86 |
| 14.1.1. | <i>Parauncinula</i> | 87 |
| 14.1.2. | <i>Caespitotheca</i> | 88 |
| 14.1.3. | Tribe <i>Blumerieae</i> , <i>Blumeria</i> | 89 |
| 14.1.4. | Tribe <i>Cystothecae</i> | 92 |
| 14.1.4.1. | Subtribe <i>Cystothecinae</i> | 92 |
| 14.1.4.1.1. | <i>Cystotheca</i> | 92 |
| 14.1.4.1.1.1. | <i>Setoidium</i> (<i>Cystotheca</i> anamorphs) | 96 |
| 14.1.4.1.2. | <i>Podosphaera</i> | 97 |
| 14.1.4.1.2.1. | <i>Podosphaera</i> sect. <i>Podosphaera</i> | 98 |
| 14.1.4.1.2.2. | <i>Podosphaera</i> sect. <i>Sphaerotheca</i> | 114 |
| 14.1.4.1.2.3. | <i>Fibroidium</i> (<i>Podosphaera</i> anamorphs) | 167 |
| 14.1.4.2. | Subtribe <i>Sawadaeinae</i> | 172 |
| 14.1.4.2.1. | <i>Sawadaea</i> | 177 |
| 14.1.4.2.2. | <i>Takamatsuella</i> | 179 |
| 14.1.5. | Tribe <i>Phyllactinieae</i> | 180 |

| | | |
|---------------|--|-----|
| 14.1.5.1. | <i>Leveillula</i> | 180 |
| 14.1.5.1.1. | <i>Oidiopsis</i> (<i>Leveillula</i> anamorphs) | 211 |
| 14.1.5.2. | <i>Phyllactinia</i> | 214 |
| 14.1.5.3. | <i>Pleochaeta</i> | 281 |
| 14.1.5.4. | <i>Queirozia</i> | 285 |
| 14.1.5.5. | <i>Ovulariopsis</i> (<i>Phyllactinia</i> and <i>Pleochaeta</i> anamorphs) | 286 |
| 14.1.6. | Tribe <i>Golovinomycetaceae</i> | 294 |
| 14.1.6.1. | Subtribe <i>Golovinomycetinae</i> | 294 |
| 14.1.6.1.1. | <i>Golovinomyces</i> | 294 |
| 14.1.6.1.1.1. | <i>Euoidium</i> (<i>Golovinomyces</i> anamorphs) | 333 |
| 14.1.6.2. | Subtribe <i>Neoerysiphinae</i> | 339 |
| 14.1.6.2.1. | <i>Neoerysiphe</i> | 339 |
| 14.1.6.2.1.1. | <i>Striatoidium</i> (<i>Neoerysiphe</i> anamorphs) | 347 |
| 14.1.6.3. | Subtribe <i>Arthrocladiellinae</i> , <i>Arthrocladiella</i> | 349 |
| 14.1.7. | Tribe <i>Erysipheae</i> | 351 |
| 14.1.7.1. | <i>Erysiphe</i> | 351 |
| 14.1.7.1.1. | <i>Erysiphe</i> sect. <i>Erysiphe</i> | 352 |
| 14.1.7.1.2. | <i>Erysiphe</i> sect. <i>Californiomyces</i> | 416 |
| 14.1.7.1.3. | <i>Erysiphe</i> sect. <i>Microsphaera</i> | 419 |
| 14.1.7.1.4. | <i>Erysiphe</i> sect. <i>Typhulochaeta</i> | 522 |
| 14.1.7.1.5. | <i>Erysiphe</i> sect. <i>Uncinula</i> | 524 |
| 14.1.7.1.6. | <i>Pseudoidium</i> (<i>Erysiphe</i> anamorphs) | 595 |
| 14.1.8. | <i>Brasiliomyces</i> | 622 |
| 14.1.9. | <i>Microidium</i> | 624 |
| 14.2. | Anamorphic powdery mildews (<i>Oidium</i>) of unclear generic affinity | 626 |
| 14.3. | Excluded, doubtful and insufficiently known taxa | 631 |
| 15. | References | 645 |
| 16. | Index | 677 |
| 16.1. | Index of host genera | 677 |
| 16.2. | Index of scientific fungal names | 686 |
| 17. | Glossary | 703 |