

Contents

Preface — VI

List of symbols — XX

1 Introduction to optical imaging and photography — 1

1.1 Objective of the present book — 3

1.2 Basics of radiometry and photometry — 6

1.2.1 Radiant energy, flux, fluence and intensity — 7

1.2.2 Solid angle and radiant intensity — 8

1.2.3 Irradiance and radiance — 9

1.2.4 Lambertian Surface — 10

1.2.5 Radiant exposure — 11

1.2.6 Photometric quantities — 11

1.3 Basic concepts of image characterization — 12

1.3.1 Imaging, “image points” and resolution — 14

1.3.2 Imaging issues — 17

1.3.3 The space bandwidth number — 18

1.4 Resolution issues and requirements for images — 19

1.4.1 Resolution and angle of view of the human eye — 20

1.4.2 Remarks to reasonable number of “image points” and SBN in photography — 24

1.4.3 Magnified images — 25

1.5 Imaging and focusing — 26

1.5.1 Focusing and f-number — 26

1.5.2 Imaging and imaging conditions — 28

1.5.3 Relations between imaging and focusing, SBN and image quality — 31

1.5.4 Circle of confusion — 32

1.6 Digital input and output devices — 34

1.6.1 Image acquisition with a photodiode array: simple man’s view — 34

1.6.2 Image reproduced from a digital device, artefacts, Moiré effect — 35

1.6.3 Similarity to spectroscopy — 41

1.6.4 Space bandwidth number of digital devices — 41

1.6.5 Image observation from digital screens — 46

1.7 Optical glass — 47

1.7.1 Structure of silica based glasses — 47

1.7.2 Optical dispersion in glasses — 50

2 Basic concepts of photography and still cameras — 56

- 2.1 Pinhole camera — 56
- 2.2 Camera with a lens — 61
- 2.3 Illuminance and f-number — 67
- 2.4 Exposure — 70
- 2.5 Key parameters for photographic exposure — 72
 - 2.5.1 Sensitivity and speed S — 73
 - 2.5.2 Exposure determination and exposure value — 75
 - 2.5.3 Exposure value and relative brightness change — 80
 - 2.5.4 Optimum aperture and critical f-number — 81
- 2.6 Examples of camera systems — 83
 - 2.6.1 Single lens reflex camera — 83
 - 2.6.1.1 Characteristics and camera body — 83
 - 2.6.1.2 Film formats and camera lenses — 87
 - 2.6.2 Digital single lens reflex camera — 89
 - 2.6.2.1 Characteristics — 89
 - 2.6.2.2 Camera lenses — 91
 - 2.6.2.3 Examples for DSLR cameras — 92
 - 2.6.3 Digital compact camera — 94
 - 2.6.3.1 Characteristics — 94
 - 2.6.3.2 Consequences of the compact setup — 96
 - 2.6.3.3 Examples for compact cameras — 97
 - 2.6.4 Other types of digital cameras and further developments — 98
 - 2.6.4.1 Mirrorless interchangeable lens camera and single lens translucent camera — 98
 - 2.6.4.2 Mobile phone camera and miniature camera — 100
 - 2.6.5 Cameras for scientific and industrial purposes — 102

3 Imaging optics — 105

- 3.1 Principles of geometrical optics — 105
 - 3.1.1 Huygens' principle and rays — 105
 - 3.1.2 Ray equation, Snell's law and reflection loss — 106
 - 3.1.3 Image formation — 109
- 3.2 Thick lenses — 114
 - 3.2.1 Basic lens equations for thick lenses — 114
 - 3.2.2 Types of lenses and lens shapes — 117
- 3.3 Ray path calculation by the matrix method — 120
 - 3.3.1 Ray translation matrix — 122
 - 3.3.2 Ray refraction matrix — 123
 - 3.3.3 Thick-lens and thin-lens matrix — 123
 - 3.3.4 Ray transfer matrix for optical systems — 125

- 3.3.5 Examples of simple camera lens setups — 128
- 3.3.6 Software-based computational methods — 135
 - 3.3.6.1 Ray tracing — 136
 - 3.3.6.2 Beam propagation — 136
- 3.4 Limitations of light rays — 138
 - 3.4.1 Controlling the brightness: aperture stops and pupils — 139
 - 3.4.2 Controlling the field of view: field stops and windows — 142
 - 3.4.3 Properties and effects of stops, pupils and windows — 144
 - 3.4.4 Controlling vignetting in lens systems — 149
 - 3.4.5 Telecentric lens setup — 153
 - 3.4.6 Depth of field and depth of focus — 156
- 3.5 Lens aberrations — 161
 - 3.5.1 Spherical aberration — 164
 - 3.5.2 Coma — 168
 - 3.5.3 Astigmatism — 171
 - 3.5.4 Curvature of field — 176
 - 3.5.5 Distortion — 179
 - 3.5.6 Chromatic aberration — 183
 - 3.5.6.1 Achromatic doublet: two thin lenses of different materials — 186
 - 3.5.6.2 Achromatic doublet: two thin lenses of identical materials with separation — 188
 - 3.5.6.3 Complex achromatic systems — 189
 - 3.5.7 Aspheric surfaces — 190
- 4 Sensors and detectors — 196**
 - 4.1 General, films, photodiode arrays — 196
 - 4.1.1 Introduction and overview of 2D detectors — 196
 - 4.1.2 Introduction to color reproduction — 198
 - 4.1.3 Films – Principle of the photographic silver halide film imaging process — 201
 - 4.1.4 Photographic reversal films and color films — 207
 - 4.1.4.1 Reversal films — 207
 - 4.1.4.2 Color negative and color slide films — 208
 - 4.2 Electronic sensors: photodiode arrays — 210
 - 4.2.1 Optoelectronic principles of a photodiode — 210
 - 4.2.2 Charge detection and conversion — 217
 - 4.3 Formats and sizes — 222
 - 4.3.1 Formats and sizes of films and digital sensors — 222
 - 4.3.2 Full format and crop factor — 224
 - 4.4 CCD sensors — 227

- 4.4.1 Basics — 227
- 4.4.2 CCD operation principles — 229
 - 4.4.2.1 Full frame transfer CCD — 230
 - 4.4.2.2 Interline transfer CCD — 230
 - 4.4.2.3 Frame transfer CCD — 231
 - 4.4.2.4 Frame-Interline-Transfer-CCD — 231
- 4.5 CMOS sensors — 231
 - 4.5.1 Basics — 231
 - 4.5.2 General issues of CCD and CMOS sensors and comparison of both sensor types — 233
 - 4.5.2.1 Chip architecture — 233
 - 4.5.2.2 Exposure and readout — 234
 - 4.5.2.3 Comparison of CCD and CMOS sensors — 235
- 4.6 CCD and CMOS systems — 237
 - 4.6.1 Fill factor and optical microlens array — 237
 - 4.6.2 Optical low pass and infrared filters — 240
 - 4.6.3 Color information — 242
- 4.7 Noise and background — 246
 - 4.7.1 Basics — 247
 - 4.7.2 Noise distributions — 249
 - 4.7.3 Temporal noise — 251
 - 4.7.4 Spatial noise — 256
 - 4.7.5 Blooming, smear, image lag and cross talk — 257
 - 4.7.5.1 Blooming — 257
 - 4.7.5.2 Smear — 258
 - 4.7.5.3 Image lag — 258
 - 4.7.5.4 Cross talk — 258
 - 4.7.6 Total noise — 259
- 4.8 Dynamic range, signal-to-noise-ratio and detector response — 261
 - 4.8.1 Dynamic range — 261
 - 4.8.2 Signal-to-noise-ratio — 264
 - 4.8.3 Binning — 266
 - 4.8.4 Requirements — 267
 - 4.8.5 Detector response — 270
 - 4.8.5.1 Response curves of films — 270
 - 4.8.5.2 Response curves of electronic detectors — 273
 - 4.8.5.3 Comparison of the response curves of electronic detectors and those of films — 275
 - 4.8.6 Data quantization and depth resolution — 276
 - 4.8.7 Examples of photoconversion characteristics — 281
 - 4.8.8 “ISO-gain” for digital sensors — 283

- 4.8.9 The “universal” curve — **286**
- 4.9 Basics of image processing and modification — **288**
 - 4.9.1 Sensor field corrections — **289**
 - 4.9.2 Basic image corrections — **293**
 - 4.9.2.1 Image processors and raw converters — **293**
 - 4.9.2.2 Raw data — **294**
 - 4.9.3 Demosaicing — **296**
 - 4.9.4 Tone mapping — **298**
 - 4.9.5 Further tone mapping, HDR and final remarks — **304**
 - 4.9.5.1 Increase of dynamic range: HDR and DRI — **306**
 - 4.9.5.2 Additional and final remarks — **310**
- 4.10 Advanced and special sensors and sensor systems — **311**
 - 4.10.1 Sensor with stacked color information — **311**
 - 4.10.2 Pixel interleaved array CCD — **314**
 - 4.10.3 Split pixel technology and sensors with adapted response curves — **315**
 - 4.10.3.1 Split pixel technology — **315**
 - 4.10.3.2 HDR sensor with complementary carrier collection — **317**
 - 4.10.3.3 Full well adjusting method — **317**
 - 4.10.3.4 High dynamic range CMOS sensor — **317**
 - 4.10.4 BSI CCD — **318**
 - 4.10.5 Advances in CMOS technology — **320**
 - 4.10.5.1 Scientific CMOS sensors (“Gen II”) — **320**
 - 4.10.5.2 CMOS stacking technology — **321**
 - 4.10.6 Advancements for the IR region — **322**
 - 4.10.6.1 Deep depletion CCD — **322**
 - 4.10.6.2 Further improvement of the NIR response: Nyxel technology — **323**
- 4.11 Image converters and image intensifiers — **323**
 - 4.11.1 Image converters — **324**
 - 4.11.2 Basics of light signal intensifiers — **326**
 - 4.11.3 Microchannel plate intensifiers — **328**
 - 4.11.4 Intensified CCD and CMOS cameras — **333**
 - 4.11.5 Electron-multiplying CCD — **337**
- 5 Fourier optics — 340**
 - 5.1 Fundamentals — **340**
 - 5.1.1 Basics, electric field, amplitude and phase and remarks in advance — **340**
 - 5.1.2 Background of Fourier optics, diffraction with coherent light — **343**
 - 5.1.3 “4-*f*-system” — **347**
 - 5.1.4 Imaging and point spread function — **350**

- 5.1.4.1 Point spread function (PSF) — 350
- 5.1.4.2 Width of the point spread function and invariants — 353
- 5.1.5 Optical transfer function, modulation transfer function and phase transfer function — 356
 - 5.1.5.1 Convolution and optical transfer function OTF — 356
 - 5.1.5.2 OTF of a cylindrical and a spherical lens — 359
 - 5.1.5.3 Cut-off frequency — 361
 - 5.1.5.4 OTF, MTF, PTF — 361
- 5.1.6 Resolution, maximum frequency and contrast — 363
 - 5.1.6.1 Maximum frequency — 363
 - 5.1.6.2 Resolution and contrast — 365
- 5.1.7 Differences for imaging with coherent and incoherent light — 366
- 5.1.8 Space bandwidth product — 369
- 5.1.9 Image manipulation — 370
 - 5.1.9.1 Low and high pass filters — 371
 - 5.1.9.2 Unsharp masking (USM) — 373
- 5.2 Discussion of the MTF — 374
 - 5.2.1 Test objects, MTF, contrast, spatial frequency units — 374
 - 5.2.1.1 Bar gratings — 377
 - 5.2.1.2 “More realistic MTF curves” — 379
 - 5.2.2 Image quality characterization by means of a single MTF value — 380
 - 5.2.3 OTF and MTF of a system — 381
 - 5.2.4 MTF of lenses, objectives and the human eye — 382
 - 5.2.4.1 Wave front aberrations — 383
 - 5.2.4.2 “Defocusing” — 384
 - 5.2.4.3 Apodization — 388
 - 5.2.4.4 Dependence on wavelength and f-number and cut-off frequency — 389
 - 5.2.4.5 MTF of the human eye — 390
 - 5.2.5 MTF of sensors — 392
 - 5.2.5.1 Films — 392
 - 5.2.5.2 Digital sensors — 393
 - 5.2.6 MTF of a camera system and its components — 398
 - 5.2.7 MTF curves of cameras — 398
 - 5.2.7.1 Megapixel delusion? — 404
 - 5.2.8 Sharpness, perceived sharpness and acutance — 405
 - 5.2.9 Judgment of MTF curves — 410

6 Camera lenses — 415

- 6.1 Requirements for camera lenses — 415
- 6.2 Short history of photographic lenses — 417

- 6.2.1 Simple photographic lenses — 418
- 6.2.2 Petzval portrait lens — 419
- 6.2.3 Early symmetric lenses — 420
- 6.2.4 Early anastigmats consisting of new and old achromats — 421
- 6.2.5 Anastigmats consisting of three lens groups — 424
- 6.2.6 Double-Gauss Anastigmats consisting of four lens groups or more — 426
- 6.3 Long focus lenses — 429
 - 6.3.1 Telephoto principle — 430
 - 6.3.2 Focusing by moving lens groups — 433
 - 6.3.3 Examples of modern long focus lenses — 436
 - 6.3.4 Teleconverters — 439
- 6.4 Normal lenses — 440
- 6.5 Wide angle lenses — 444
 - 6.5.1 Retrofocus design — 446
 - 6.5.2 Symmetric lens design – Biogon type — 448
 - 6.5.3 Properties and examples of modern wide angle lenses — 450
 - 6.5.4 Fisheye lenses — 455
- 6.6 Varifocal and Zoom lenses — 458
- 6.7 Perspective Control – Tilt/Shift lenses — 463
 - 6.7.1 Scheimpflug principle — 464
 - 6.7.2 Principle function of shift and tilt — 465
 - 6.7.2.1 Shift function — 465
 - 6.7.2.2 Tilt function — 468
 - 6.7.3 Specifications and constructions of PC-lenses for 35 mm format — 470
- 6.8 Antireflection coating and lens flares — 471
 - 6.8.1 Antireflection coating — 472
 - 6.8.1.1 Single-layer coating — 473
 - 6.8.1.2 Double-layer coating — 475
 - 6.8.1.3 Triple-layer and multilayer coatings — 476
 - 6.8.2 Lens flares — 479
 - 6.8.2.1 Double reflections — 479
 - 6.8.2.2 Structured ghost flares and stray light haze — 482
- 6.9 Depth of focus, depth of field and bokeh — 486
 - 6.9.1 Depth of focus — 486
 - 6.9.2 Depth of field — 487
 - 6.9.2.1 Same lens used with different image formats — 488
 - 6.9.2.2 Same object field with different image formats — 490
 - 6.9.3 Bokeh — 491

- 7 Characterization of imaging systems — 496**
 - 7.1 General — 496**
 - 7.2 Evaluation of the optical properties, part 1: vignetting and aberrations — 498**
 - 7.3 Evaluation of the optical properties, part 2: MTF and SFR measurements — 501**
 - 7.3.1 Grating-based methods — 501**
 - 7.3.1.1 General — 501**
 - 7.3.1.2 Bar gratings — 503**
 - 7.3.1.3 Siemens stars — 504**
 - 7.3.1.4 Influence of Tone Curve — 507**
 - 7.3.1.5 Postprocessing: the effect of sharpening and contrast enhancement — 509**
 - 7.3.2 Edge gradient and sampling methods — 510**
 - 7.3.2.1 Principle and knife edge method — 510**
 - 7.3.2.2 Edge spread function and line spread function — 512**
 - 7.3.2.3 Slanted edge method — 514**
 - 7.3.3 Random and stochastic methods and noise problems — 516**
 - 7.3.3.1 Dead leaves (and related) targets method — 516**
 - 7.3.3.2 Influence of image processing (i.e., image manipulation) and SFR — 519**
 - 7.3.4 Other methods and a brief comparison of the discussed methods — 521**
 - 7.3.5 MTF characterization across the image field — 523**
 - 7.3.5.1 Measurements at different positions — 523**
 - 7.3.5.2 MTF across the image field — 525**
 - 7.3.5.3 Examples of MTF across the image field — 526**
 - 7.4 Evaluation of the opto-electronic properties — 530**
- 8 Outlook — 536**
- A Appendix — 540**
 - A.1 Functions and relations — 540**
 - A.2 Fourier Mathematics — 542**
 - A.3 Convolution — 546**
 - A.4 CCD readout — 549**
 - A.5 Camera and sensor data — 552**
 - A.6 Histograms — 554**
 - A.7 Tone mapping and tone curve discussion — 557**
 - A.8 Summary of Fourier optics relations — 562**

A.9 Examples of PSF and MTF in presence of aberrations — 565

A.10 MTF measurements with a Siemens star off-center — 566

A.11 Resolution and contrast sensitivity function of the human eye — 567

References — 571

Index — 577