|      |         | Contents   |           |
|------|---------|--|-----------|
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
|      |         |  |           |
| List | t of fi | gures  | page xiii |
| The  | e scop  | be of this text  | xvii      |
| Ack  | knowl   | edgements  | xix       |
| 1    | How     | the theory of relativity came into being (a brief historical skatch) | ie 1.0    |
| -    | 11      | Special versus general relativity                                    | 6.2       |
|      | 1.1     | Space and inertia in Newtonian physics                               | 8.0 1     |
|      | 13      | Newton's theory and the orbits of planets                            | 1         |
|      | 1.4     | The basic assumptions of general relativity                          | 2         |
|      | 1.1     | The busic assumptions of general relativity                          | 0.0.4     |
| Dor  | + T     | Flaments of differential geometry                                    | -         |
| 1 41 |         | Exements of uniterential geometry                                    | 8.0 /     |
| 2    | A sh    | ort sketch of 2-dimensional differential geometry                    | 9         |
|      | 2.1     | Constructing parallel straight lines in a flat space                 | 9         |
|      | 2.2     | Generalisation of the notion of parallelism to curved surfaces       | 10        |
| 3    | Tens    | ors, tensor densities  | 12        |
| 01   | 3.1     | What are tensors good for?   | 13        |
|      | 3.2     | Differentiable manifolds   | 13        |
|      | 3.3     | Scalars  | 15        |
|      | 3.4     | Contravariant vectors  | 15        |
|      | 3.5     | Covariant vectors  | 16        |
|      | 3.6     | Tensors of second rank   | 16        |
|      | 3.7     | Tensor densities   | 17        |
|      | 3.8     | Tensor densities of arbitrary rank                                   | 18        |
|      | 3.9     | Algebraic properties of tensor densities                             | 18        |
| 56   | 3.10    | Mappings between manifolds   | 19        |
| 38   | 3.11    | The Levi-Civita symbol   | 22        |
| 10   | 3.12    | Multidimensional Kronecker deltas                                    | 23        |
| 63   | 3.13    | Examples of applications of the Levi-Civita symbol and of the        | 0117.15   |
|      |         | multidimensional Kronecker delta                                     | 24        |
| 5    | 3.14    | Exercises  | 25        |
|      |         |  |           |

| Contents |
|----------|
|----------|

| 4 | Covar | riant derivatives  | 26 |
|---|-------|--|----|
|   | 4.1   | Differentiation of tensors   | 26 |
|   | 4.2   | Axioms of the covariant derivative   | 28 |
|   | 4.3   | A field of bases on a manifold and scalar components of tensors            | 29 |
|   | 4.4   | The affine connection  | 30 |
|   | 4.5   | The explicit formula for the covariant derivative of tensor density fields | 31 |
|   | 4.6   | Exercises  | 32 |
| 5 | Paral | lel transport and geodesic lines   | 33 |
|   | 5.1   | Parallel transport   | 33 |
|   | 5.2   | Geodesic lines   | 34 |
|   | 5.3   | Exercises  | 35 |
|   |       |  |    |
| 6 | The c | urvature of a manifold; flat manifolds                                     | 36 |
|   | 6.1   | The commutator of second covariant derivatives                             | 36 |
|   | 6.2   | The commutator of directional covariant derivatives                        | 38 |
|   | 6.3   | The relation between curvature and parallel transport                      | 39 |
|   | 6.4   | Covariantly constant fields of vector bases                                | 43 |
|   | 6.5   | A torsion-free flat manifold   | 44 |
|   | 6.6   | Parallel transport in a flat manifold                                      | 44 |
|   | 6.7   | Geodesic deviation   | 45 |
|   | 6.8   | Algebraic and differential identities obeyed by the curvature tensor       | 46 |
|   | 6.9   | Exercises  | 47 |
| 7 | Riem  | annian geometry  | 48 |
|   | 7.1   | The metric tensor  | 48 |
|   | 7.2   | Riemann spaces   | 49 |
|   | 7.3   | The signature of a metric, degenerate metrics                              | 49 |
|   | 7.4   | Christoffel symbols  | 51 |
|   | 7.5   | The curvature of a Riemann space   | 51 |
|   | 7.6   | Flat Riemann spaces  | 52 |
|   | 7.7   | Subspaces of a Riemann space   | 53 |
|   | 7.8   | Flat Riemann spaces that are globally non-Euclidean                        | 53 |
|   | 7.9   | The Riemann curvature versus the normal curvature of a surface             | 54 |
|   | 7.10  | The geodesic line as the line of extremal distance                         | 55 |
|   | 7.11  | Mappings between Riemann spaces  | 56 |
|   | 7.12  | Conformally related Riemann spaces   | 56 |
|   | 7.13  | Conformal curvature  | 58 |
|   | 7.14  | Timelike, null and spacelike intervals in a 4-dimensional spacetime        | 61 |
|   | 7.15  | Embeddings of Riemann spaces in Riemann spaces of higher dimension         | 63 |
|   | 7.16  | The Petrov classification  | 70 |
|   | 7.17  | Exercises  | 72 |

vi

|     |       | Contents   | vii |
|-----|-------|--|-----|
| 8   | Symn  | netries of Riemann spaces, invariance of tensors   | 74  |
|     | 8.1   | Symmetry transformations   | 74  |
|     | 8.2   | The Killing equations  | 75  |
|     | 8.3   | The connection between generators and the invariance transformations   | 77  |
|     | 8.4   | Finding the Killing vector fields  | 78  |
|     | 8.5   | Invariance of other tensor fields  | 79  |
|     | 8.6   | The Lie derivative   | 80  |
|     | 8.7   | The algebra of Killing vector fields   | 81  |
|     | 8.8   | Surface-forming vector fields  | 81  |
|     | 8.9   | Spherically symmetric 4-dimensional Riemann spaces   | 82  |
|     | 8.10  | * Conformal Killing fields and their finite basis  | 86  |
|     | 8.11  | * The maximal dimension of an invariance group   | 89  |
|     | 8.12  | Exercises  | 91  |
| 9   | Meth  | ods to calculate the curvature quickly – Cartan forms and algebraic  |     |
| 1   | comn  | uter programs  | 94  |
|     | 9 1   | The basis of differential forms  | 94  |
|     | 9.2   | The connection forms   | 95  |
|     | 93    | The Riemann tensor   | 96  |
|     | 9.4   | Using computers to calculate the curvature   | 98  |
|     | 9.5   | Exercises  | 98  |
| 10  | -     | 12.16.2 The Configuration was agoined theory and the and the second theory of the configuration of the second theory of theory of the s |     |
| 10  | Ine s | spatially nomogeneous Blanchi type spacetimes  | 99  |
|     | 10.1  | The Bianchi classification of 3-dimensional Lie algebras   | 99  |
|     | 10.2  | The dimension of the group versus the dimension of the orbit   | 104 |
|     | 10.3  | Action of a group on a manifold  | 105 |
|     | 10.4  | Groups acting transitively, homogeneous spaces   | 105 |
|     | 10.5  | Invariant vector fields  | 106 |
|     | 10.6  | The metrics of the Bianchi-type spacetimes   | 108 |
|     | 10.7  | The isotropic Bianchi-type (Robertson–Walker) spacetimes   | 109 |
|     | 10.8  | Exercises  | 112 |
| 100 | /     |  |     |
| 11  | * The | e Petrov classification by the spinor method   | 113 |
|     | 11.1  | What is a spinor?  | 113 |
|     | 11.2  | Translating spinors to tensors and vice versa  | 114 |
|     | 11.3  | The spinor image of the Weyl tensor  | 116 |
|     | 11.4  | The Petrov classification in the spinor representation   | 116 |
|     | 11.5  | The Weyl spinor represented as a $3 \times 3$ complex matrix   | 117 |
|     | 11.6  | The equivalence of the Penrose classes to the Petrov classes   | 119 |
|     | 11.7  | The Petrov classification by the Debever method  | 120 |
|     | 11.8  | Exercises  | 122 |

| Contents |
|----------|
|----------|

| Part | t II T | he theory of gravitation  | 123 |
|------|--------|---|-----|
| 12   | The Ei | instein equations and the sources of a gravitational field            | 125 |
|      | 12.1   | Why Riemannian geometry?  | 125 |
|      | 12.2   | Local inertial frames   | 125 |
|      | 12.3   | Trajectories of free motion in Einstein's theory                      | 126 |
|      | 12.4   | Special relativity versus gravitation theory                          | 129 |
|      | 12.5   | The Newtonian limit of relativity                                     | 130 |
| 18   | 12.6   | Sources of the gravitational field                                    | 130 |
|      | 12.7   | The Einstein equations  | 131 |
|      | 12.8   | Hilbert's derivation of the Einstein equations                        | 132 |
|      | 12.9   | The Palatini variational principle                                    | 136 |
|      | 12.10  | The asymptotically Cartesian coordinates and the asymptotically       |     |
|      |        | flat spacetime  | 136 |
|      | 12.11  | The Newtonian limit of Einstein's equations                           | 136 |
|      | 12.12  | Examples of sources in the Einstein equations: perfect fluid and dust | 140 |
|      | 12.13  | Equations of motion of a perfect fluid                                | 143 |
|      | 12.14  | The cosmological constant   | 144 |
|      | 12.15  | An example of an exact solution of Einstein's equations: a Bianchi    |     |
|      |        | type I spacetime with dust source                                     | 145 |
|      | 12.16  | * Other gravitation theories  | 149 |
|      |        | 12.16.1 The Brans–Dicke theory  | 149 |
|      |        | 12.16.2 The Bergmann–Wagoner theory                                   | 150 |
|      |        | 12.16.3 The conformally invariant Canuto theory                       | 150 |
|      |        | 12.16.4 The Einstein–Cartan theory                                    | 150 |
|      |        | 12.16.5 The bi-metric Rosen theory                                    | 151 |
|      | 12.17  | Matching solutions of Einstein's equations                            | 151 |
|      | 12.18  | The weak-field approximation to general relativity                    | 154 |
|      | 12.19  | Exercises   | 160 |
| 13   | The M  | Iaxwell and Einstein–Maxwell equations and the                        |     |
|      | Kaluz  | a–Klein theory  | 161 |
|      | 13.1   | The Lorentz-covariant description of electromagnetic field            | 161 |
|      | 13.2   | The covariant form of the Maxwell equations                           | 161 |
|      | 13.3   | The energy-momentum tensor of an electromagnetic field                | 162 |
|      | 13.4   | The Einstein–Maxwell equations  | 163 |
|      | 13.5   | * The variational principle for the Einstein–Maxwell equations        | 164 |
|      | 13.6   | * The Kaluza–Klein theory   | 164 |
|      | 13.7   | Exercises   | 167 |
| 14   | Spher  | ically symmetric gravitational fields of isolated objects             | 168 |
|      | 14.1   | The curvature coordinates   | 168 |
|      | 14.2   | Symmetry inheritance  | 172 |

viii

|   |         | Contents   | ix  |
|---|---------|--|-----|
|   | 14.3    | Spherically symmetric electromagnetic field in vacuum  | 172 |
|   | 14.4    | The Schwarzschild and Reissner-Nordström solutions   | 173 |
|   | 14.5    | Orbits of planets in the gravitational field of the Sun  | 176 |
|   | 14.6    | Deflection of light rays in the Schwarzschild field  | 183 |
|   | 14.7    | Measuring the deflection of light rays   | 186 |
|   | 14.8    | Gravitational lenses   | 189 |
|   | 14.9    | The spurious singularity of the Schwarzschild solution at $r = 2m$   | 191 |
|   | 14.10   | * Embedding the Schwarzschild spacetime in a flat  |     |
|   |         | Riemannian space   | 196 |
|   | 14.11   | Interpretation of the spurious singularity at $r = 2m$ ; black holes   | 200 |
|   | 14.12   | The Schwarzschild solution in other coordinate systems   | 202 |
|   | 14.13   | The equation of hydrostatic equilibrium  | 203 |
|   | 14.14   | The 'interior Schwarzschild solution'  | 206 |
|   | 14.15   | * The maximal analytic extension of the Reissner-Nordström   |     |
|   |         | solution   | 207 |
|   | 14.16   | * Motion of particles in the Reissner-Nordström spacetime  |     |
|   |         | with $e^2 < m^2$   | 217 |
|   | 14.17   | Exercises  | 219 |
| 5 | Relativ | vistic hydrodynamics and thermodynamics  | 222 |
|   | 15.1    | Motion of a continuous medium in Newtonian mechanics   | 222 |
|   | 15.2    | Motion of a continuous medium in relativistic mechanics  | 224 |
|   | 15.3    | The equations of evolution of $\theta$ , $\sigma_{\alpha\beta}$ , $\omega_{\alpha\beta}$ and $\dot{\mu}^{\alpha}$ ;  |     |
|   |         | the Raychaudhuri equation  | 228 |
|   | 15.4    | Singularities and singularity theorems   | 230 |
|   | 15.5    | Relativistic thermodynamics  | 231 |
|   | 15.6    | Exercises  | 234 |
|   | 1       | 18.6.1 Density to density-synhutangnizzoro IIadZ * 6.E.91  |     |
| 6 | Relativ | vistic cosmology I: general geometry   | 235 |
|   | 16.1    | A continuous medium as a model of the Universe   | 235 |
|   | 16.2    | Optical observations in the Universe – part I  | 237 |
|   |         | 16.2.1 The geometric optics approximation  | 237 |
| 1 | 1       | 16.2.2 The redshift  | 239 |
|   | 16.3    | The optical tensors  | 240 |
|   | 16.4    | The apparent horizon   | 242 |
|   | 16.5    | * The double-null tetrad   | 243 |
|   | 16.6    | * The Goldberg–Sachs theorem   | 245 |
|   | 16.7    | * Optical observations in the Universe – part II   | 253 |
|   |         | 16.7.2 The residue situation   | 253 |
|   |         | 16.7.2 The reciprocity theorem   | 256 |
|   | 16.9    | Exercises  | 259 |
|   | 10.0    | Excluses and the second s | 200 |

| Contents |
|----------|
|          |

| 17 | Relativ | vistic cosmology II: the Robertson–Walker geometry             | 261 |
|----|---------|--|-----|
|    | 17.1    | The Robertson–Walker metrics as models of the Universe         | 261 |
|    | 17.2    | Optical observations in an R-W Universe                        | 263 |
|    |         | 17.2.1 The redshift  | 263 |
|    |         | 17.2.2 The redshift–distance relation                          | 265 |
|    |         | 17.2.3 Number counts   | 265 |
|    | 17.3    | The Friedmann equations and the critical density               | 266 |
|    | 17.4    | The Friedmann solutions with $\Lambda = 0$                     | 269 |
|    |         | 17.4.1 The redshift–distance relation in the $\Lambda = 0$     |     |
|    |         | Friedmann models   | 270 |
|    | 17.5    | The Newtonian cosmology  | 271 |
|    | 17.6    | The Friedmann solutions with the cosmological constant         | 273 |
|    | 17.7    | Horizons in the Robertson-Walker models                        | 277 |
|    | 17.8    | The inflationary models and the 'problems' they solved         | 282 |
|    | 17.9    | The value of the cosmological constant                         | 286 |
|    | 17.10   | The 'history of the Universe'                                  | 287 |
|    | 17.11   | Invariant definitions of the Robertson-Walker models           | 290 |
|    | 17.12   | Different representations of the R-W metrics                   | 291 |
|    | 17.13   | Exercises  | 293 |
|    |         |  |     |
| 18 | Relativ | vistic cosmology III: the Lemaître–Tolman geometry             | 294 |
|    | 18.1    | The comoving-synchronous coordinates                           | 294 |
|    | 18.2    | The spherically symmetric inhomogeneous models                 | 294 |
|    | 18.3    | The Lemaître–Tolman model                                      | 296 |
|    | 18.4    | Conditions of regularity at the centre                         | 300 |
|    | 18.5    | Formation of voids in the Universe                             | 301 |
|    | 18.6    | Formation of other structures in the Universe                  | 303 |
|    |         | 18.6.1 Density to density evolution                            | 304 |
|    |         | 18.6.2 Velocity to density evolution                           | 306 |
|    |         | 18.6.3 Velocity to velocity evolution                          | 308 |
|    | 18.7    | The influence of cosmic expansion on planetary orbits          | 309 |
|    | 18.8    | * Apparent horizons in the L–T model                           | 311 |
|    | 18.9    | * Black holes in the evolving Universe                         | 316 |
|    | 18.10   | * Shell crossings and necks/wormholes                          | 321 |
|    |         | 18.10.1  E < 0   | 325 |
|    |         | 18.10.2  E = 0   | 327 |
|    |         | 18.10.3 $E > 0$  | 327 |
|    | 18.11   | The redshift   | 328 |
|    | 18.12   | The influence of inhomogeneities in matter distribution on the |     |
|    | Spher   | cosmic microwave background radiation                          | 330 |
|    | 18.13   | Matching the L–T model to the Schwarzschild and                | 108 |
|    |         | Friedmann solutions  | 332 |

х

|    |         |               | Contents   | xi  |
|----|---------|---------------|--|-----|
|    | 18.14   | * Genera      | al properties of the Big Bang/Big Crunch singularities in the                  |     |
|    |         | L–T mo        | del Shell crossings  | 332 |
|    | 18.15   | * Extend      | ding the L-T spacetime through a shell crossing singularity                    | 337 |
|    | 18.16   | * Singul      | arities and cosmic censorship  | 339 |
|    | 18.17   | Solving       | the 'horizon problem' without inflation  | 347 |
|    | 18.18   | * The ev      | volution of $R(t, M)$ versus the evolution of $\rho(t, M)$                     | 348 |
|    | 18.19   | * Increa      | sing and decreasing density perturbations                                      | 349 |
|    | 18.20   | * L&T a       | curio shop   | 353 |
|    |         | 18.20.1       | Lagging cores of the Big Bang  | 353 |
|    |         | 18.20.2       | Strange or non-intuitive properties of the L-T model                           | 353 |
|    |         | 18.20.3       | Chances to fit the L-T model to observations                                   | 357 |
|    |         | 18.20.4       | An 'in one ear and out the other' Universe                                     | 357 |
|    |         | 18.20.5       | A 'string of beads' Universe   | 359 |
|    |         | 18.20.6       | Uncertainties in inferring the spatial distribution of matter                  | 359 |
|    |         | 18.20.7       | Is the matter distribution in our Universe fractal?                            | 362 |
|    |         | 18.20.8       | General results related to the L-T models                                      | 362 |
|    | 18.21   | Exercise      | 28   | 363 |
| 19 | Relativ | vistic cosi   | mology IV: generalisations of L–T and related geometries                       | 367 |
|    | 19.1    | The plan      | ne- and hyperbolically symmetric spacetimes                                    | 367 |
|    | 19.2    | $G_3/S_2-s_2$ | ymmetric dust solutions with $R_{r,r} \neq 0$ disables the solution $0.00$     | 369 |
|    | 19.3    | $G_3/S_2-s_2$ | ymmetric dust in electromagnetic field, the case $R_{r} \neq 0$                | 369 |
|    |         | 19.3.1        | Integrals of the field equations   | 369 |
|    |         | 19.3.2        | Matching the charged dust metric to the Reissner-Nordström                     |     |
|    |         |               | metric loos bas sentes and share when the sentes and local of 01.02            | 375 |
|    |         | 19.3.3        | Prevention of the Big Crunch singularity by electric charge                    | 377 |
|    | N       | 19.3.4        | * Charged dust in curvature and mass-curvature coordinates                     | 379 |
|    |         | 19.3.5        | Regularity conditions at the centre  | 382 |
|    |         | 19.3.6        | * Shell crossings in charged dust  | 383 |
|    | 19.4    | The Dat       | t–Ruban solution   | 384 |
|    | 19.5    | The Sze       | keres-Szafron family of solutions  | 387 |
|    |         | 19.5.1        | The $\beta_{z} = 0$ subfamily  | 388 |
|    |         | 19.5.2        | The $\beta_{z} \neq 0$ subfamily   | 392 |
| 18 | The     | 19.5.3        | Interpretation of the Szekeres-Szafron coordinates                             | 394 |
|    | Em      | 19.5.4        | Common properties of the two subfamilies                                       | 396 |
|    |         | 19.5.5        | * The invariant definitions of the Szekeres-Szafron metrics                    | 397 |
|    | 19.6    | The Sze       | keres solutions and their properties   | 399 |
|    |         | 19.6.1        | The $\beta_{z} = 0$ subfamily  | 399 |
|    |         | 19.6.2        | The $\beta_{z} \neq 0$ subfamily   | 400 |
|    |         | 19.6.3        | * The $\beta_{z} = 0$ family as a limit of the $\beta_{z} \neq 0$ family       | 401 |
|    | 19.7    | Propertie     | es of the quasi-spherical Szekeres solutions with $\beta_{z} \neq 0 = \Lambda$ | 403 |
|    |         | 19.7.1        | Basic physical restrictions  | 403 |
|    |         | 1972          | The significance of $\mathcal{E}$  | 404 |

| Contents |  |
|----------|--|
| Comento  |  |

|      |         | 1072 Conditions of recularity at the origin                     | 407 |
|------|---------|---|-----|
|      |         | 19.7.5 Conditions of regularity at the origin                   | 407 |
|      |         | 19.7.4 Shen crossings   | 410 |
|      |         | 19.7.5 Regular maxima and minima                                | 415 |
|      |         | 19.7.0 The apparent nonzons                                     | 414 |
|      |         | 19.7.7 Szekeres wormholes and their properties                  | 418 |
|      | 10.0    | 19.7.8 The mass-dipole  | 419 |
|      | 19.8    | * The Goode–Wainwright representation of the Szekeres solutions | 421 |
|      | 19.9    | Selected interesting subcases of the Szekeres–Szafron family    | 426 |
|      |         | 19.9.1 The Szafron–Wainwright model                             | 426 |
|      | 10.10   | 19.9.2 The toroidal Universe of Senin                           | 428 |
|      | 19.10   | * The discarded case in $(19.103)$ – $(19.112)$                 | 431 |
|      | 19.11   | Exercises   | 435 |
| 20   | The K   | err solution  | 438 |
|      | 20.1    | The Kerr–Schild metrics   | 438 |
|      | 20.2    | The derivation of the Kerr solution by the original method      | 441 |
|      | 20.3    | Basic properties  | 447 |
|      | 20.4    | * Derivation of the Kerr metric by Carter's method – from the   |     |
|      |         | separability of the Klein–Gordon equation                       | 452 |
|      | 20.5    | The event horizons and the stationary limit hypersurfaces       | 459 |
|      | 20.6    | General geodesics   | 464 |
|      | 20.7    | Geodesics in the equatorial plane                               | 466 |
|      | 20.8    | * The maximal analytic extension of the Kerr spacetime          | 475 |
|      | 20.9    | * The Penrose process   | 486 |
|      | 20.10   | Stationary-axisymmetric spacetimes and locally nonrotating      |     |
|      |         | observers   | 487 |
|      | 20.11   | * Ellipsoidal spacetimes  | 490 |
|      | 20.12   | A Newtonian analogue of the Kerr solution                       | 493 |
|      | 20.13   | A source of the Kerr field?                                     | 494 |
|      | 20.14   | Exercises   | 495 |
| 387  | ~ ~ .   | 9.5 The Szekeres-Szafron family/drys/utpaky of yticoley 6.6.81  | 308 |
| 21   | Subjec  | cts omitted from this book                                      | 498 |
| Refe | erences |   | 501 |
| Inde | ex      |   | 518 |
| 396  | 18.10   |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |
|      |         |   |     |

xii