

CONTENT

ADVISORY PANEL		vi
ORGANISING COMMITTEE		vi
Palomo A., Fernández-Jiménez A., Kovalchuk G. <i>(Spain, Ukraine)</i>	SOME KEY FACTORS AFFECTING THE ALKALI ACTIVATION OF FLY ASH	1
Fernández-Jiménez A., Palomo A., Alonso M.M. <i>(Spain)</i>	ALKALI ACTIVATION OF FLY ASHES: MECHANISMS OF REACTION	13
Weil M., Dombrowski K., Buchwald A. <i>(Germany)</i>	DEVELOPMENT OF GEOPOLYMERS SUPPORTED BY SYSTEMS ANALYSIS	25
Buchwald A., Dombrowski K., Weil M. <i>(Germany)</i>	EVALUATION OF PRIMARY AND SECONDARY MATERIALS UNDER TECHNICAL, ECOLOGICAL AND ECONOMIC ASPECTS FOR THE USE AS RAW MATERIALS IN GEOPOLYMERIC BINDERS	32
Krivenko P.V., Guziy S.G., Titarenko T.G. <i>(Ukraine)</i>	FIRE-RESISTANT ALKALINE PORTLAND CEMENT MODIFIED BY ALUMINA- AND MAGNESIUM SILICATE ADDITIVES AND CONCRETE ON THEIR BASIS	41
Rovnaník P., Bayer P., Rovnaníková P. <i>(Czech Republic)</i>	PROPERTIES OF ALKALI-ACTIVATED ALUMINOSILICATE COMPOSITE AFTER THERMAL TREATMENT	48
Rovnaník P., Bayer P., Rovnaníková P. <i>(Czech Republic)</i>	ROLE OF FIBER REINFORCEMENT IN ALKALI-ACTIVATED ALUMINOSILICATE COMPOSITES SUBJECTED TO ELEVATED TEMPERATURE	55
Petrova T., Dzhashi N., Poletaev A. <i>(Russia)</i>	DURABILITY OF SLAG - ALKALINE CONCRETES	61
Puertas F., Palacios M., Gil-Maroto A. <i>(Spain)</i>	CARBONATION PROCESS OF ALKALI-ACTIVATED CEMENTS AND MORTARS	69
Krivenko P.V., Gelevera A.G., Petropavlovsky O.N., Kavalerova E.S. <i>(Ukraine)</i>	ROLE OF METAKAOLIN ADDITIVE ON STRUCTURE FORMATION IN THE CONTACT ZONE "CEMENT-ALKALI-SUSCEPTIBLE AGGREGATE"	83
Palacios M., Puertas F. <i>(Spain)</i>	INFLUENCE OF SHRINKAGE-REDUCING ADMIXTURE ON THE ACTIVATION PROCESS AND PROPERTIES OF ALKALI-ACTIVATED SLAG CEMENTS AND MORTARS	96
Krátký J., Brandštetr J., Opravil T., Šotek M., Szklorzová H., Bartoničková E. <i>(Czech Rep.)</i>	EFFECT OF SUPERPLASTICIZERS IN CONCRETES OF UNUSUAL COMPOSITION	109
Malolepszy J., Deja J. <i>(Poland)</i>	THE APPLICATION OF ALKALI-ACTIVATED SLAG BINDERS (AASC) IN INDUSTRIAL PRACTICE	117
Orlovskyy Y., Leszczewski D., Leszczewski M., Sznal T., Parchomenko R. <i>(Ukraine, Poland)</i>	PHYSICAL AND CHEMICAL MODIFICATION OF SULFUR BINDER BY DICYCLOPENTADIENE AND ITS FUNCTION IN HIGHTEN FIRE-PROOFNESS OF SULFUR COMPOSITES	134
Shinkevich E., Sidorova N., Lutskin E., Vinogradskiy V., Politkin S. <i>(Ukraine)</i>	MODIFIED NON-AUTOCLAVE HARDENED SILICEOUS MATERIALS. STRUCTURE, MIXTURE, PROPERTIES	141
Shinkevich E., Lutskin E., Tchesskii Y., Bondarenko G. <i>(Ukraine)</i>	RESEARCHES AND MATHEMATIC MODELLING PROPERTIES OF CELLULAR SILICATE COMPOSITIONS	148
Kadri E.-H., Aggoun S., Petruik M. <i>(France, Ukraine)</i>	INFLUENCE OF ZEOLITE, GAIZE, LIMESTONE AND SLAG ON NEW COMPOSITE PORTLAND CEMENTS	154
Grzeszczyk S., Podkowa P. <i>(Poland)</i>	THE INFLUENCE OF MICROFILLERS ON THE PROPERTIES OF FRESH SELF COMPACTING CONCRETE	162
Poppe A.-M., De Schutter G. <i>(Belgium)</i>	HEAT OF HYDRATION MODEL FOR FILLER RICH CEMENTITIOUS SYSTEMS	169

Uzal B., Bektas F., Turanlı L. (Turkey)	EFFECT OF CHEMICAL ACTIVATION ON CONSISTENCY AND COMPRESSIVE STRENGTH OF SUPERPLASTICIZED MORTARS MADE WITH BLENDED CEMENTS CONTAINING LARGE AMOUNTS OF NATURAL POZZOLAN	178
De Belie N., Grosse Ch., Baert G. (Belgium, Germany)	SETTING AND HARDENING BEHAVIOUR USING ULTRASOUND, AND COMPRESSIVE STRENGTH DEVELOPMENT OF CONCRETE WITH DIFFERENT REPLACEMENT LEVELS OF CEMENT BY FLY ASH	187
Humpola B. (Australia)	LIGHT TESTING METHOD FOR THE EVALUATION OF CEMENT AND ADMIXTURES PERFORMANCE IN CONCRETE – EXPERIENCE IN SOUTH EAST ASIA	199
Corobceanu V., Giușcă R., Covatariu D. (Romania)	TECHNIQUES USED IN DETERMINING THE QUALITY OF CONCRETE	207
Chromá M., Pernica F., Teplý B. (Czech Republic)	BLENDED CEMENTS, DURABILITY AND RELIABILITY OF CONCRETE STRUCTURES	216
Korzeniowski R. (Poland)	ANALYSIS OF THE EFFECT OF CARBONATION ON MOISTURE, TEMPERATURE AND STRESS DISTRIBUTIONS IN RC STRUCTURES	224
Đurica T., Brauner P., Špak M. (Slovakia)	MORTARS BASED ON NON-TRADITIONAL ADMIXTURES	234
Kurdowski W., Garbacik A. (Poland)	SOME REMARKS ON THE ACCELERATED TEST OF AGGREGATE REACTIVITY EXAMINATION	240
Staněk T., Szklorzová H. (Czech Republic)	BELITE CLINKER	252
Palou M., Dovál' M. (Slovakia)	HYDRATION CHARACTERISTICS OF C ₂ AS-C ₄ A ₃ S̄-CŠ-C ₂ S-C SYSTEM	261
Ghorab H.Y., Malak A.A.A. (Egypt)	THE ETTRINGITE FORMATION IN THE C ₄ AF-GYPSUM-WATER SYSTEM	269
Gebauer J., Ko S.-Ch., Lerat A., Roumain J.-C. (Switzerland, Belgium, U.S.A.)	EXPERIENCE WITH A NEW CEMENT FOR SPECIAL APPLICATIONS	277
Szklorzová H., Brandštetr J., Krátký J. (Czech Republic)	REACTIVITY OF SUPERPLASTICIZERS WITH CEMENT CLINKER AND MINERAL ADMIXTURES	284
Kučerová H., Rößler Ch. (Czech Republic, Germany)	THE INFLUENCE OF ALKALI SULPHATES ON THE FLUIDITY OF SUPERPLASTICIZER CONTAINING CEMENT PASTES	295
Terzijski I., Strnad J. (Czech Republic)	COMPATIBILITY AND EFFICIENCY OF COMPONENTS OF HIGH STRENGTH CONCRETE	307
Aïtcin P.-C. (Canada)	NEW TRENDS IN HIGH-PERFORMANCE CONCRETES	316
Drábik M., Balkovic S., Gáliková E. (Slovakia)	MDF COMPOSITIONS BASED ON PORTLAND CEMENT; CHEMISTRY & TECHNOLOGY ASPECTS	326
Mechtcherine V. (Germany)	DEVELOPMENT AND TESTING OF QUASI-DUCTILE CEMENTITIOUS COMPOSITES	335
Kucharska L., Logoń D. (Poland)	INFLUENCE OF THE COMPOSITION OF MATRICES IN HPFRCC ON THE EFFECTS OF THEIR AGEING	344
Saje D. (Slovenia)	PREDICTION MODEL OF 28 DAY COMPRESSIVE STRENGTH OF HIGH STRENGTH CONCRETE	354
Corobceanu V., Giușcă R., Covatariu D. (Romania)	EFFECT OF FIBRES INTRODUCED IN CONCRETE OF DURABILITY OF PRESTRESSED CONCRETE ELEMENTS	360
Bajza A., Rouseková I., Ugorčáková J., Dubík M. (Slovakia)	MIGRATING CORROSION INHIBITOR FOR STEEL REINFORCEMENT PROTECTION	371
Mňahončáková E., Jiříčková M., Černý R. (Czech Republic)	MOISTURE TRANSPORT AND STORAGE PROPERTIES OF CRACKED HIGH PERFORMANCE CONCRETE	381
Stoklasová D., Mňahončáková E., Jiříčková M., Černý R. (Czech Republic)	MEASUREMENT OF HEAT, MOISTURE AND SALT TRANSPORT AND STORAGE PROPERTIES OF HPC	390

Pavlik Z., Fiala L., Jiříčková M., Rovnaníková P., Černý R. (Czech Republic)	DETERMINATION OF CHLORIDE DIFFUSION COEFFICIENT IN CEMENT MORTAR USING METHODS OF INVERSE MODELING	405
Karihaloo B.L., Abdalla H.M. (United Kingdom)	A SIMPLE METHOD FOR THE DETERMINATION OF THE TRUE SPECIFIC FRACTURE ENERGY OF CONCRETE	415
Vořechovský M., Bažant Z.P., Novák D. (Czech Republic, U.S.A.)	PROCEDURE OF STATISTICAL SIZE EFFECT PREDICTION FOR CRACK INITIATION PROBLEMS	433
Vořechovský M., Chudoba R. (Czech Republic, Germany)	NUMERICAL MODELING OF DELAYED ACTIVATION AND STATISTICAL SIZE EFFECT IN MULTIFILAMENT YARNS	439
Chudoba R., Konrad M., Vořechovský M., Bruckermann O. (Germany)	TEXTILE REINFORCED CONCRETE: CORRESPONDENCE BETWEEN THE LOCAL AND GLOBAL PERFORMANCE IN UNI-AXIAL STRESS STATE	450
Janotka I., Kišš Š., Papajová V. (Slovakia)	CEMENT-BASED FILLER FIXED BETWEEN TWO GEOTEXTILE LAYERS (GCBL) FOR MECHANICAL AND CORROSION PROTECTION OF PIPE-LINES	459
Ghorab H.Y., Ahmed H.E.H. (Egypt)	THE SUITABILITY OF EGYPTIAN AGGREGATES FOR CONCRETE MANUFACTURE	470
Ghorab H.Y., Anter A., Miniawy H.E. (Egypt)	BUILDING WITH LOCAL MATERIALS: STABILIZED SOIL AND INDUSTRIAL WASTES	479
Bilek V. (Czech Republic)	SOME EXPERIENCE OF USING SLAG ALKALINE CONCRETE IN CZECH REPUBLIC	488
Modrý S. (Czech Republic)	EFFECT OF LITHIUM SALTS ON SOME PROPERTIES OF FRESH CEMENT PASTE	494
Bažantová Z., Dobiáš D., Modrý S. (Czech Republic)	PERFORMANCE OF CEMENT MORTARS WITH ADMIXED GROUND BRICKS	498
Hubertová M. (Czech Republic)	SELF COMPACTING LIGHT CONCRETE	505
Hubáček A. (Czech Republic)	STUDY OF THE AERATED SELF COMPACTING CONCRETE	514
Kubiček P. (Czech Republic)	ADMIXTURE INFLUENCE DURABILITY OF SELF COMPACTING CONCRETES (SCC)	521
Zach J., Krček Z., Matějka O. (Czech Republic)	UTILIZATION OF SUPERPLASTICISING ADMIXTURES BASED ON POLYACRYLATES FOR THE READY MIX	528
Veselý V., Keršner Z., Řoutil L., Lehký D. (Czech Republic)	SIZE EXTRAPOLATIONS OF FRACTURE EXPERIMENTS: EFFECTIVE AND ASYMPTOTIC FRACTURE PARAMETERS AND R-CURVES	537
Keršner Z., Novák D., Řoutil L., Lehký D., Kněžek J. (Czech Republic)	FRACTURE-MECHANICAL PARAMETERS OF FIBRE- REINFORCED CEMENT-BASED COMPOSITE FOR STATISTICAL MODELLING	548
Deja J. (Poland)	INFLUENCE OF SLAG AND METAKAOLIN ON THE PROPERTIES OF MINERAL PASTES	554
Krivenko P., Petropavlovskii O., Mokhort M., Voznuk G. (Ukraine)	ALKALINE CEMENT FOR GLUEING BUILDING FACING MATERIALS	568
Sato S., Masuda Y. (Japan)	STRENGTH DEVELOPMENT OF CONCRETE USING GROUND GRANULATED BLAST FURNACE SLAG UNDER VARIOUS TEMPERATURE CONDITIONS	583
Masuda Y., Sato S., Sugiyama H. (Japan)	CARBONATION OF CONCRETE MADE USING LOW-HEAT- TYPE CEMENT	593
Xu H., Mindess S. (Canada)	EFFECTS OF POLYMERS ON STEEL FIBER REINFORCED ROUND CONCRETE PANELS UNDER IMPACT LOADING	604
Krivenko P., Petropavlovskii O., Gelevera A., Zhukov N. (Ukraine)	IMMOBILIZING PROPERTIES OF ALKALINE CEMENTITIOUS SYSTEMS	613
AUTHOR INDEX		627
SUBJECT INDEX		629