Contents

Introduction (2) .... *xxi*

Chapter 1: Electronic Orbital Interactions in Periodic Systems *1*

1.1 Primitive lattice 5
1.2 Wave vector 8
1.3 Inverse lattice 11
1.4 First Brillouin zone (FBZ) 14
1.5 Properties of the FBZ 15
1.6 A few words on Bloch functions 15
  1.6.1 Waves in 1D 15
  1.6.2 Waves in 2D 18
1.7 Infinite crystal as a limit of a cyclic system 21
  1.7.1 Origin of the band structure 21
  1.7.2 Born–von Kármán condition in 1D 23
  1.7.3 *k* dependence of orbital energy 25
1.8 A triple role of the wave vector 26
1.9 Band structure 26
  1.9.1 Born–von Kármán boundary condition in 3D 26
  1.9.2 Crystal orbitals from Bloch functions (LCAO CO method) 28
  1.9.3 SCF LCAO CO equations 31
  1.9.4 Band width 32
  1.9.5 Fermi level and energy gap: insulators, metals, and semiconductors 33
1.10 Solid state quantum chemistry 39
  1.10.1 Why do some bands go up? 40
  1.10.2 Why do some bands go down? 41
  1.10.3 Why do some bands stay constant? 41
  1.10.4 More complex behavior explainable – examples 41
1.11 The Hartree–Fock method for crystals 50
  1.11.1 Secular equation 50
  1.11.2 Integration in the FBZ 52
  1.11.3 Fock matrix elements 53
  1.11.4 Iterative procedure (SCF LCAO CO) 55
  1.11.5 Total energy 55

1.12 Long-range interaction problem 56
  1.12.1 Fock matrix corrections 57
  1.12.2 Total energy corrections 59
  1.12.3 Multipole expansion applied to the Fock matrix 61
  1.12.4 Multipole expansion applied to the total energy 65
1.13 Back to the exchange term 68
1.14 Choice of unit cell 70
  1.14.1 Field compensation method 73
  1.14.2 The symmetry of subsystem choice 75

Chapter 2: Correlation and Anticorrelation of Electronic Motions* *81

VARIATIONAL METHODS USING EXPLICITLY CORRELATED WAVE FUNCTIONS

2.1 Correlation cusp condition 89
2.2 The Hylleraas CI method 93
2.3 Two-electron systems 94
  2.3.1 Harmonium – the harmonic helium atom 94
  2.3.2 High accuracy: the James–Coolidge and Kołos–Wolniewicz functions 96
  2.3.3 High accuracy: neutrino mass 99
2.4 Exponentially correlated Gaussian functions 101
2.5 Electron holes 102
  2.5.1 Coulomb hole ("correlation hole") 102
  2.5.2 Exchange hole ("Fermi hole") 105

VARIATIONAL METHODS WITH SLATER DETERMINANTS

2.6 Static electron correlation 112
2.7 Dynamic electron correlation 112
2.8 Anticorrelation, or do electrons stick together in some states? 118
2.9 Valence bond (VB) method 126
  2.9.1 Resonance theory – hydrogen molecule 126
  2.9.2 Resonance theory – polyatomic case 129
2.10 Configuration interaction (CI) method 134
  2.10.1 Brillouin theorem 136
  2.10.2 Convergence of the CI expansion 137
  2.10.3 Example of H_2O 137
  2.10.4 Which excitations are most important? 140
  2.10.5 Natural orbitals (NOs) – a way to shorter expansions 140
  2.10.6 Size inconsistency of the CI expansion 142
2.11 Direct CI method 142
2.12 Multireference CI method 143
2.13 Multiconfigurational self-consistent field (MC SCF) method 144

2.13.1 Classical MC SCF approach 145
2.13.2 Unitary MC SCF method 146
2.13.3 Complete active space (CAS SCF) method is size-consistent 148

NONVARIATIONAL METHODS WITH SLATER DETERMINANTS

2.14 Coupled cluster (CC) method 149
2.14.1 Wave and cluster operators 151
2.14.2 Relationship between CI and CC methods 152
2.14.3 Solution of the CC equations 153
2.14.4 Example: CC with double excitations 156
2.14.5 Size consistency of the CC method 158
2.15 Equation of motion method (EOM-CC) 159
2.15.1 Similarity transformation 159
2.15.2 Derivation of the EOM-CC equations 159
2.16 Many-body perturbation theory (MBPT) 162
2.16.1 Unperturbed Hamiltonian 162
2.16.2 Perturbation theory – slightly different presentation 163
2.16.3 MBPT machinery – part one: energy equation 164
2.16.4 Reduced resolvent or the “almost” inverse of $(E_0^{(0)} - \hat{H}^{(0)})$ 165
2.16.5 MBPT machinery – part two: wave function equation 166
2.16.6 Brillouin–Wigner perturbation theory 168
2.16.7 Rayleigh–Schrödinger perturbation theory 168
2.17 Møller–Plesset version of Rayleigh–Schrödinger perturbation theory 169
2.17.1 Expression for MP2 energy 170
2.17.2 Is the MP2 method size-consistent? 171
2.17.3 Convergence of the Møller–Plesset perturbation series 173
2.17.4 Special status of double excitations 174

NONVARIATIONAL METHODS USING EXPLICITLY CORRELATED WAVE FUNCTIONS

2.18 Møller–Plesset R12 method (MP2-R12) 176
2.18.1 Resolution of identity (RI) method or density fitting (DF) 177
2.18.2 Other RI methods 178

Chapter 3: Chasing the Correlation Dragon: Density Functional Theory (DFT) ... 191
3.1 Electronic density – the superstar 194
3.2 Electron density distributions – Bader analysis 196
3.2.1 Overall shape of ρ 196
3.2.2 Critical points 197
3.2.3 Laplacian of the electronic density as a “magnifying glass” 202
3.3 Two important Hohenberg–Kohn theorems 204

3.3.1 Correlation dragon resides in electron density: equivalence of Ψ_0 and ρ_0 204
3.3.2 A secret of the correlation dragon: the existence of energy functional minimized by ρ_0 207
3.4 The Kohn–Sham equations 211
3.4.1 A Kohn–Sham system of noninteracting electrons 211
3.4.2 Chasing the correlation dragon into an unknown part of the total energy 212
3.4.3 Derivation of the Kohn–Sham equations 213
3.5 Trying to guess the appearance of the correlation dragon 218
3.5.1 Local density approximation (LDA) 218
3.5.2 Nonlocal density approximation (NLDA) 219
3.5.3 The approximate character of the DFT versus apparent rigor of *ab initio* computations 220
3.6 On the physical justification for the exchange-correlation energy 221
3.6.1 The electron pair distribution function 221
3.6.2 Adiabatic connection: from what is known towards the target 222
3.6.3 Exchange-correlation energy and the electron pair distribution function 226
3.6.4 The correlation dragon hides in the exchange-correlation hole 227
3.6.5 Electron holes in spin resolution 227
3.6.6 The dragon's ultimate hide-out: the correlation hole! 229
3.6.7 Physical grounds for the DFT functionals 232
3.7 Visualization of electron pairs: electron localization function (ELF) 233
3.8 The DFT excited states 238
3.9 The hunted correlation dragon before our eyes 239

Chapter 4: The Molecule Subject to Electric or Magnetic Fields 253
4.1 Hellmann–Feynman theorem 256

ELECTRIC PHENOMENA

4.2 The molecule immobilized in an electric field 260
4.2.1 The electric field as a perturbation 261
4.2.2 The homogeneous electric field 266
4.2.3 The nonhomogeneous electric field: multipole polarizabilities and hyperpolarizabilities 275
4.3 How to calculate the dipole moment 277
4.3.1 Coordinate system dependence 278
4.3.2 Hartree–Fock approximation 278
4.3.3 Atomic and bond dipoles 279
4.3.4 Within the zero-differential overlap approximation 280
4.4 How to calculate the dipole polarizability 280
4.4.1 Sum over states (SOS) method 281

  - 4.4.2 Finite field method 284
  - 4.4.3 What is going on at higher electric fields 289
- 4.5 A molecule in an oscillating electric field 290

MAGNETIC PHENOMENA

- 4.6 Magnetic dipole moments of elementary particles 294
  - 4.6.1 Electron 294
  - 4.6.2 Nucleus 295
  - 4.6.3 Dipole moment in the field 296
- 4.7 NMR spectra – transitions between the nuclear quantum states 299
- 4.8 Hamiltonian of the system in the electromagnetic field 301
  - 4.8.1 Choice of the vector and scalar potentials 301
  - 4.8.2 Refinement of the Hamiltonian 302
- 4.9 Effective NMR Hamiltonian 306
  - 4.9.1 Signal averaging 307
  - 4.9.2 Empirical Hamiltonian 307
  - 4.9.3 Nuclear spin energy levels 312
- 4.10 The Ramsey theory of the NMR chemical shift 319
  - 4.10.1 Shielding constants 320
  - 4.10.2 Diamagnetic and paramagnetic contributions 321
- 4.11 The Ramsey theory of NMR spin–spin coupling constants 322
  - 4.11.1 Diamagnetic contribution 322
  - 4.11.2 Paramagnetic contribution 323
  - 4.11.3 Coupling constants 324
  - 4.11.4 The Fermi contact coupling mechanism 325
- 4.12 Gauge-invariant atomic orbitals (GIAOs) 326
  - 4.12.1 London orbitals 327
  - 4.12.2 Integrals are invariant 328

Chapter 5: Intermolecular Interactions........ 337

THEORY OF INTERMOLECULAR INTERACTIONS

- 5.1 Idea of the rigid interaction energy 341
- 5.2 Idea of the internal relaxation 342
- 5.3 Interacting subsystems 343
  - 5.3.1 Natural division 343
  - 5.3.2 What is most natural? 344
- 5.4 Binding energy 346
- 5.5 Dissociation energy 346
- 5.6 Dissociation barrier 347
- 5.7 Supermolecular approach 347
  - 5.7.1 Accuracy should be the same 347

- 5.7.2 Basis set superposition error (BSSE) 349
- 5.7.3 Good and bad news about the supermolecular method 350

5.8 Perturbational approach 351
- 5.8.1 Intermolecular distance – what does it mean? 351
- 5.8.2 Polarization approximation (two molecules) 352
- 5.8.3 Intermolecular interactions: physical interpretation 357
- 5.8.4 Electrostatic energy in the multipole representation plus the penetration energy 361
- 5.8.5 Induction energy in the multipole representation 368
- 5.8.6 Dispersion energy in the multipole representation 369
- 5.8.7 Resonance interaction – excimers 376

5.9 Symmetry-adapted perturbation theory (SAPT) 377
- 5.9.1 Polarization approximation is illegal 377
- 5.9.2 Constructing a symmetry-adapted function 378
- 5.9.3 The perturbation is always large in polarization approximation 379
- 5.9.4 Iterative scheme of SAPT 381
- 5.9.5 Symmetry forcing 385
- 5.9.6 A link to the variational method – the Heitler–London interaction energy 388
- 5.9.7 Summary: the main contributions to the interaction energy 389

5.10 Convergence problems 392
- 5.10.1 Padé approximants may improve convergence 393

5.11 Nonadditivity of intermolecular interactions 398
- 5.11.1 Interaction energy represents the nonadditivity of the total energy 398
- 5.11.2 Many-body expansion of the rigid interaction energy 398
- 5.11.3 What is additive, what is not? 401
- 5.11.4 Additivity of the electrostatic interaction 401
- 5.11.5 Exchange nonadditivity 402
- 5.11.6 Induction nonadditivity 406
- 5.11.7 Additivity of the second-order dispersion energy 409
- 5.11.8 Nonadditivity of the third-order dispersion interaction 410

ENGINEERING OF INTERMOLECULAR INTERACTIONS

5.12 Idea of molecular surface 411
- 5.12.1 van der Waals atomic radii 411
- 5.12.2 A concept of molecular surface 411
- 5.12.3 Confining molecular space – the nanovessels 412
- 5.12.4 Molecular surface under high pressure 413

5.13 Decisive forces 414
- 5.13.1 Distinguished role of the valence repulsion and electrostatic interaction 414
- 5.13.2 Hydrogen bond 415
- 5.13.3 Coordination interaction 417

5.13.4 Electrostatic character of molecular surface – the maps of the molecular potential 418
5.13.5 Hydrophobic effect 420
5.14 Construction principles 424
5.14.1 Molecular recognition – synthons 424
5.14.2 "Key-lock," template-like, and "hand-glove" synthon interactions 424
5.14.3 Convex and concave – the basics of strategy in the nanoscale 427

Chapter 6: Chemical Reactions 437

6.1 Hypersurface of the potential energy for nuclear motion 442
6.1.1 Potential energy minima and saddle points 443
6.1.2 Distinguished reaction coordinate (DRC) 446
6.1.3 Steepest descent path (SDP) 446
6.1.4 Higher-order saddles 447
6.1.5 Our goal 447
6.2 Chemical reaction dynamics (a pioneers' approach) 448

AB INITIO APPROACH

6.3 Accurate solutions (three atoms) 453
6.3.1 Coordinate system and Hamiltonian 453
6.3.2 Solution to the Schrödinger equation 456
6.3.3 Berry phase 458

APPROXIMATE METHODS

6.4 Intrinsic reaction coordinate (IRC) 460
6.5 Reaction path Hamiltonian method 463
6.5.1 Energy close to IRC 463
6.5.2 Vibrational adiabatic approximation 465
6.5.3 Vibrational nonadiabatic model 471
6.5.4 Application of the reaction path Hamiltonian method to the reaction $H_2 + OH \rightarrow H_2O + H$ 473
6.6 Acceptor–donor (AD) theory of chemical reactions 479
6.6.1 A simple model of nucleophilic substitution – MO, AD, and VB formalisms 479
6.6.2 MO picture → AD picture 480
6.6.3 Reaction stages 484
6.6.4 Contributions of the structures as the reaction proceeds 489
6.6.5 Nucleophilic attack – the model is more general: $H^- +$ ethylene → ethylene $+ H^-$ 492
6.6.6 The model looks even more general: the electrophilic attack $H^+ + H_2 \rightarrow H_2 + H^+$ 495
6.6.7 The model works also for the nucleophilic attack on the polarized bond 496

6.7 Symmetry-allowed and symmetry-forbidden reactions 501
    6.7.1 Woodward–Hoffmann symmetry rules 501
    6.7.2 AD formalism 501
    6.7.3 Electrocyclic reactions 502
    6.7.4 Cycloaddition reaction 504
    6.7.5 Barrier means a cost of opening the closed shells 508
6.8 Barrier for the electron transfer reaction 509
    6.8.1 Diabatic and adiabatic potential 509
    6.8.2 Marcus theory 511
    6.8.3 Solvent-controlled electron transfer 516

Chapter 7: Information Processing – The Mission of Chemistry 533
7.1 Multilevel supramolecular structures (statics) 537
    7.1.1 Complex systems 537
    7.1.2 Self-organizing complex systems 537
    7.1.3 Cooperative interactions 540
    7.1.4 Combinatorial chemistry – molecular libraries 541
7.2 Chemical feedback – a steering element (dynamics) 543
    7.2.1 A link to mathematics – attractors 543
    7.2.2 Bifurcations and chaos 545
    7.2.3 Brusselator without diffusion 547
    7.2.4 Brusselator with diffusion – dissipative structures 553
    7.2.5 Hypercycles 555
    7.2.6 From self-organization and complexity to information 555
7.3 Information and informed matter 556
    7.3.1 Abstract theory of information 557
    7.3.2 Teaching molecules 559
    7.3.3 Dynamic information processing of chemical waves 561
    7.3.4 Molecules as computer processors 568
    7.3.5 The mission of chemistry 573

Appendix A: Dirac Notation for Integrals 581

Appendix B: Hartree–Fock (or Molecular Orbitals) Method 583

Appendix C: Second Quantization 587

Appendix D: Population Analysis 595

Appendix E: Pauli Deformation 601

Appendix F: Hydrogen Atom in Electric Field – Variational Approach 609

Appendix G: Multipole Expansion 613

Appendix H: NMR Shielding and Coupling Constants – Derivation 627

Appendix I: Acceptor–Donor Structure Contributions in the MO Configuration ... 635

Acronyms and Their Explanation.. 639

Author Index 647

Subject Index 653

Sources of Photographs and Figures 657

Tables 659