

ANALYSIS OF MESSY DATA

VOLUME 1

DESIGNED EXPERIMENTS

SECOND EDITION

A bestseller for nearly 25 years, **Analysis of Messy Data, Volume 1: Designed Experiments** helps you analyze the kinds of data sets encountered in the real world. Written by two long-time researchers and professors, this second edition has been fully updated to reflect the many developments that have occurred since the original publication.

New to the Second Edition

- Several modern suggestions for multiple comparison procedures
- Additional examples of split-plot designs and repeated measures designs
- The use of SAS-GLM to analyze an effects model
- The use of SAS-MIXED and JMP to analyze data in random effects experiments, mixed model experiments, and repeated measures experiments

The book explores various techniques for multiple comparison procedures, random effects models, mixed models, split-plot experiments, and repeated measures designs. The authors implement the techniques using several statistical software packages and emphasize the distinction between design structure and the structure of treatments. They introduce each topic with examples, follow up with a theoretical discussion, and conclude with a case study. Bringing a classic work up to date, this edition will continue to show you how to effectively analyze real-world, nonstandard data sets.

C3340



CRC Press
Taylor & Francis Group
an **informa** business
www.crcpress.com

6000 Broken Sound Parkway, NW
Suite 300, Boca Raton, FL 33487
270 Madison Avenue
New York, NY 10016
2 Park Square, Milton Park
Abingdon, Oxon OX14 4RN, UK

ISBN: 978-1-58488-334-0

90000

9 781584 883340

1. The Simplest Case: One-Way Treatment Structure in a Completely Randomized Design Structure with Homogeneous Errors	1
1.1 Model Definitions and Assumptions	1
1.2 Parameter Estimation	2
1.3 Inferences on Linear Combinations—Tests and Confidence Intervals	4
1.4 Example—Tasks and Pulse Rate	5
1.5 Simultaneous Tests on Several Linear Combinations	7
1.6 Example—Tasks and Pulse Rate (Continued)	9
1.7 Testing the Equality of All Means	11
1.8 Example—Tasks and Pulse Rate (Continued)	12
1.9 General Method for Comparing Two Models—The Principle of Conditional Error	13
1.10 Example—Tasks and Pulse Rate (Continued)	15
1.11 Computer Analyses	15
1.12 Concluding Remarks	16
1.13 Exercises	17
2. One-Way Treatment Structure in a Completely Randomized Design Structure with Heterogeneous Errors	21
2.1 Model Definitions and Assumptions	22
2.2 Parameter Estimation	22
2.3 Tests for Homogeneity of Variances	23
2.3.1 Hartley's <i>F</i> -Max Test	23
2.3.2 Bartlett's Test	24
2.3.3 Levene's Test	24
2.3.4 Brown and Forsythe's Test	24
2.3.5 O'Brien's Test	25
2.3.6 Some Recommendations	25
2.4 Example—Drugs and Errors	25
2.5 Inferences on Linear Combinations	29
2.6 Example—Drugs and Errors (Continued)	31

2.7	General Satterthwaite Approximation for Degrees of Freedom	33
2.8	Comparing All Means	34
2.9	Concluding Remarks	38
2.10	Exercises	39
3.	Simultaneous Inference Procedures and Multiple Comparisons	43
3.1	Error Rates	44
3.2	Recommendations	45
3.3	Least Significant Difference	46
3.4	Fisher's LSD Procedure	47
3.5	Bonferroni's Method	48
3.6	Scheffé's Procedure	48
3.7	Tukey–Kramer Method	49
3.8	Simulation Methods	50
3.9	Šidák Procedure	51
3.10	Example—Pairwise Comparisons	51
3.11	Dunnett's Procedure	53
3.12	Example—Comparing with a Control	54
3.13	Multivariate t	55
3.14	Example—Linearly Independent Comparisons	56
3.15	Sequential Rejective Methods	57
3.15.1	Bonferroni–Holm Method	58
3.15.2	Šidák–Holm Method	58
3.15.3	Benjamini and Hochberg Method to Control FDR	58
3.16	Example—Linearly Dependent Comparisons	59
3.17	Multiple Range Tests	61
3.17.1	Student–Newman–Keul's Method	61
3.17.2	Duncan's New Multiple Range Method	64
3.18	Waller–Duncan Procedure	65
3.19	Example—Multiple Range for Pairwise Comparisons	66
3.20	A Caution	68
3.21	Concluding Remarks	69
3.22	Exercises	69
4.	Basics for Designing Experiments	71
4.1	Introducing Basic Ideas	71
4.2	Structures of a Designed Experiment	77
4.2.1	Types of Design Structures	78
4.2.2	Types of Treatment Structures	80
4.3	Examples of Different Designed Experiments	83
4.3.1	Example 4.1: Diets	83
4.3.2	Example 4.2: House Paint	88
4.3.3	Example 4.3: Steel Plates	90
4.3.4	Example 4.4: Levels of N and K	92
4.3.5	Example 4.5: Blocks and Replications	94
4.3.6	Example 4.6: Row and Column Blocks	97
4.4	Concluding Remarks	98
4.5	Exercises	98

5. Multilevel Designs: Split-Plots, Strip-Plots, Repeated Measures and Combinations	101
5.1 Identifying Sizes of Experimental Units—Four Basic Design Structures	101
5.2 Hierarchical Design: A Multilevel Design Structure	114
5.3 Split-Plot Design Structures: Two-Level Design Structures	115
5.3.1 Example 5.1: Cooking Beans—The Simplest Split-Plot or Two-Level Design Structure	116
5.3.2 Example 5.2: Grinding Wheat—The Usual Split-Plot or Two-Level Design Structure	120
5.3.3 Example 5.3: Baking Bread—Split-Plot with Incomplete Block Design Structure	122
5.3.4 Example 5.4: Meat in Display Case—A Complex Split-Plot or Four-Level Design	125
5.4 Strip-Plot Design Structures—A Nonhierarchical Multilevel Design	131
5.4.1 Example 5.5: Making Cheese	131
5.5 Repeated Measures Designs	135
5.5.1 Example 5.6: Horse Feet—Basic Repeated Measures Design	136
5.5.2 Example 5.7: Comfort Study—Repeated Measures Design	139
5.5.3 Example 5.8: Crossover or Change-Over Designs	141
5.6 Designs Involving Nested Factors	142
5.6.1 Example 5.9: Animal Genetics	143
5.6.2 Example 5.10: Soybeans in Maturity Groups	143
5.6.3 Example 5.11: Engines on Aircraft	145
5.6.4 Example 5.12: Simple Comfort Experiment	147
5.6.5 Example 5.13: Multilocation Study with Repeated Measures	148
5.7 Concluding Remarks	150
5.8 Exercises	151
 6. Matrix Form of the Model	 155
6.1 Basic Notation	155
6.1.1 Simple Linear Regression Model	156
6.1.2 One-Way Treatment Structure Model	156
6.1.3 Two-Way Treatment Structure Model	158
6.1.4 Example 6.1: Means Model for Two-Way Treatment Structure	159
6.2 Least Squares Estimation	161
6.2.1 Least Squares Equations	162
6.2.2 Sum-to-Zero Restrictions	165
6.2.3 Set-to-Zero Restrictions	166
6.2.4 Example 6.2: A One-Way Treatment Structure	167
6.3 Estimability and Connected Designs	169
6.3.1 Estimable Functions	170
6.3.2 Connectedness	171
6.4 Testing Hypotheses about Linear Model Parameters	171
6.5 Population Marginal Means	173
6.6 Concluding Remarks	179
6.7 Exercises	179

7. Balanced Two-Way Treatment Structures	181
7.1 Model Definition and Assumptions	181
7.1.1 Means Model	181
7.1.2 Effects Model	182
7.2 Parameter Estimation	182
7.3 Interactions and Their Importance	183
7.4 Main Effects	183
7.5 Computer Analyses	184
7.6 Concluding Remarks	184
7.7 Exercises	184
8. Case Study: Complete Analyses of Balanced Two-Way Experiments	187
8.1 Contrasts of Main Effect Means	187
8.2 Contrasts of Interaction Effects	188
8.3 Paint-Paving Example	189
8.4 Analyzing Quantitative Treatment Factors	193
8.5 Multiple Comparisons	195
8.6 Concluding Remarks	195
8.7 Exercises	195
9. Using the Means Model to Analyze Balanced Two-Way Treatment Structures with Unequal Subclass Numbers	199
9.1 Model Definitions and Assumptions	199
9.2 Parameter Estimation	199
9.3 Testing Whether All Means Are Equal	201
9.4 Interaction and Main Effect Hypotheses	202
9.5 Population Marginal Means	204
9.6 Simultaneous Inferences and Multiple Comparisons	206
9.7 Concluding Remarks	207
9.8 Exercises	207
10. Using the Effects Model to Analyze Balanced Two-Way Treatment Structures with Unequal Subclass Numbers	209
10.1 Model Definition	209
10.2 Parameter Estimates and Type I Analysis	209
10.3 Using Estimable Functions in SAS	213
10.4 Types I–IV Hypotheses	217
10.5 Using Types I–IV Estimable Functions in SAS-GLM	222
10.6 Population Marginal Means and Least Squares Means	226
10.7 Computer Analyses	226
10.8 Concluding Remarks	228
10.9 Exercises	229
11. Analyzing Large Balanced Two-Way Experiments Having Unequal Subclass Numbers	231
11.1 Feasibility Problems	231
11.2 Method of Unweighted Means	232
11.3 Simultaneous Inference and Multiple Comparisons	233
11.4 An Example of the Method of Unweighted Means	235

11.5 Computer Analyses	236
11.6 Concluding Remarks	237
11.7 Exercises	238
12. Case Study: Balanced Two-Way Treatment Structure with Unequal Subclass Numbers	239
12.1 Fat-Surfactant Example	239
12.2 Concluding Remarks	243
12.3 Exercises	243
13. Using the Means Model to Analyze Two-Way Treatment Structures with Missing Treatment Combinations	245
13.1 Parameter Estimation	245
13.2 Hypothesis Testing and Confidence Intervals	247
13.2.1 Example 13.1	247
13.3 Computer Analyses	249
13.4 Concluding Remarks	253
13.5 Exercises	253
14. Using the Effects Model to Analyze Two-Way Treatment Structures with Missing Treatment Combinations	255
14.1 Type I and II Hypotheses	255
14.2 Type III Hypotheses	257
14.3 Type IV Hypotheses	259
14.4 Population Marginal Means and Least Squares Means	261
14.5 Computer Analyses	262
14.6 Concluding Remarks	262
14.7 Exercises	263
15. Case Study: Two-Way Treatment Structure with Missing Treatment Combinations	265
15.1 Case Study	265
15.2 Concluding Remarks	268
15.3 Exercise	268
16. Analyzing Three-Way and Higher-Order Treatment Structures	271
16.1 General Strategy	271
16.2 Balanced and Unbalanced Experiments	273
16.3 Type I and II Analyses	273
16.4 Concluding Remarks	274
16.5 Exercises	274
17. Case Study: Three-Way Treatment Structure with Many Missing Treatment Combinations	277
17.1 Nutrition Scores Example	277
17.2 An SAS-GLM Analysis	277
17.3 A Complete Analysis	282
17.4 Concluding Remarks	284
17.5 Exercises	285

18. Random Effects Models and Variance Components	287
18.1 Introduction	287
18.1.1 Example 18.1: Random Effects Nested Treatment Structure	289
18.2 General Random Effects Model in Matrix Notation	290
18.2.1 Example 18.2: One-Way Random Effects Model	290
18.3 Computing Expected Mean Squares	292
18.3.1 Algebraic Method	293
18.3.2 Computing Using Hartley's Method of Synthesis	295
18.4 Concluding Remarks	307
18.5 Exercises	308
19. Methods for Estimating Variance Components	309
19.1 Method of Moments	309
19.1.1 Applications. Example 19.1: Unbalanced One-Way Model	312
19.1.2 Example 19.2: Wheat Varieties in a One-Way Random Effects Model	313
19.1.3 Example 19.3: Data for Two-Way Design in Table 18.2	315
19.2 Maximum Likelihood Estimators	318
19.2.1 Example 19.4: Maximum Likelihood Solution for Balanced One-Way Model	319
19.3 Restricted or Residual Maximum Likelihood Estimation	322
19.3.1 Example 19.5: REML Solution for Balanced One-Way Model	323
19.4 MIVQUE Method	325
19.4.1 Description of the Method	325
19.4.2 Application. Example 19.6: MIVQUE for the Unbalanced One-Way Design	327
19.5 Estimating Variance Components Using JMP	329
19.6 Concluding Remarks	334
19.7 Exercises	334
20. Methods for Making Inferences about Variance Components	337
20.1 Testing Hypotheses	337
20.1.1 Using the Analysis of Variance Table	338
20.1.2 Example 20.1: Two-Way Random Effects TS in a CR DS	338
20.1.3 Example 20.2: Complex Three-Way Random Effects TS	339
20.1.4 Likelihood Ratio Test	344
20.1.5 Example 20.3: Wheat Varieties—One-Way Random Effects Model	345
20.1.6 Example 20.4: Unbalanced Two-Way	347
20.2 Constructing Confidence Intervals	347
20.2.1 Residual Variance σ_e^2	348
20.2.2 General Satterthwaite Approximation	348
20.2.3 Approximate Confidence Interval for a Function of the Variance Components	349
20.2.4 Wald-Type Confidence Intervals for Variance Components	353
20.2.5 Some Exact Confidence Intervals	353
20.2.6 Example 20.5: Balanced One-Way Random Effects Treatment Structure	356

20.2.7 Example 20.6	357
20.2.8 Example 20.6 Continued	360
20.3 Simulation Study	361
20.4 Concluding Remarks	362
20.5 Exercises	363
21. Case Study: Analysis of a Random Effects Model	365
21.1 Data Set	365
21.2 Estimation	367
21.3 Model Building	368
21.4 Reduced Model	370
21.5 Confidence Intervals	374
21.6 Computations Using JMP	379
21.7 Concluding Remarks	380
21.8 Exercises	382
22. Analysis of Mixed Models	385
22.1 Introduction to Mixed Models	385
22.2 Analysis of the Random Effects Part of the Mixed Model	387
22.2.1 Method of Moments	387
22.2.2 Method of Maximum Likelihood	390
22.2.3 Method of Residual Maximum Likelihood	392
22.2.4 MINQUE Method	394
22.3 Analysis of the Fixed Effects Part of the Model	394
22.3.1 Estimation	394
22.3.2 Construction of Confidence Intervals	395
22.3.3 Testing Hypotheses	396
22.4 Best Linear Unbiased Prediction	397
22.5 Mixed Model Equations	397
22.6 Concluding Remarks	399
22.7 Exercises	399
23. Case Studies of a Mixed Model	401
23.1 Two-Way Mixed Model	401
23.2 Unbalanced Two-Way Mixed Model	409
23.3 JMP Analysis of the Unbalanced Two-Way Data Set	415
23.4 Concluding Remarks	417
23.5 Exercises	418
24. Methods for Analyzing Split-Plot Type Designs	421
24.1 Introduction	421
24.1.1 Example 24.1: Bread Recipes and Baking Temperatures	422
24.1.2 Example 24.2: Wheat Varieties Grown in Different Fertility Regimes	426
24.2 Model Definition and Parameter Estimation	428
24.3 Standard Errors for Comparisons among Means	430
24.4 A General Method for Computing Standard Errors of Differences of Means	434
24.5 Comparison via General Contrasts	436

24.6	Additional Examples	440
24.6.1	Example 24.3: Moisture and Fertilizer	440
24.6.2	Example 24.4: Regression with Split-Plot Errors	444
24.6.3	Example 24.5: Mixed-Up Split-Plot Design	448
24.6.4	Example 24.6: Split-Split-Plot Design	451
24.7	Sample Size and Power Considerations	455
24.8	Computations Using JMP—Example 24.7	459
24.9	Concluding Remarks	466
24.10	Exercises	467
25.	Methods for Analyzing Strip-Plot Type Designs	471
25.1	Description of the Strip-Plot Design and Model	471
25.2	Techniques for Making Inferences	475
25.3	Example: Nitrogen by Irrigation	477
25.4	Example: Strip-Plot with Split-Plot 1	480
25.5	Example: Strip-Plot with Split-Plot 2	482
25.6	Strip-Plot with Split-Plot 3	483
25.7	Split-Plot with Strip-Plot 4	485
25.8	Strip-Strip-Plot Design with Analysis via JMP7	486
25.9	Concluding Remarks	491
25.10	Exercises	493
26.	Methods for Analyzing Repeated Measures Experiments	499
26.1	Model Specifications and Ideal Conditions	500
26.2	The Split-Plot in Time Analyses	502
26.2.1	Example 26.1: Effect of Drugs on Heart Rate	502
26.2.2	Example 26.2: A Complex Comfort Experiment	510
26.2.3	Example 26.3: Family Attitudes	516
26.3	Data Analyses Using the SAS-Mixed Procedure	519
26.3.1	Example 26.1	521
26.3.2	Example 26.2	524
26.3.3	Example 26.3	525
26.4	Concluding Remarks	529
26.5	Exercises	529
27.	Analysis of Repeated Measures Experiments When the Ideal Conditions Are Not Satisfied	535
27.1	Introduction	535
27.2	MANOVA Methods	537
27.3	<i>p</i> -Value Adjustment Methods	547
27.4	Mixed Model Methods	553
27.4.1	Maximum Likelihood Method	557
27.4.2	Restricted Maximum Likelihood Method	557
27.5	Summary	568
27.6	Exercises	570
28.	Case Studies: Complex Examples Having Repeated Measures	573
28.1	Complex Comfort Experiment	573
28.2	Family Attitudes Experiment	583

28.3 Multilocation Experiment	592
28.4 Exercises	597
29. Analysis of Crossover Designs	599
29.1 Definitions, Assumptions, and Models	599
29.2 Two Period/Two Treatment Designs	600
29.3 Crossover Designs with More than Two Periods	609
29.4 Crossover Designs with More than Two Treatments	616
29.5 Summary	625
29.6 Exercises	625
30. Analysis of Nested Designs	627
30.1 Definitions, Assumptions, and Models	627
30.1.1 Example 30.1: Companies and Insecticides	627
30.1.2 Example 30.2: Comfort Experiment Revisited	629
30.1.3 Example 30.3: Coffee Price Example Revisited	629
30.2 Parameter Estimation	629
30.2.1 Example 30.1: Continuation	630
30.2.2 Example 30.2: Continuation	631
30.2.3 Example 30.3: Continuation	632
30.3 Testing Hypotheses and Confidence Interval Construction	633
30.3.1 Example 30.1: Continuation	634
30.4 Analysis Using JMP	636
30.5 Concluding Remarks	640
30.6 Exercises	640
Appendix	643
References	651
Index	655