Web resources

Brief contents

| PART I | Mysteries, Metaphors, Models |
|--------------|--|
| Chapter 1 | What the ancients knew 2 |
| Chapter 2 | What's inside cells 34 |
| PART II | Diffusion, Dissipation, Drive |
| Chapter 3 | The molecular dance 66 21091000 belieseG |
| Chapter 4 | Random walks, friction, and diffusion 101 |
| Chapter 5 | Life in the slow lane: The low Reynolds number world 149 |
| Chapter 6 | Entropy, temperature, and free energy 184 |
| Chapter 7 | Entropic forces at work 231 |
| Chapter 8 | Chemical forces and self-assembly 278 |
| PART III | Molecules, Machines, Mechanisms |
| Chapter 9 | Cooperative transitions in macromolecules 321 |
| Chapter 10 | Enzymes and molecular machines 377 |
| Chapter 11 | 1.3 Disconstant: Cooliner and proceeding pregnances of success screet screets all success and the second states of screets all success and |
| Chapter 12 | Nerve impulses 477 |
| Epilogue 5 | 1.4.4 Units and graphs 20 1.4.5 Bome notational conventions involving flam and density 22 2.5 Other hey ideas from physics and chemistry 22 |
| Appendix A | Global list of symbols and units 527 |
| Appendix B | Numerical values 535 |
| Bibliography | he diffesion law is model independent 100 |

Web resources

The book's Web site (www.physics.upenn.edu/biophys/BPse/) contains links to the following resources in the Student section:

- Color figures for those viewing a b/w printout.
- Errata will appear as needed.

Detailed contents

To the student xiii To the instructor xviii

PART I Mysteries, Metaphors, Models

| Cha | pter 1 | What the ancients knew 2 | |
|-----|---------|--|-------------|
| 1.1 | Heat | Chemical forces and self-assembly 278 278 | |
| | 1.1.1 | Heat is a form of energy 2 | |
| | 1.1.2 | Just a little history 4 | |
| | 1.1.3 | Preview: The concept of free energy 6 | PART III |
| 1.2 | How | life generates order 8 | |
| | 1.2.1 | The puzzle of biological order 8 | |
| | 1.2.2 | Osmotic flow as a paradigm for free energy transduction 11 | |
| | | Preview: Disorder as information 13 | |
| 1.3 | Excu | rsion: Commercials, philosophy, pragmatics 14 | |
| 1.4 | How | to do better on exams (and discover new physical laws) 16 | |
| | 1.4.1 | Most physical quantities carry dimensions 16 | TT ISTOPICS |
| | 1.4.2 | Dimensional analysis can help you catch errors and recall definitions 18 | |
| | 1.4.3 | Dimensional analysis can also help you formulate hypotheses 19 | |
| | | Units and graphs 20 | |
| | 1.4.5 | | |
| 1.5 | | key ideas from physics and chemistry 22 | |
| | 1.5.1 | Molecules are small 22 | |
| | 1.5.2 | Molecules are particular spatial arrangements of atoms 24 | |
| | 1.5.3 | Molecules have well-defined internal energies 24 | A sibnannA |
| | | Low-density gases obey a universal law 20 | |
| - | Picture | | |
| Key | Formu | las 27 | |

Track 2 29 Problems 30

Chapter 2 What's inside cells 34

2.1 Cell physiology 36 2.1.1 Internal gross anatomy 38 2.1.2 External gross anatomy 42 2.2 The molecular parts list 43 2.2.1 Small molecules 43 Medium-sized molecules 2.2.2 45 Big molecules 47 2.2.3 224 Macromolecular assemblies 49 Bridging the gap: Molecular devices 51 23 2.3.1 The plasma membrane 51 2.3.2 Molecular motors 53 Enzymes and regulatory proteins 54 2.3.3 The overall flow of information in cells 2.3.4 **Big Picture** 57 Track 2 59 Problems 60

PART II Diffusion, Dissipation, Drive

Chapter 3 The molecular dance 66

3.1 The probabilistic facts of life 66

- 3.1.1 Discrete distributions 67
- 3.1.2 Continuous distributions 68
- 3.1.3 Mean and variance 70
- 3.1.4 Addition and multiplication rules 71
- 3.2 Decoding the ideal gas law 74
 - 3.2.1 Temperature reflects the average kinetic energy of thermal motion 74
 - 3.2.2 The complete distribution of molecular velocities is experimentally measurable 7'

Chapter 6 la Entropy temperature, and their energy

55

- 3.2.3 The Boltzmann distribution 77
- 3.2.4 Activation barriers control reaction rates 80
- 3.2.5 Relaxation to equilibrium 82
- 3.3 Excursion: A lesson from heredity 83
 - 3.3.1 Aristotle weighs in 84
 - 3.3.2 Identifying the physical carrier of genetic information 84
 - 3.3.3 Schrödinger's summary: Genetic information is structural 90

Big Picture 94

Key Formulas 95

Track 2 96

Problems 97

Chapter 4 Random walks, friction, and diffusion 101

- 4.1 Brownian motion 102
 - 4.1.1 Just a little more history 102
 - 4.1.2 Random walks lead to diffusive behavior 103
 - 4.1.3 The diffusion law is model independent 109
 - 4.1.4 Friction is quantitatively related to diffusion 110

vii

viii

| 4.2 | Excursion: Einstein's role 112 | rack 2 29 |
|------------|--|--|
| 4.3 | Other random walks 113 | |
| | 4.3.1 The conformation of polymers 113 | |
| | 4.3.2 Vista: Random walks on Wall Street 117 | hapter 2 What's inside cells 34 |
| 4.4 | More about diffusion 117 | 1 Cell picetology 36 |
| | 4.4.1 Diffusion rules the subcellular world 117 | 3.1.1 Internal gross anotomy 35 |
| | 4.4.2 Diffusion follows a differential equation 119 | |
| | 4.4.3 Precise statistical prediction of random processes 122 | 2 The molecular parts list 45 |
| 4.5 | Functions, derivatives, and snakes under the rug 122 | 122 |
| | | 194 da seuronom been multerid S.L.S. |
| 10 | | 2.2.3 Big molecules 47 |
| 4.6 | Biological applications of diffusion 125 4.6.1 The permeability of artificial membranes is diffusive 125 | |
| | | 127 |
| | | 28 |
| | 4.6.4 The electrical resistance of a solution reflects frictional dissipation | ation 131 |
| | 4.6.5 Diffusion from a point gives a spreading, Gaussian profile 13 | 31 |
| Big | Picture 133 | |
| | 7 Formulas 133 | ig Picture 57 |
| | ck 2 135 | rack 2 59 |
| | blems 140 | |
| | | |
| Cha 5.1 | Example 1 Friction in fluids 149 5.1.1 Sufficiently small particles can remain in suspension indefinite 5.1.2 The rate of sedimentation depends on solvent viscosity 151 | ely 149 solucion of T i Charged |
| | 5.1.2 The fate of seminentation depends on solvent viscosity 181 5.1.3 It's hard to mix a viscous liquid 152 | I The probabilistic facts of life 66 |
| 5.2 | | 3.1.1 Discrete distributions 67 |
| 0.2 | 5.2.1 A critical force demarcates the physical regime dominated by | r friction 154 |
| | 5.2.2 The Reynolds number quantifies the relative importance of fr 5.2.3 The time-reversal properties of a dynamical law signal its dis | riction and inertia 156 |
| 5.3 | Di 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | |
| 0.0 | the second s | |
| | 5.3.2 To stir or not to stir? 166 | 8.2.2 The complete distribution of molecular 8.2.3 The Boltzmann distribution 77 |
| | T 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.2.4 Activation humieus control renet on |
| | 5.3.4 Vascular networks 168 | |
| | 5.3.5 Viscous drag at the DNA replication fork 170 | 3 Excursion A lesson from heredity 8 |
| 5.4 | | 3.2.1 Aristotic weight in 84 |
| Big | | |
| | | 3.3.3. Schrödinger's summary: Genetic int |
| | the second provide the second s | in Dimension Od |
| | 11 1 TO | |
| 110 | oblems 178 | rack 2 86 |
| Cha | apter 6 Entropy, temperature, and free energy 184 | |
| Cha | | |
| 6.1 | the main this has | and a stand of the sector of the sector of |
| 6.2 | Entropy for | napter 4 Random waiks, friction, an |
| | 6.2.1 The Statistical Postulate 187 | I Brownian motion 192 |
| | 6.2.2 Entropy is a constant times the maximal value of disorder | |
| 6.3 | | 4.1.2 Random walks lead to childreive belt |
| | 6.3.1 Heat flows to maximize disorder 1906.3.2 Temperature is a statistical property of a system in equilibrium | um 191 designation of a second s |

6.4 The Second Law 194

Entropy increases spontaneously when a constraint is removed 194 6.4.1 The princedial soup was not in chemical equilibrium 200 m telucators

6.4.2 Three remarks 197

Open systems 197 6.5

- The free energy of a subsystem reflects the competition between entropy and energy 198 6.5.1
- Entropic forces can be expressed as derivatives of the free energy 200 6.5.2
- Free energy transduction is most efficient when it proceeds in small, controlled steps 201 6.5.3
- The biosphere as a thermal engine 203 6.5.4

204 Microscopic systems 6.6

- The Boltzmann distribution follows from the Statistical Postulate 204 6.6.1
- Kinetic interpretation of the Boltzmann distribution 206 6.6.2
- The minimum free energy principle also applies to microscopic subsystems 209 6.6.3
- The free energy determines the populations of complex two-state systems 210 6.6.4

Excursion: "RNA folding as a two-state system" by J. Liphardt, I. Tinoco, Jr., and 6.7 8.6.2 Vista Marranoleman folding and partraction 308 C. Bustamante 211

Big Picture 215

Key Formulas 215

Track 2 218

Problems 224

Entropic forces at work 231 Chapter 7

Microscopic view of entropic forces 231 7.1

- 7.1.1 Fixed volume 232
- 7.1.2 Fixed pressure 232

Osmotic pressure 233 7.2

7.2.1 Equilibrium osmotic pressure mimics the ideal gas law 233

7.2.2 Osmotic pressure creates a depletion, or crowding, interaction between large molecules 236

Beyond equilibrium: Osmotic flow 239 7.3

- Osmotic pressure arises from the rectification of Brownian motion 240 7.3.1
- Osmotic flow is quantitatively related to forced permeation 243 7.3.2
- A repulsive interlude 244 7.4
 - Electrostatic interactions are crucial for proper cell functioning 244 7.4.1
 - The Gauss Law 247 7.4.2
 - Form of the neutralizing ion cloud outside a charged surface in pure water 249 7.4.3
 - The repulsion of like-charged surfaces arises from compression of their ion clouds 253 7.4.4
 - Oppositely charged surfaces attract by counterion release 255 7.4.5

Special properties of water 256 7.5

Liquid water contains a loose network of hydrogen bonds 256 7.5.1

The hydrogen-bond network affects the solubility of small molecules in water 259 7.5.2

The hydrophobic effect is an entropic force between nonpolar objects 262 7.5.3

263 **Big** Picture

Kev Formulas 263

Track 2 265

Problems 271

Chemical forces and self-assembly 278 Chapter 8

Chemical potential 278 8.1

- 8.1.1 μ measures the availability of a particle species 278
- 8.1.2 The Boltzmann distribution has a simple generalization accounting for particle exchange 281

DNA also displays a cooperative "molting", impation, 360 jourse

Applied mechanical force can induce other availative structural transitions in macro

Chemical reactions 282 8.2

> Chemical equilibrium occurs when chemical forces balance 282 8.2.1

X

8.2.2

8.2.3

8.2.4

| 8.3 | Dissociation 291 |
|-------|---|
| | 8.3.1 Ionic and partially ionic bonds dissociate readily in water 291 |
| | 8.3.2 The strengths of acids and bases reflect their dissociation equilibrium constants 292 |
| | 8.3.3 The charge on a protein varies with its environment 293 |
| | 8.3.4 Electrophoresis can give a sensitive measure of protein composition 295 |
| 8.4 | Self-assembly of amphiphiles 297 |
| 0.1 | 8.4.1 Emulsions form when amphiphilic molecules reduce the oil-water interface tension 297 |
| | 8.4.2 Micelles self-assemble suddenly at a critical concentration 299 |
| 05 | Excursion: On fitting models to data 302 |
| 8.5 | |
| 8.6 | |
| | 8.6.1 Bilayers self-assemble from ampniphiles 303 |
| | 0.0.2 Vista, Macionolecular lolang and approximate |
| | 8.6.3 Another trip to the kitchen 310 |
| Big | Picture 312 |
| Key | Formulas 312 |
| Trac | k 2 314 |
| | lems 316 |
| 1 100 | ter 7 Entropic fores at work 231 |
| | |
| PΔ | RT III Molecules, Machines, Mechanisms |
| 17 | |
| | 7.1.1 Fixed prizeme 133 million and a starting and |
| Cha | pter 9 Cooperative transitions in macromolecules 321 |
| 9.1 | The strike models of polymore 221 |
| 9.1 | 0.1.1 Why physics works (when it does work) 322 |
| | 0.1.2 Four phenomenological parameters characterize the elasticity of a long, thin rod 324 |
| | 9.1.3 Polymers resist stretching with an entropic force 326 |
| ~ ~ | |
| 9.2 | Stretching single interview of the single DNA molecules 329 |
| | 11 11 - Le - DNA strotching at low force 33 |
| | |
| 9.3 | Elementary for the important 333 |
| | 0.9.1 Matrices and airconvolues 333 |
| | 9.3.1 Matrices and eigenvalues 555 9.3.2 Matrix multiplication 336 Cooperativity 336 |
| 9.4 | |
| | 9.4.1 The transfer matrix technique allows a more accurate treatment of bend cooperativity 336 |
| | 0.4.2 DNA also exhibits linear stretching elasticity at moderate applied force 339 |
| | 9.4.3 Cooperativity in higher-dimensional systems gives rise to infinitely sharp phase transitions 340 |
| 9.5 | Thermal, chemical, and mechanical switching 341 |
| 0.0 | 9.5.1 The helix-coil transition can be observed by using polarized light 341 |
| | 9.5.2 Three phenomenological parameters describe a given helix-coil transition 343 |
| | 9.5.3 Calculation of the helix-coil transition 346 |
| | 0.5.4 DNA also displays a cooperative "melting" transition 350 |
| | 9.5.5 Applied mechanical force can induce other cooperative structural transitions in macromolecules 351 |
| 0.0 | 111 . 050 |
| 9.6 | Allostery 352 9.6.1 Hemoglobin binds four oxygen molecules cooperatively 352 |
| | the interview of molecular subunits 355 |
| | 9.6.2 Allostery often involves relative motion of moticular subality of substates 356 |
| | |
| Big | Picture 357 |
| Key | Formulas 358 |
| Tra | ck 2 360 |

 ΔG gives a universal criterion for the direction of a chemical reaction 284

Kinetic interpretation of complex equilibria 289

The primordial soup was not in chemical equilibrium 290

Problems 371

Chapter 10 Enzymes and molecular machines 377

10.1 Survey of molecular devices found in cells 378 10.1.1 Terminology 378

10.1.2 Enzymes display saturation kinetics 378

10.1.3 All eukaryotic cells contain cyclic motors 381

10.1.4 One-shot machines assist in cell locomotion and spatial organization 382

10.2 Purely mechanical machines 384

10.2.1 Macroscopic machines can be described by an energy landscape 384

- 10.2.2 Microscopic machines can step past energy barriers 388
- 10.2.3 The Smoluchowski equation gives the rate of a microscopic machine 390
- 10.3 Molecular implementation of mechanical principles 396
 - 10.3.1 Three ideas 397

10.3.2 The reaction coordinate gives a useful reduced description of a chemical event 397

- 10.3.3 An enzyme catalyzes a reaction by binding to the transition state 399
- 10.3.4 Mechanochemical motors move by random-walking on a two-dimensional landscape 403
- 10.4 Kinetics of real enzymes and machines 404

10.4.1 The Michaelis-Menten rule describes the kinetics of simple enzymes 405

- 10.4.2 Modulation of enzyme activity 408
- 10.4.3 Two-headed kinesin as a tightly coupled, perfect ratchet 409
- 10.4.4 Molecular motors can move even without tight coupling or a power stroke 418
- 10.5 Vista: Other molecular machines 422

Big Picture 422

Kev Formulas 424

Track 2 425

Problems 433

Chapter 11 Machines in membranes 443

- 11.1 Electroosmotic effects 443
 - 11.1.1 Before the ancients 443
 - 11.1.2 Ion concentration differences create Nernst potentials 444

11.1.3 Donnan equilibrium can create a resting membrane potential 447

- 11.2 Ion pumping 449
 - 11.2.1 Observed eukaryotic membrane potentials imply that these cells are far from Donnan equilibrium 449 11.2.2 The Ohmic conductance hypothesis 452
 - 11.2.3 Active pumping maintains steady-state membrane potentials while avoiding large osmotic pressures 454

11.3 Mitochondria as factories 458

- 11.3.1 Busbars and driveshafts distribute energy in factories 458
- 11.3.2 The biochemical backdrop to respiration 459
- 11.3.3 The chemiosmotic mechanism identifies the neighborhood of the mitochondrial inner membrane as a busbar 462
- 11.3.4 Evidence for the chemiosmotic mechanism 463
- 11.3.5 Vista: Cells use chemiosmotic coupling in many other contexts 467

11.4 Excursion: "Powering up the flagellar motor" by H. C. Berg and D. Fung 468

Big Picture 469

- Key Formulas 470
- Track 2 471

Problems 473

Nerve impulses 477 Chapter 12 12.1 The problem of nerve impulses 478 12.1.1 Phenomenology of the action potential 478 12.1.2 The cell membrane can be viewed as an electrical network 481 12.1.3 Membranes with Ohmic conductance lead to a linear cable equation with no traveling wave solutions 485 12.2 Simplified mechanism of the action potential 489 12.2.1 The puzzle 489 12.2.2 A mechanical analogy 490 12.2.3 Just a little more history 492 12.2.4 The time course of an action potential suggests the hypothesis of voltage gating 12.2.5 Voltage gating leads to a nonlinear cable equation with traveling wave solutions 12.3 The full Hodgkin–Huxley mechanism and its molecular underpinnings 501 12.3.1 Each ion conductance follows a characteristic time course when the membrane potential changes 12.3.2 The patch clamp technique allows the study of single ion channel behavior 505 12.4 Nerve, muscle, synapse 512 12.4.1 Nerve cells are separated by narrow synapses 513 12.4.2 The neuromuscular junction 514 12.4.3 Vista: Neural computation 515 Big Picture 516

495

498

11.3.5 Vista: Oslis uso chemiosmotic coupling in 18

502

Key Formulas 516 Track 2 519

Problems 520

525 Epilogue

Global list of symbols and units 527 Appendix A

A.1 Notation 527 528 A.2 Named quantities

Dimensions 532 A.3

A.4 Units 533

Numerical values 535 Appendix B B.1 Fundamental constants 535 B.2 Magnitudes 535 B.3 Specialized values 537 540 Acknowledgments Credits 543

546 Bibliography Index 556