

## TABLE OF CONTENTS

<b>List of Figures</b>	<b>6</b>
<b>List of Tables</b>	<b>9</b>
<b>Notation</b>	<b>14</b>
<b>Chapter 1: Introduction and state of the art</b>	<b>15</b>
1.1 Microstructure observation . . . . .	16
1.2 Cement hydration models . . . . .	18
1.3 Intrinsic properties . . . . .	21
1.4 Homogenization theory . . . . .	22
1.5 Elastic homogenization of cement composites . . . . .	24
1.6 Percolation theory . . . . .	26
1.7 Organization of thesis . . . . .	27
<b>Chapter 2: Hydration of cement</b>	<b>29</b>
2.1 Chemical properties . . . . .	29
2.2 Definitions . . . . .	30
2.3 Portland cement prior to hydration . . . . .	31
2.4 Hydration of constituents of Portland cement . . . . .	32
2.4.1 Hydration of $C_3S$ . . . . .	32
2.4.2 Hydration of $C_2S$ . . . . .	34
2.4.3 Reactions of $C_3A$ . . . . .	35
2.4.4 Reactions of $C_4AF$ . . . . .	36
2.5 Characterization of hydration products . . . . .	37
2.5.1 Calcium hydroxide . . . . .	37
2.5.2 Calcium silicate hydrates . . . . .	38
2.6 Degree of hydration concept related to mechanical properties . . . . .	40
<b>Chapter 3: Modeling of cement hydration</b>	<b>43</b>
3.1 Affinity model . . . . .	43
3.2 Other models based on KJMA equations . . . . .	46

3.2.1	HYMOSTRUC model . . . . .	46
3.2.2	Pignat and Navi's model . . . . .	48
3.3	Powers and Brownyard's model . . . . .	48
3.4	CEMHYD3D model . . . . .	49
3.4.1	Implemented reactions . . . . .	54
3.4.2	Reconstruction of initial microstructure . . . . .	55
3.4.3	Mapping hydration cycles to time . . . . .	57
3.4.4	Effect of initial microstructure size . . . . .	58
3.4.5	Effect of microstructure size on hydration and percolation . . . . .	59
3.4.6	Microscale C-S-H model based on a transition thickness . . . . .	61
3.4.7	Microscale C-S-H model based on confinement . . . . .	63
<b>Chapter 4:</b>	<b>Homogenization of cement-based materials</b>	<b>66</b>
4.1	Representative volume element of cement paste . . . . .	68
4.2	Percolation of solids . . . . .	69
4.3	Intrinsic properties of constituents . . . . .	71
4.3.1	C-S-H mechanical properties . . . . .	72
4.3.2	Cement paste level . . . . .	73
<b>Chapter 5:</b>	<b>Analytical homogenization methods</b>	<b>76</b>
5.1	Rule of mixtures . . . . .	79
5.2	Hashin-Shtrikman and Walpole bounds . . . . .	79
5.3	Mori-Tanaka method . . . . .	80
5.4	Self-consistent scheme . . . . .	81
5.5	N-layered spheres . . . . .	83
5.6	Other elastic homogenization models . . . . .	84
<b>Chapter 6:</b>	<b>Numerical homogenization methods</b>	<b>87</b>
6.1	General principles and material isotropy . . . . .	87
6.2	Eigenstrain method . . . . .	88
6.3	Smaller volume than the representative volume element . . . . .	90
6.4	FEM eigenstrain procedure for periodic boundary conditions . . . . .	91
6.4.1	Numerical verification . . . . .	93
6.4.2	Implementing phase disconnectedness . . . . .	96
6.5	Static and kinematic uniform boundary conditions . . . . .	97
6.6	FFT-based homogenization . . . . .	98

<b>Chapter 7:</b>	<b>Validation</b>	<b>101</b>
7.1	Cement paste level . . . . .	101
7.1.1	Homogenization of RVE with random distribution of solids . . . . .	101
7.1.2	Paste of Kamali et al., $w/c = 0.5$ . . . . .	104
7.1.3	Paste of Kamali et al., $w/c = 0.25$ . . . . .	108
7.1.4	Paste of Boumiz, $w/c = 0.40$ . . . . .	111
7.1.5	Paste of Boumiz, $w/c = 0.35$ . . . . .	112
7.1.6	BAM cement paste, $w/c = 0.3$ . . . . .	113
7.1.7	Pignat's paste, $w/c = 0.45$ . . . . .	115
7.1.8	Performance of two hydration models, $w/c = 0.5$ . . . . .	116
7.1.9	Leaching of cement pastes . . . . .	118
7.2	Initial stress concentration . . . . .	120
7.3	Mortar level incorporating ITZ . . . . .	122
7.3.1	Mortar by Yang, $w/b = 0.3$ . . . . .	123
7.3.2	Mortar B60 of Boumiz, $w/c = 0.387$ . . . . .	125
7.3.3	Mortar B35 of Boumiz, $w/c = 0.524$ . . . . .	126
7.4	Concrete level . . . . .	128
<b>Chapter 8:</b>	<b>Conclusion and future work</b>	<b>131</b>
<b>Bibliography</b>		<b>134</b>
<b>Appendix A:</b>	<b>Hervé-Zaoui scheme</b>	<b>147</b>