

Contents in Brief

Preface	viii
---------	------

1 The Foundations of Biochemistry	1
-----------------------------------	---

I STRUCTURE AND CATALYSIS 41

2 Water, the Solvent of Life	43
3 Amino Acids, Peptides, and Proteins	70
4 The Three-Dimensional Structure of Proteins	106
5 Protein Function	147
6 Enzymes	177
7 Carbohydrates and Glycobiology	229
8 Nucleotides and Nucleic Acids	263
9 DNA-Based Information Technologies	301
10 Lipids	341
11 Biological Membranes and Transport	367
12 Biochemical Signaling	408

II BIOENERGETICS AND METABOLISM 461

13 Introduction to Metabolism	465
14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway	510
15 The Metabolism of Glycogen in Animals	556
16 The Citric Acid Cycle	574
17 Fatty Acid Catabolism	601
18 Amino Acid Oxidation and the Production of Urea	625
19 Oxidative Phosphorylation	659
20 Photosynthesis and Carbohydrate Synthesis in Plants	700
21 Lipid Biosynthesis	744
22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules	794
23 Hormonal Regulation and Integration of Mammalian Metabolism	841

III INFORMATION PATHWAYS 883

24 Genes and Chromosomes	885
25 DNA Metabolism	914
26 RNA Metabolism	960
27 Protein Metabolism	1005
28 Regulation of Gene Expression	1054
Abbreviated Solutions to Problems	AS-1
Glossary	G-1
Index	I-1
Resources	R-1

Contents

1 The Foundations of Biochemistry 1

1.1 Cellular Foundations 2

Cells Are the Structural and Functional Units of All Living Organisms	2
Cellular Dimensions Are Limited by Diffusion	3
Organisms Belong to Three Distinct Domains of Life	3
Organisms Differ Widely in Their Sources of Energy and Biosynthetic Precursors	3
Bacterial and Archaeal Cells Share Common Features but Differ in Important Ways	5
Eukaryotic Cells Have a Variety of Membranous Organelles, Which Can Be Isolated for Study	6
The Cytoplasm Is Organized by the Cytoskeleton and Is Highly Dynamic	6
Cells Build Supramolecular Structures	8
In Vitro Studies May Overlook Important Interactions among Molecules	9

1.2 Chemical Foundations 10

Biomolecules Are Compounds of Carbon with a Variety of Functional Groups	10
Cells Contain a Universal Set of Small Molecules	11
Macromolecules Are the Major Constituents of Cells	12
BOX 1-1 Molecular Weight, Molecular Mass, and Their Correct Units	13
Three-Dimensional Structure Is Described by Configuration and Conformation	14
BOX 1-2 Louis Pasteur and Optical Activity: In Vino, Veritas	17
Interactions between Biomolecules Are Stereospecific	18

1.3 Physical Foundations 19

Living Organisms Exist in a Dynamic Steady State, Never at Equilibrium with Their Surroundings	19
Organisms Transform Energy and Matter from Their Surroundings	20
Creating and Maintaining Order Requires Work and Energy	21
BOX 1-3 Entropy: Things Fall Apart	22
Energy Coupling Links Reactions in Biology	22
K_{eq} and ΔG° Are Measures of a Reaction's Tendency to Proceed Spontaneously	23
Enzymes Promote Sequences of Chemical Reactions	25
Metabolism Is Regulated to Achieve Balance and Economy	27

1.4 Genetic Foundations 27

Genetic Continuity Is Vested in Single DNA Molecules	28
The Structure of DNA Allows Its Replication and Repair with Near-Perfect Fidelity	28

The Linear Sequence in DNA Encodes Proteins with Three-Dimensional Structures	29
---	----

1.5 Evolutionary Foundations 30

Changes in the Hereditary Instructions Allow Evolution	30
Biomolecules First Arose by Chemical Evolution	30
RNA or Related Precursors May Have Been the First Genes and Catalysts	31
Biological Evolution Began More Than Three and a Half Billion Years Ago	33
The First Cell Probably Used Inorganic Fuels	33
Eukaryotic Cells Evolved from Simpler Precursors in Several Stages	34
Molecular Anatomy Reveals Evolutionary Relationships	35
Functional Genomics Shows the Allocations of Genes to Specific Cellular Processes	36
Genomic Comparisons Have Increasing Importance in Medicine	36

I STRUCTURE AND CATALYSIS 41

2 Water, the Solvent of Life 43

2.1 Weak Interactions in Aqueous Systems 43

Hydrogen Bonding Gives Water Its Unusual Properties	44
Water Forms Hydrogen Bonds with Polar Solutes	45
Water Interacts Electrostatically with Charged Solutes	46
Nonpolar Gases Are Poorly Soluble in Water	47
Nonpolar Compounds Force Energetically Unfavorable Changes in the Structure of Water	47
van der Waals Interactions Are Weak Interatomic Attractions	49
Weak Interactions Are Crucial to Macromolecular Structure and Function	49
Concentrated Solutes Produce Osmotic Pressure	51

2.2 Ionization of Water, Weak Acids, and Weak Bases 53

Pure Water Is Slightly Ionized	54
The Ionization of Water Is Expressed by an Equilibrium Constant	54
The pH Scale Designates the H^+ and OH^- Concentrations	55

BOX 2-1 On Being One's Own Rabbit (Don't Try This at Home!) 56

Weak Acids and Bases Have Characteristic Acid Dissociation Constants	57
Titration Curves Reveal the pK_a of Weak Acids	58

2.3 Buffering against pH Changes in Biological Systems 59

Buffers Are Mixtures of Weak Acids and Their Conjugate Bases	59
--	----

The Henderson-Hasselbalch Equation Relates pH, pK_a , and Buffer Concentration	60	Packing of Hydrophobic Amino Acids Away from Water Favors Protein Folding	108
Weak Acids or Bases Buffer Cells and Tissues against pH Changes	61	Polar Groups Contribute Hydrogen Bonds and Ion Pairs to Protein Folding	108
Untreated Diabetes Produces Life-Threatening Acidosis	63	Individual van der Waals Interactions Are Weak but Combine to Promote Folding	109
3 Amino Acids, Peptides, and Proteins	70	The Peptide Bond Is Rigid and Planar	109
3.1 Amino Acids	70	4.2 Protein Secondary Structure	111
Amino Acids Share Common Structural Features	71	The α Helix Is a Common Protein Secondary Structure	111
The Amino Acid Residues in Proteins Are L Stereoisomers	72	BOX 4-1 Knowing the Right Hand from the Left	113
Amino Acids Can Be Classified by R Group	73	Amino Acid Sequence Affects Stability of the α Helix	113
BOX 3-1 Absorption of Light by Molecules: The Lambert-Beer Law	75	The β Conformation Organizes Polypeptide Chains into Sheets	114
Uncommon Amino Acids Also Have Important Functions	76	β Turns Are Common in Proteins	114
Amino Acids Can Act as Acids and Bases	76	Common Secondary Structures Have Characteristic Dihedral Angles	114
Amino Acids Differ in Their Acid-Base Properties	79	Common Secondary Structures Can Be Assessed by Circular Dichroism	116
3.2 Peptides and Proteins	80	4.3 Protein Tertiary and Quaternary Structures	116
Peptides Are Chains of Amino Acids	81	Fibrous Proteins Are Adapted for a Structural Function	117
Peptides Can Be Distinguished by Their Ionization Behavior	81	BOX 4-2 Why Sailors, Explorers, and College Students Should Eat Their Fresh Fruits and Vegetables	118
Biologically Active Peptides and Polypeptides Occur in a Vast Range of Sizes and Compositions	82	Structural Diversity Reflects Functional Diversity in Globular Proteins	120
Some Proteins Contain Chemical Groups Other Than Amino Acids	83	Myoglobin Provided Early Clues about the Complexity of Globular Protein Structure	121
3.3 Working with Proteins	83	BOX 4-3 The Protein Data Bank	122
Proteins Can Be Separated and Purified	84	Globular Proteins Have a Variety of Tertiary Structures	123
Proteins Can Be Separated and Characterized by Electrophoresis	87	Some Proteins or Protein Segments Are Intrinsically Disordered	125
Unseparated Proteins Are Detected and Quantified Based on Their Functions	89	Protein Motifs Are the Basis for Protein Structural Classification	125
3.4 The Structure of Proteins: Primary Structure	90	Protein Quaternary Structures Range from Simple Dimers to Large Complexes	126
The Function of a Protein Depends on Its Amino Acid Sequence	91	4.4 Protein Denaturation and Folding	128
Protein Structure Is Studied Using Methods That Exploit Protein Chemistry	92	Loss of Protein Structure Results in Loss of Function	129
Mass Spectrometry Provides Information on Molecular Mass, Amino Acid Sequence, and Entire Proteomes	93	Amino Acid Sequence Determines Tertiary Structure	130
Small Peptides and Proteins Can Be Chemically Synthesized	95	Polypeptides Fold Rapidly by a Stepwise Process	131
Amino Acid Sequences Provide Important Biochemical Information	96	Some Proteins Undergo Assisted Folding	132
Protein Sequences Help Elucidate the History of Life on Earth	96	Defects in Protein Folding Are the Molecular Basis for Many Human Genetic Disorders	133
BOX 3-2 Consensus Sequences and Sequence Logos	98	BOX 4-4 Death by Misfolding: The Prion Diseases	134
4 The Three-Dimensional Structure of Proteins	106	4.5 Determination of Protein and Biomolecular Structures	136
4.1 Overview of Protein Structure	107	X-ray Diffraction Produces Electron Density Maps from Protein Crystals	136
A Protein's Conformation Is Stabilized Largely by Weak Interactions	107	Distances between Protein Atoms Can Be Measured by Nuclear Magnetic Resonance	137

BOX 4-5	Video Games and Designer Proteins	138	6.2	How Enzymes Work	179
	Thousands of Individual Molecules Are Used to Determine Structures by Cryo-Electron Microscopy	139		Enzymes Affect Reaction Rates, Not Equilibria	180
5	Protein Function	147		Reaction Rates and Equilibria Have Precise Thermodynamic Definitions	181
5.1	Reversible Binding of a Protein to a Ligand: Oxygen-Binding Proteins	148		A Few Principles Explain the Catalytic Power and Specificity of Enzymes	182
	Oxygen Can Bind to a Heme Prosthetic Group	148		Noncovalent Interactions between Enzyme and Substrate Are Optimized in the Transition State	183
	Globins Are a Family of Oxygen-Binding Proteins	149		Covalent Interactions and Metal Ions Contribute to Catalysis	186
	Myoglobin Has a Single Binding Site for Oxygen	149	6.3	Enzyme Kinetics as an Approach to Understanding Mechanism	188
	Protein-Ligand Interactions Can Be Described Quantitatively	150		Substrate Concentration Affects the Rate of Enzyme-Catalyzed Reactions	188
	Protein Structure Affects How Ligands Bind	152		The Relationship between Substrate Concentration and Reaction Rate Can Be Expressed with the Michaelis-Menten Equation	190
	Hemoglobin Transports Oxygen in Blood	153		Michaelis-Menten Kinetics Can Be Analyzed Quantitatively	191
	Hemoglobin Subunits Are Structurally Similar to Myoglobin	153		Kinetic Parameters Are Used to Compare Enzyme Activities	192
	Hemoglobin Undergoes a Structural Change on Binding Oxygen	155		Many Enzymes Catalyze Reactions with Two or More Substrates	194
	Hemoglobin Binds Oxygen Cooperatively	156		Enzyme Activity Depends on pH	195
	Cooperative Ligand Binding Can Be Described Quantitatively	157		Pre-Steady State Kinetics Can Provide Evidence for Specific Reaction Steps	196
BOX 5-1	Carbon Monoxide: A Stealthy Killer	158		Enzymes Are Subject to Reversible or Irreversible Inhibition	197
	Two Models Suggest Mechanisms for Cooperative Binding	158	BOX 6-1	Curing African Sleeping Sickness with a Biochemical Trojan Horse	201
	Hemoglobin Also Transports H ⁺ and CO ₂	160	6.4	Examples of Enzymatic Reactions	203
	Oxygen Binding to Hemoglobin Is Regulated by 2,3-Bisphosphoglycerate	161		The Chymotrypsin Mechanism Involves Acylation and Deacylation of a Ser Residue	204
	Sickle Cell Anemia Is a Molecular Disease of Hemoglobin	162		An Understanding of Protease Mechanisms Leads to New Treatments for HIV Infection	208
5.2	Complementary Interactions between Proteins and Ligands: The Immune System and Immunoglobulins	164		Hexokinase Undergoes Induced Fit on Substrate Binding	209
	The Immune Response Includes a Specialized Array of Cells and Proteins	164		The Enolase Reaction Mechanism Requires Metal Ions	210
	Antibodies Have Two Identical Antigen-Binding Sites	165		An Understanding of Enzyme Mechanism Produces Useful Antibiotics	210
	Antibodies Bind Tightly and Specifically to Antigen	167	6.5	Regulatory Enzymes	213
	The Antibody-Antigen Interaction Is the Basis for a Variety of Important Analytical Procedures	167		Allosteric Enzymes Undergo Conformational Changes in Response to Modulator Binding	214
5.3	Protein Interactions Modulated by Chemical Energy: Actin, Myosin, and Molecular Motors	169		The Kinetic Properties of Allosteric Enzymes Diverge from Michaelis-Menten Behavior	215
	The Major Proteins of Muscle Are Myosin and Actin	169		Some Enzymes Are Regulated by Reversible Covalent Modification	216
	Additional Proteins Organize the Thin and Thick Filaments into Ordered Structures	170		Phosphoryl Groups Affect the Structure and Catalytic Activity of Enzymes	217
	Myosin Thick Filaments Slide along Actin Thin Filaments	170		Multiple Phosphorylations Allow Exquisite Regulatory Control	219
6	Enzymes	177		Some Enzymes and Other Proteins Are Regulated by Proteolytic Cleavage of an Enzyme Precursor	220
6.1	An Introduction to Enzymes	178			
	Most Enzymes Are Proteins	178			
	Enzymes Are Classified by the Reactions They Catalyze	179			

A Cascade of Proteolytically Activated Zymogens Leads to Blood Coagulation	220	The Properties of Nucleotide Bases Affect the Three-Dimensional Structure of Nucleic Acids	268
Some Regulatory Enzymes Use Several Regulatory Mechanisms	223		
7 Carbohydrates and Glycobiology	229	8.2 Nucleic Acid Structure	269
7.1 Monosaccharides and Disaccharides	230	DNA Is a Double Helix That Stores Genetic Information	270
The Two Families of Monosaccharides Are Aldoses and Ketoses	230	DNA Can Occur in Different Three-Dimensional Forms	272
BOX 7-1 What Makes Sugar Sweet?	231	Certain DNA Sequences Adopt Unusual Structures	273
Monosaccharides Have Asymmetric Centers	232	Messenger RNAs Code for Polypeptide Chains	274
The Common Monosaccharides Have Cyclic Structures	233	Many RNAs Have More Complex Three-Dimensional Structures	276
Organisms Contain a Variety of Hexose Derivatives	236		
Sugars That Are, or Can Form, Aldehydes Are Reducing Sugars	237	8.3 Nucleic Acid Chemistry	278
BOX 7-2 Blood Glucose Measurements in the Diagnosis and Treatment of Diabetes	238	Double-Helical DNA and RNA Can Be Denatured	278
		Nucleotides and Nucleic Acids Undergo Nonenzymatic Transformations	280
7.2 Polysaccharides	241	Some Bases of DNA Are Methylated	283
Some Homopolysaccharides Are Storage Forms of Fuel	241	The Chemical Synthesis of DNA Has Been Automated	283
Some Homopolysaccharides Serve Structural Roles	243	Gene Sequences Can Be Amplified with the Polymerase Chain Reaction	283
Steric Factors and Hydrogen Bonding Influence Homopolysaccharide Folding	243	The Sequences of Long DNA Strands Can Be Determined	286
Peptidoglycan Reinforces the Bacterial Cell Wall	244	BOX 8-1 A Potent Weapon in Forensic Medicine	288
Glycosaminoglycans Are Heteropolysaccharides of the Extracellular Matrix	244	DNA Sequencing Technologies Are Advancing Rapidly	290
7.3 Glycoconjugates: Proteoglycans, Glycoproteins, and Glycolipids	247	8.4 Other Functions of Nucleotides	294
Proteoglycans Are Glycosaminoglycan-Containing Macromolecules of the Cell Surface and Extracellular Matrix	248	Nucleotides Carry Chemical Energy in Cells	294
BOX 7-3 Defects in the Synthesis or Degradation of Sulfated Glycosaminoglycans Can Lead to Serious Human Disease	251	Adenine Nucleotides Are Components of Many Enzyme Cofactors	294
Glycoproteins Have Covalently Attached Oligosaccharides	251	Some Nucleotides Are Regulatory Molecules	296
Glycolipids and Lipopolysaccharides Are Membrane Components	253	Adenine Nucleotides Also Serve as Signals	296
7.4 Carbohydrates as Informational Molecules: The Sugar Code	254	9 DNA-Based Information Technologies	301
Oligosaccharide Structures Are Information-Dense	254	9.1 Studying Genes and Their Products	302
Lectins Are Proteins That Read the Sugar Code and Mediate Many Biological Processes	254	Genes Can Be Isolated by DNA Cloning	302
Lectin-Carbohydrate Interactions Are Highly Specific and Often Multivalent	256	Restriction Endonucleases and DNA Ligases Yield Recombinant DNA	302
7.5 Working with Carbohydrates	258	Cloning Vectors Allow Amplification of Inserted DNA Segments	304
8 Nucleotides and Nucleic Acids	263	Cloned Genes Can Be Expressed to Amplify Protein Production	309
8.1 Some Basic Definitions and Conventions	263	Many Different Systems Are Used to Express Recombinant Proteins	309
Nucleotides and Nucleic Acids Have Characteristic Bases and Pentoses	264	Alteration of Cloned Genes Produces Altered Proteins	312
Phosphodiester Bonds Link Successive Nucleotides in Nucleic Acids	267	Terminal Tags Provide Handles for Affinity Purification	313
		The Polymerase Chain Reaction Offers Many Options for Cloning Experiments	314
		DNA Libraries Are Specialized Catalogs of Genetic Information	315
		9.2 Exploring Protein Function on the Scale of Cells or Whole Organisms	317
		Sequence or Structural Relationships Can Suggest Protein Function	317

When and Where a Protein Is Present in a Cell Can Suggest Protein Function	318	Vitamins E and K and the Lipid Quinones Are Oxidation-Reduction Cofactors	359
Knowing What a Protein Interacts with Can Suggest Its Function	320	Dolichols Activate Sugar Precursors for Biosynthesis	360
The Effect of Deleting or Altering a Protein Can Suggest Its Function	322	Many Natural Pigments Are Lipidic Conjugated Dienes	360
Many Proteins Are Still Undiscovered	324	Polyketides Are Natural Products with Potent Biological Activities	360
BOX 9-1 Getting Rid of Pests with Gene Drives	325		
9.3 Genomics and the Human Story	326	10.4 Working with Lipids	361
The Human Genome Contains Many Types of Sequences	327	Lipid Extraction Requires Organic Solvents	361
Genome Sequencing Informs Us about Our Humanity	329	Adsorption Chromatography Separates Lipids of Different Polarity	361
Genome Comparisons Help Locate Genes Involved in Disease	331	Gas Chromatography Resolves Mixtures of Volatile Lipid Derivatives	362
Genome Sequences Inform Us about Our Past and Provide Opportunities for the Future	333	Specific Hydrolysis Aids in Determination of Lipid Structure	363
BOX 9-2 Getting to Know Humanity's Next of Kin	334	Mass Spectrometry Reveals Complete Lipid Structure	363
		Lipidomics Seeks to Catalog All Lipids and Their Functions	363
10 Lipids	341		
10.1 Storage Lipids	341	11 Biological Membranes and Transport	367
Fatty Acids Are Hydrocarbon Derivatives	341	11.1 The Composition and Architecture of Membranes	367
Triacylglycerols Are Fatty Acid Esters of Glycerol	344	The Lipid Bilayer Is Stable in Water	367
Triacylglycerols Provide Stored Energy and Insulation	344	Bilayer Architecture Underlies the Structure and Function of Biological Membranes	369
Partial Hydrogenation of Cooking Oils Improves Their Stability but Creates Fatty Acids with Harmful Health Effects	345	The Endomembrane System Is Dynamic and Functionally Differentiated	369
Waxes Serve as Energy Stores and Water Repellents	345	Membrane Proteins Are Receptors, Transporters, and Enzymes	371
10.2 Structural Lipids in Membranes	346	Membrane Proteins Differ in the Nature of Their Association with the Membrane Bilayer	372
Glycerophospholipids Are Derivatives of Phosphatidic Acid	346	The Topology of an Integral Membrane Protein Can Often Be Predicted from Its Sequence	374
Some Glycerophospholipids Have Ether-Linked Fatty Acids	348	Covalently Attached Lipids Anchor or Direct Some Membrane Proteins	375
Galactolipids of Plants and Ether-Linked Lipids of Archaea Are Environmental Adaptations	349		
Sphingolipids Are Derivatives of Sphingosine	350	11.2 Membrane Dynamics	377
Sphingolipids at Cell Surfaces Are Sites of Biological Recognition	351	Acyl Groups in the Bilayer Interior Are Ordered to Varying Degrees	377
Phospholipids and Sphingolipids Are Degraded in Lysosomes	352	Transbilayer Movement of Lipids Requires Catalysis	378
Sterols Have Four Fused Carbon Rings	352	Lipids and Proteins Diffuse Laterally in the Bilayer	379
BOX 10-1 Abnormal Accumulations of Membrane Lipids: Some Inherited Human Diseases	353	Sphingolipids and Cholesterol Cluster Together in Membrane Rafts	380
		Membrane Curvature and Fusion Are Central to Many Biological Processes	382
10.3 Lipids as Signals, Cofactors, and Pigments	354	Integral Proteins of the Plasma Membrane Are Involved in Surface Adhesion, Signaling, and Other Cellular Processes	383
Phosphatidylinositols and Sphingosine Derivatives Act as Intracellular Signals	354		
Eicosanoids Carry Messages to Nearby Cells	355	11.3 Solute Transport across Membranes	385
Steroid Hormones Carry Messages between Tissues	356	Transport May Be Passive or Active	385
Vascular Plants Produce Thousands of Volatile Signals	356		
Vitamins A and D Are Hormone Precursors	356		

Transporters and Ion Channels Share Some Structural Properties but Have Different Mechanisms	386	BOX 12-3 Color Blindness: John Dalton's Experiment from the Grave	430
The Glucose Transporter of Erythrocytes Mediates Passive Transport	387	Vertebrate Olfaction and Gustation Use Mechanisms Similar to the Visual System	431
The Chloride-Bicarbonate Exchanger Catalyzes Electroneutral Cotransport of Anions across the Plasma Membrane	389	All GPCR Systems Share Universal Features	431
BOX 11-1 Defective Glucose Transport in Diabetes	390	12.4 Receptor Tyrosine Kinases	433
Active Transport Results in Solute Movement against a Concentration or Electrochemical Gradient	391	Stimulation of the Insulin Receptor Initiates a Cascade of Protein Phosphorylation Reactions	434
P-Type ATPases Undergo Phosphorylation during Their Catalytic Cycles	392	The Membrane Phospholipid PIP ₃ Functions at a Branch in Insulin Signaling	435
V-Type and F-Type ATPases Are ATP-Driven Proton Pumps	394	Cross Talk among Signaling Systems Is Common and Complex	438
ABC Transporters Use ATP to Drive the Active Transport of a Wide Variety of Substrates	395	12.5 Multivalent Adaptor Proteins and Membrane Rafts	439
BOX 11-2 A Defective Ion Channel in Cystic Fibrosis	397	Protein Modules Bind Phosphorylated Tyr, Ser, or Thr Residues in Partner Proteins	439
Ion Gradients Provide the Energy for Secondary Active Transport	398	Membrane Rafts and Caveolae Segregate Signaling Proteins	442
Aquaporins Form Hydrophilic Transmembrane Channels for the Passage of Water	400	12.6 Gated Ion Channels	442
Ion-Selective Channels Allow Rapid Movement of Ions across Membranes	401	Ion Channels Underlie Rapid Electrical Signaling in Excitable Cells	442
The Structure of a K ⁺ Channel Reveals the Basis for Its Specificity	402	Voltage-Gated Ion Channels Produce Neuronal Action Potentials	443
12 Biochemical Signaling	408	Neurons Have Receptor Channels That Respond to Different Neurotransmitters	444
12.1 General Features of Signal Transduction	409	Toxins Target Ion Channels	444
Signal-Transducing Systems Share Common Features	409	12.7 Regulation of Transcription by Nuclear Hormone Receptors	445
The General Process of Signal Transduction in Animals Is Universal	410	12.8 Regulation of the Cell Cycle by Protein Kinases	446
12.2 G Protein–Coupled Receptors and Second Messengers	412	The Cell Cycle Has Four Stages	446
The β -Adrenergic Receptor System Acts through the Second Messenger cAMP	412	Levels of Cyclin-Dependent Protein Kinases Oscillate	447
Cyclic AMP Activates Protein Kinase A	413	CDKs Are Regulated by Phosphorylation, Cyclin Degradation, Growth Factors, and Specific Inhibitors	447
BOX 12-1 FRET: Biochemistry in a Living Cell	416	CDKs Regulate Cell Division by Phosphorylating Critical Proteins	449
Several Mechanisms Cause Termination of the β -Adrenergic Response	416	12.9 Oncogenes, Tumor Suppressor Genes, and Programmed Cell Death	451
The β -Adrenergic Receptor Is Desensitized by Phosphorylation and by Association with Arrestin	418	Oncogenes Are Mutant Forms of the Genes for Proteins That Regulate the Cell Cycle	451
Cyclic AMP Acts as a Second Messenger for Many Regulatory Molecules	420	Defects in Certain Genes Remove Normal Restraints on Cell Division	451
G Proteins Act as Self-Limiting Switches in Many Processes	420	BOX 12-4 Development of Protein Kinase Inhibitors for Cancer Treatment	452
BOX 12-2 Receptor Guanylyl Cyclases, cGMP, and Protein Kinase G	422	Apoptosis Is Programmed Cell Suicide	455
Diacylglycerol, Inositol Trisphosphate, and Ca ²⁺ Have Related Roles as Second Messengers	425	II BIOENERGETICS AND METABOLISM	461
Calcium Is a Second Messenger That Is Limited in Space and Time	425	13 Introduction to Metabolism	465
12.3 GPCRs in Vision, Olfaction, and Gustation	429	13.1 Bioenergetics and Thermodynamics	466
The Vertebrate Eye Uses Classic GPCR Mechanisms	429	Biological Energy Transformations Obey the Laws of Thermodynamics	466

Standard Free-Energy Change Is Directly Related to the Equilibrium Constant	468
Actual Free-Energy Changes Depend on Reactant and Product Concentrations	470
Standard Free-Energy Changes Are Additive	471
13.2 Chemical Logic and Common Biochemical Reactions	472
Biochemical Reactions Occur in Repeating Patterns	472
BOX 13-1 A Primer on Enzyme Names	477
Biochemical and Chemical Equations Are Not Identical	478
13.3 Phosphoryl Group Transfers and ATP	479
The Free-Energy Change for ATP Hydrolysis Is Large and Negative	479
Other Phosphorylated Compounds and Thioesters Also Have Large, Negative Free Energies of Hydrolysis	481
ATP Provides Energy by Group Transfers, Not by Simple Hydrolysis	482
ATP Donates Phosphoryl, Pyrophosphoryl, and Adenylyl Groups	484
Assembly of Informational Macromolecules Requires Energy	485
BOX 13-2 Firefly Flashes: Glowing Reports of ATP	486
Transphosphorylations between Nucleotides Occur in All Cell Types	487
13.4 Biological Oxidation-Reduction Reactions	488
The Flow of Electrons Can Do Biological Work	488
Oxidation-Reductions Can Be Described as Half-Reactions	489
Biological Oxidations Often Involve Dehydrogenation	489
Reduction Potentials Measure Affinity for Electrons	490
Standard Reduction Potentials Can Be Used to Calculate Free-Energy Change	492
A Few Types of Coenzymes and Proteins Serve as Universal Electron Carriers	492
NAD Has Important Functions in Addition to Electron Transfer	494
Flavin Nucleotides Are Tightly Bound in Flavoproteins	495
13.5 Regulation of Metabolic Pathways	496
Cells and Organisms Maintain a Dynamic Steady State	497
Both the Amount and the Catalytic Activity of an Enzyme Can Be Regulated	498
Reactions Far from Equilibrium in Cells Are Common Points of Regulation	501
Adenine Nucleotides Play Special Roles in Metabolic Regulation	502
14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway	510
14.1 Glycolysis	511
An Overview: Glycolysis Has Two Phases	511
The Preparatory Phase of Glycolysis Requires ATP	514
The Payoff Phase of Glycolysis Yields ATP and NADH	518
The Overall Balance Sheet Shows a Net Gain of Two ATP and Two NADH Per Glucose	521
14.2 Feeder Pathways for Glycolysis	521
Endogenous Glycogen and Starch Are Degraded by Phosphorolysis	522
Dietary Polysaccharides and Disaccharides Undergo Hydrolysis to Monosaccharides	523
14.3 Fates of Pyruvate	525
The Pasteur and Warburg Effects Are Due to Dependence on Glycolysis Alone for ATP Production	525
Pyruvate Is the Terminal Electron Acceptor in Lactic Acid Fermentation	526
BOX 14-1 High Rate of Glycolysis in Tumors Suggests Targets for Chemotherapy and Facilitates Diagnosis	527
BOX 14-2 Glucose Catabolism at Limiting Concentrations of Oxygen	529
Ethanol Is the Reduced Product in Ethanol Fermentation	530
Fermentations Produce Some Common Foods and Industrial Chemicals	530
14.4 Gluconeogenesis	533
The First Bypass: Conversion of Pyruvate to Phosphoenolpyruvate Requires Two Exergonic Reactions	534
The Second and Third Bypasses Are Simple Dephosphorylations by Phosphatases	537
Gluconeogenesis Is Energetically Expensive, But Essential	537
Mammals Cannot Convert Fatty Acids to Glucose; Plants and Microorganisms Can	538
14.5 Coordinated Regulation of Glycolysis and Gluconeogenesis	539
Hexokinase Isozymes Are Affected Differently by Their Product, Glucose 6-Phosphate	539
BOX 14-3 Isozymes: Different Proteins That Catalyze the Same Reaction	540
Phosphofructokinase-1 and Fructose 1,6-Bisphosphatase Are Reciprocally Regulated	541
Fructose 2,6-Bisphosphate Is a Potent Allosteric Regulator of PFK-1 and FBPase-1	542
Xylulose 5-Phosphate Is a Key Regulator of Carbohydrate and Fat Metabolism	543

The Glycolytic Enzyme Pyruvate Kinase Is Allosterically Inhibited by ATP	544	16 The Citric Acid Cycle	574
Conversion of Pyruvate to Phosphoenolpyruvate Is Stimulated When Fatty Acids Are Available	544	16.1 Production of Acetyl-CoA (Activated Acetate)	575
Transcriptional Regulation Changes the Number of Enzyme Molecules	545	Pyruvate Is Oxidized to Acetyl-CoA and CO ₂	575
14.6 Pentose Phosphate Pathway of Glucose Oxidation	546	The PDH Complex Employs Three Enzymes and Five Coenzymes to Oxidize Pyruvate	576
The Oxidative Phase Produces NADPH and Pentose Phosphates	547	The PDH Complex Channels Its Intermediates through Five Reactions	577
BOX 14-4 Why Pythagoras Wouldn't Eat Falafel: Glucose 6-Phosphate Dehydrogenase Deficiency	548	16.2 Reactions of the Citric Acid Cycle	578
The Nonoxidative Phase Recycles Pentose Phosphates to Glucose 6-Phosphate	549	The Sequence of Reactions in the Citric Acid Cycle Makes Chemical Sense	580
Glucose 6-Phosphate Is Partitioned between Glycolysis and the Pentose Phosphate Pathway	551	The Citric Acid Cycle Has Eight Steps	580
Thiamine Deficiency Causes Beriberi and Wernicke-Korsakoff Syndrome	551	BOX 16-1 Moonlighting Enzymes: Proteins with More Than One Job	584
15 The Metabolism of Glycogen in Animals	556	The Energy of Oxidations in the Cycle Is Efficiently Conserved	587
15.1 The Structure and Function of Glycogen	557	BOX 16-2 Citrate: A Symmetric Molecule That Reacts Asymmetrically	588
Vertebrate Animals Require a Ready Fuel Source for Brain and Muscle	557	16.3 The Hub of Intermediary Metabolism	590
Glycogen Granules Have Many Tiers of Branched Chains of D-Glucose	557	The Citric Acid Cycle Serves in Both Catabolic and Anabolic Processes	590
15.2 Breakdown and Synthesis of Glycogen	558	Anaplerotic Reactions Replenish Citric Acid Cycle Intermediates	590
Glycogen Breakdown Is Catalyzed by Glycogen Phosphorylase	558	Biotin in Pyruvate Carboxylase Carries One-Carbon (CO ₂) Groups	590
Glucose 1-Phosphate Can Enter Glycolysis or, in Liver, Replenish Blood Glucose	559	16.4 Regulation of the Citric Acid Cycle	593
The Sugar Nucleotide UDP-Glucose Donates Glucose for Glycogen Synthesis	560	Production of Acetyl-CoA by the PDH Complex Is Regulated by Allosteric and Covalent Mechanisms	593
BOX 15-1 Carl and Gerty Cori: Pioneers in Glycogen Metabolism and Disease	561	The Citric Acid Cycle Is Also Regulated at Three Exergonic Steps	594
Glycogenin Primes the Initial Sugar Residues in Glycogen	563	Citric Acid Cycle Activity Changes in Tumors	594
15.3 Coordinated Regulation of Glycogen Breakdown and Synthesis	565	Certain Intermediates Are Channeled through Metabolons	595
Glycogen Phosphorylase Is Regulated by Hormone-Stimulated Phosphorylation and by Allosteric Effectors	565	17 Fatty Acid Catabolism	601
Glycogen Synthase Also Is Subject to Multiple Levels of Regulation	567	17.1 Digestion, Mobilization, and Transport of Fats	602
Allosteric and Hormonal Signals Coordinate Carbohydrate Metabolism Globally	568	Dietary Fats Are Absorbed in the Small Intestine	602
Carbohydrate and Lipid Metabolism Are Integrated by Hormonal and Allosteric Mechanisms	570	Hormones Trigger Mobilization of Stored Triacylglycerols	603
		Fatty Acids Are Activated and Transported into Mitochondria	603
		17.2 Oxidation of Fatty Acids	606
		The β Oxidation of Saturated Fatty Acids Has Four Basic Steps	607
		The Four β -Oxidation Steps Are Repeated to Yield Acetyl-CoA and ATP	608
		Acetyl-CoA Can Be Further Oxidized in the Citric Acid Cycle	609
		BOX 17-1 A Long Winter's Nap: Oxidizing Fats during Hibernation	610

Oxidation of Unsaturated Fatty Acids			
Requires Two Additional Reactions	611		
Complete Oxidation of Odd-Number Fatty Acids			
Requires Three Extra Reactions	612		
Fatty Acid Oxidation Is Tightly Regulated	613		
BOX 17-2 Coenzyme B₁₂: A Radical Solution to a Perplexing Problem	614		
Transcription Factors Turn on the Synthesis of Proteins for Lipid Catabolism	616		
Genetic Defects in Fatty Acyl-CoA Dehydrogenases Cause Serious Disease	616		
Peroxisomes Also Carry Out β Oxidation	617		
Phytanic Acid Undergoes α Oxidation in Peroxisomes	618		
17.3 Ketone Bodies	619		
Ketone Bodies, Formed in the Liver, Are Exported to Other Organs as Fuel	619		
Ketone Bodies Are Overproduced in Diabetes and during Starvation	620		
18 Amino Acid Oxidation and the Production of Urea	625		
18.1 Metabolic Fates of Amino Groups	626		
Dietary Protein Is Enzymatically Degraded to Amino Acids	627		
Pyridoxal Phosphate Participates in the Transfer of α -Amino Groups to α -Ketoglutarate	628		
Glutamate Releases Its Amino Group as Ammonia in the Liver	630		
Glutamine Transports Ammonia in the Bloodstream	631		
Alanine Transports Ammonia from Skeletal Muscles to the Liver	632		
Ammonia Is Toxic to Animals	633		
18.2 Nitrogen Excretion and the Urea Cycle	633		
Urea Is Produced from Ammonia in Five Enzymatic Steps	633		
The Citric Acid and Urea Cycles Can Be Linked	636		
The Activity of the Urea Cycle Is Regulated at Two Levels	637		
BOX 18-1 Assays for Tissue Damage	637		
Pathway Interconnections Reduce the Energetic Cost of Urea Synthesis	638		
Genetic Defects in the Urea Cycle Can Be Life-Threatening	638		
18.3 Pathways of Amino Acid Degradation	639		
Some Amino Acids Can Contribute to Gluconeogenesis, Others to Ketone Body Formation	640		
Several Enzyme Cofactors Play Important Roles in Amino Acid Catabolism	641		
Six Amino Acids Are Degraded to Pyruvate	644		
Seven Amino Acids Are Degraded to Acetyl-CoA	647		
Phenylalanine Catabolism Is Genetically Defective in Some People	649		
Five Amino Acids Are Converted to α -Ketoglutarate	650		
Four Amino Acids Are Converted to Succinyl-CoA	650		
Branched-Chain Amino Acids Are Not Degraded in the Liver	651		
BOX 18-2 MMA: Sometimes More than a Genetic Disease	653		
Asparagine and Aspartate Are Degraded to Oxaloacetate	653		
19 Oxidative Phosphorylation	659		
19.1 The Mitochondrial Respiratory Chain	660		
Electrons Are Funneled to Universal Electron Acceptors	661		
Electrons Pass through a Series of Membrane-Bound Carriers	662		
Electron Carriers Function in Multienzyme Complexes	665		
Mitochondrial Complexes Associate in Respirasomes	671		
Other Pathways Donate Electrons to the Respiratory Chain via Ubiquinone	671		
The Energy of Electron Transfer Is Efficiently Conserved in a Proton Gradient	672		
Reactive Oxygen Species Are Generated during Oxidative Phosphorylation	673		
19.2 ATP Synthesis	674		
In the Chemiosmotic Model, Oxidation and Phosphorylation Are Obligately Coupled	675		
ATP Synthase Has Two Functional Domains, F ₀ and F ₁	677		
ATP Is Stabilized Relative to ADP on the Surface of F ₁	677		
The Proton Gradient Drives the Release of ATP from the Enzyme Surface	678		
Each β Subunit of ATP Synthase Can Assume Three Different Conformations	678		
Rotational Catalysis Is Key to the Binding-Change Mechanism for ATP Synthesis	680		
Chemiosmotic Coupling Allows Nonintegral Stoichiometries of O ₂ Consumption and ATP Synthesis	682		
The Proton-Motive Force Energizes Active Transport	683		
Shuttle Systems Indirectly Convey Cytosolic NADH into Mitochondria for Oxidation	683		
BOX 19-1 Hot, Stinking Plants and Alternative Respiratory Pathways	685		
19.3 Regulation of Oxidative Phosphorylation	686		
Oxidative Phosphorylation Is Regulated by Cellular Energy Needs	687		
An Inhibitory Protein Prevents ATP Hydrolysis during Hypoxia	687		
Hypoxia Leads to ROS Production and Several Adaptive Responses	687		
ATP-Producing Pathways Are Coordinately Regulated	688		

19.4 Mitochondria in Thermogenesis, Steroid Synthesis, and Apoptosis 689

- Uncoupled Mitochondria in Brown Adipose Tissue Produce Heat 689
- Mitochondrial P-450 Monooxygenases Catalyze Steroid Hydroxylations 690
- Mitochondria Are Central to the Initiation of Apoptosis 691

19.5 Mitochondrial Genes: Their Origin and the Effects of Mutations 692

- Mitochondria Evolved from Endosymbiotic Bacteria 692
- Mutations in Mitochondrial DNA Accumulate throughout the Life of the Organism 693
- Some Mutations in Mitochondrial Genomes Cause Disease 694
- A Rare Form of Diabetes Results from Defects in the Mitochondria of Pancreatic β Cells 695

20 Photosynthesis and Carbohydrate Synthesis in Plants 700

20.1 Light Absorption 701

- Chloroplasts Are the Site of Light-Driven Electron Flow and Photosynthesis in Plants 701
- Chlorophylls Absorb Light Energy for Photosynthesis 704
- Chlorophylls Funnel Absorbed Energy to Reaction Centers by Exciton Transfer 705

20.2 Photochemical Reaction Centers 707

- Photosynthetic Bacteria Have Two Types of Reaction Center 707
- In Vascular Plants, Two Reaction Centers Act in Tandem 708
- The Cytochrome b_6f Complex Links Photosystems II and I, Conserving the Energy of Electron Transfer 712
- Cyclic Electron Transfer Allows Variation in the Ratio of ATP/NADPH Synthesized 713
- State Transitions Change the Distribution of LHClI between the Two Photosystems 713
- Water Is Split at the Oxygen-Evolving Center 714

20.3 Evolution of a Universal Mechanism for ATP Synthesis 716

- A Proton Gradient Couples Electron Flow and Phosphorylation 716
- The Approximate Stoichiometry of Photophosphorylation Has Been Established 716
- The ATP Synthase Structure And Mechanism Are Nearly Universal 717

20.4 CO₂-Assimilation Reactions 719

- Carbon Dioxide Assimilation Occurs in Three Stages 719
- Synthesis of Each Triose Phosphate from CO₂ Requires Six NADPH and Nine ATP 722
- A Transport System Exports Triose Phosphates from the Chloroplast and Imports Phosphate 724

- Four Enzymes of the Calvin Cycle Are Indirectly Activated by Light 725

20.5 Photorespiration and the C₄ and CAM Pathways 727

- Photorespiration Results from Rubisco's Oxygenase Activity 727
- Phosphoglycolate Is Salvaged in a Costly Set of Reactions in C₃ Plants 727
- In C₄ Plants, CO₂ Fixation and Rubisco Activity Are Spatially Separated 729

BOX 20-1 Will Genetic Engineering of Photosynthetic Organisms Increase Their Efficiency? 730

- In CAM Plants, CO₂ Capture and Rubisco Action Are Temporally Separated 732

20.6 Biosynthesis of Starch, Sucrose, and Cellulose 733

- ADP-Glucose Is the Substrate for Starch Synthesis in Plant Plastids and for Glycogen Synthesis in Bacteria 733
- UDP-Glucose Is the Substrate for Sucrose Synthesis in the Cytosol of Leaf Cells 733
- Conversion of Triose Phosphates to Sucrose and Starch Is Tightly Regulated 734
- The Glyoxylate Cycle and Gluconeogenesis Produce Glucose in Germinating Seeds 735
- Cellulose Is Synthesized by Supramolecular Structures in the Plasma Membrane 736
- Pools of Common Intermediates Link Pathways in Different Organelles 738

21 Lipid Biosynthesis 744

21.1 Biosynthesis of Fatty Acids and Eicosanoids 744

- Malonyl-CoA Is Formed from Acetyl-CoA and Bicarbonate 744
- Fatty Acid Synthesis Proceeds in a Repeating Reaction Sequence 745
- The Mammalian Fatty Acid Synthase Has Multiple Active Sites 747
- Fatty Acid Synthase Receives the Acetyl and Malonyl Groups 747
- The Fatty Acid Synthase Reactions Are Repeated to Form Palmitate 748
- Fatty Acid Synthesis Is a Cytosolic Process in Most Eukaryotes but Takes Place in the Chloroplasts in Plants 750
- Acetate Is Shuttled out of Mitochondria as Citrate 751
- Fatty Acid Biosynthesis Is Tightly Regulated 752
- Long-Chain Saturated Fatty Acids Are Synthesized from Palmitate 753
- Desaturation of Fatty Acids Requires a Mixed-Function Oxidase 754
- Eicosanoids Are Formed from 20- and 22-Carbon Polyunsaturated Fatty Acids 755
- BOX 21-1 Oxidases, Oxygenases, Cytochrome P-450 Enzymes, and Drug Overdoses 756**

21.2 Biosynthesis of Triacylglycerols 760

Triacylglycerols and Glycerophospholipids Are Synthesized from the Same Precursors	760
Triacylglycerol Biosynthesis in Animals Is Regulated by Hormones	760
Adipose Tissue Generates Glycerol 3-Phosphate by Glyceroneogenesis	762
Thiazolidinediones Treat Type 2 Diabetes by Increasing Glyceroneogenesis	763

21.3 Biosynthesis of Membrane Phospholipids 764

Cells Have Two Strategies for Attaching Phospholipid Head Groups	764
Pathways for Phospholipid Biosynthesis Are Interrelated	765
Eukaryotic Membrane Phospholipids Are Subject to Remodeling	767
Plasmalogen Synthesis Requires Formation of an Ether-Linked Fatty Alcohol	768
Sphingolipid and Glycerophospholipid Synthesis Share Precursors and Some Mechanisms	768
Polar Lipids Are Targeted to Specific Cellular Membranes	770

21.4 Cholesterol, Steroids, and Isoprenoids: Biosynthesis, Regulation, and Transport 771

Cholesterol Is Made from Acetyl-CoA in Four Stages	772
Cholesterol Has Several Fates	775
Cholesterol and Other Lipids Are Carried on Plasma Lipoproteins	777
HDL Carries Out Reverse Cholesterol Transport	780
Cholesteryl Esters Enter Cells by Receptor-Mediated Endocytosis	781
Cholesterol Synthesis and Transport Are Regulated at Several Levels	782
Dysregulation of Cholesterol Metabolism Can Lead to Cardiovascular Disease	784
Reverse Cholesterol Transport by HDL Counters Plaque Formation and Atherosclerosis	785
Steroid Hormones Are Formed by Side-Chain Cleavage and Oxidation of Cholesterol	785

BOX 21-2 The Lipid Hypothesis and the Development of Statins 786

Intermediates in Cholesterol Biosynthesis Have Many Alternative Fates	787
---	-----

22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules 794**22.1 Overview of Nitrogen Metabolism 795**

A Global Nitrogen Cycling Network Maintains a Pool of Biologically Available Nitrogen	795
Nitrogen Is Fixed by Enzymes of the Nitrogenase Complex	797

BOX 22-1 Unusual Lifestyles of the Obscure but Abundant 798

Ammonia Is Incorporated into Biomolecules through Glutamate and Glutamine	802
Glutamine Synthetase Is a Primary Regulatory Point in Nitrogen Metabolism	803
Several Classes of Reactions Play Special Roles in the Biosynthesis of Amino Acids and Nucleotides	804

22.2 Biosynthesis of Amino Acids 805

Organisms Vary Greatly in Their Ability to Synthesize the 20 Common Amino Acids	805
α -Ketoglutarate Gives Rise to Glutamate, Glutamine, Proline, and Arginine	806
Serine, Glycine, and Cysteine Are Derived from 3-Phosphoglycerate	806
Three Nonessential and Six Essential Amino Acids Are Synthesized from Oxaloacetate and Pyruvate	809
Chorismate Is a Key Intermediate in the Synthesis of Tryptophan, Phenylalanine, and Tyrosine	811
Histidine Biosynthesis Uses Precursors of Purine Biosynthesis	812
Amino Acid Biosynthesis Is under Allosteric Regulation	814

22.3 Molecules Derived from Amino Acids 817

Glycine Is a Precursor of Porphyrins	817
Heme Degradation Has Multiple Functions	817
BOX 22-2 On Kings and Vampires	819
Amino Acids Are Precursors of Creatine and Glutathione	819
D-Amino Acids Are Found Primarily in Bacteria	820
Aromatic Amino Acids Are Precursors of Many Plant Substances	820
Biological Amines Are Products of Amino Acid Decarboxylation	821
Arginine Is the Precursor for Biological Synthesis of Nitric Oxide	822

22.4 Biosynthesis and Degradation of Nucleotides 823

De Novo Purine Nucleotide Synthesis Begins with PRPP	825
Purine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	825
Pyrimidine Nucleotides Are Made from Aspartate, PRPP, and Carbamoyl Phosphate	827
Pyrimidine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	829
Nucleoside Monophosphates Are Converted to Nucleoside Triphosphates	829
Ribonucleotides Are the Precursors of Deoxyribonucleotides	829
Thymidylate Is Derived from dCDP and dUMP	833
Degradation of Purines and Pyrimidines Produces Uric Acid and Urea, Respectively	833
Purine and Pyrimidine Bases Are Recycled by Salvage Pathways	835
Excess Uric Acid Causes Gout	835
Many Chemotherapeutic Agents Target Enzymes in Nucleotide Biosynthetic Pathways	836

23 Hormonal Regulation and Integration of Mammalian Metabolism **841**

23.1 Hormone Structure and Action **842**

Hormones Act through Specific High-Affinity Cellular Receptors	842
Hormones Are Chemically Diverse	843
Some Hormones Are Released by a “Top-Down” Hierarchy of Neuronal and Hormonal Signals	845
“Bottom-Up” Hormonal Systems Send Signals Back to the Brain and to Other Tissues	846

23.2 Tissue-Specific Metabolism **848**

The Liver Processes and Distributes Nutrients	848
Adipose Tissues Store and Supply Fatty Acids	851
Brown and Beige Adipose Tissues Are Thermogenic	852
Muscles Use ATP for Mechanical Work	852
The Brain Uses Energy for Transmission of Electrical Impulses	855

BOX 23-1 Creatine and Creatine Kinase: Invaluable Diagnostic Aids and the Muscle Builder’s Friends	856
Blood Carries Oxygen, Metabolites, and Hormones	857

23.3 Hormonal Regulation of Fuel Metabolism **859**

Insulin Counters High Blood Glucose in the Well-Fed State	859
Pancreatic β Cells Secrete Insulin in Response to Changes in Blood Glucose	860
Glucagon Counters Low Blood Glucose During Fasting and Starvation, Metabolism Shifts to Provide Fuel for the Brain	863
Epinephrine Signals Impending Activity	864
Cortisol Signals Stress, Including Low Blood Glucose	865

23.4 Obesity and the Regulation of Body Mass **867**

Adipose Tissue Has Important Endocrine Functions	867
Leptin Stimulates Production of Anorexigenic Peptide Hormones	868
Leptin Triggers a Signaling Cascade That Regulates Gene Expression	869
Adiponectin Acts through AMPK to Increase Insulin Sensitivity	869
AMPK Coordinates Catabolism and Anabolism in Response to Metabolic Stress	869
The mTORC1 Pathway Coordinates Cell Growth with the Supply of Nutrients and Energy	871
Diet Regulates the Expression of Genes Central to Maintaining Body Mass	871
Short-Term Eating Behavior Is Influenced by Ghrelin, PYY ₃₋₃₆ , and Cannabinoids	872
Microbial Symbionts in the Gut Influence Energy Metabolism and Adipogenesis	874

23.5 Diabetes Mellitus **875**

Diabetes Mellitus Arises from Defects in Insulin Production or Action	875
BOX 23-2 The Arduous Path to Purified Insulin	876
Carboxylic Acids (Ketone Bodies) Accumulate in the Blood of Those with Untreated Diabetes	877
In Type 2 Diabetes the Tissues Become Insensitive to Insulin	877
Type 2 Diabetes Is Managed with Diet, Exercise, Medication, and Surgery	878

III INFORMATION PATHWAYS **883**

24 Genes and Chromosomes **885**

24.1 Chromosomal Elements **885**

Genes Are Segments of DNA That Code for Polypeptide Chains and RNAs	886
DNA Molecules Are Much Longer than the Cellular or Viral Packages That Contain Them	886
Eukaryotic Genes and Chromosomes Are Very Complex	889

24.2 DNA Supercoiling **891**

Most Cellular DNA Is Underwound	892
DNA Underwinding Is Defined by Topological Linking Number	893
Topoisomerases Catalyze Changes in the Linking Number of DNA	895
DNA Compaction Requires a Special Form of Supercoiling	896

24.3 The Structure of Chromosomes **898**

Chromatin Consists of DNA, Proteins, and RNA	898
Histones Are Small, Basic Proteins	899
Nucleosomes Are the Fundamental Organizational Units of Chromatin	900
Nucleosomes Are Packed into Highly Condensed Chromosome Structures	902

BOX 24-1 Epigenetics, Nucleosome Structure, and Histone Variants	904
---	-----

BOX 24-2 Curing Disease by Inhibiting Topoisomerases	906
---	-----

BOX 24-3 X Chromosome Inactivation by an lncRNA: Preventing Too Much of a Good (or Bad) Thing	907
--	-----

Condensed Chromosome Structures Are Maintained by SMC Proteins	908
Bacterial DNA Is Also Highly Organized	909

25 DNA Metabolism **914**

25.1 DNA Replication **915**

DNA Replication Follows a Set of Fundamental Rules	915
DNA Is Degraded by Nucleases	916
DNA Is Synthesized by DNA Polymerases	916
Replication Is Very Accurate	917
<i>E. coli</i> Has at Least Five DNA Polymerases	919

DNA Replication Requires Many Enzymes and Protein Factors	921	BOX 26-2 Alternative Splicing and Spinal Muscular Atrophy	981
Replication of the <i>E. coli</i> Chromosome Proceeds in Stages	922	Ribosomal RNAs and tRNAs Also Undergo Processing	983
Replication in Eukaryotic Cells Is Similar but More Complex	927	Special-Function RNAs Undergo Several Types of Processing	985
Viral DNA Polymerases Provide Targets for Antiviral Therapy	929	Cellular mRNAs Are Degraded at Different Rates	986
25.2 DNA Repair	930	26.3 RNA-Dependent Synthesis of RNA and DNA	988
Mutations Are Linked to Cancer	930	Reverse Transcriptase Produces DNA from Viral RNA	988
All Cells Have Multiple DNA Repair Systems	931	Some Retroviruses Cause Cancer and AIDS	990
BOX 25-1 DNA Repair and Cancer	932	Many Transposons, Retroviruses, and Introns May Have a Common Evolutionary Origin	991
The Interaction of Replication Forks with DNA Damage Can Lead to Error-Prone Translesion DNA Synthesis	938	BOX 26-3 Fighting AIDS with Inhibitors of HIV Reverse Transcriptase	991
25.3 DNA Recombination	940	Telomerase Is a Specialized Reverse Transcriptase	993
Bacterial Homologous Recombination Is a DNA Repair Function	941	Some RNAs Are Replicated by RNA-Dependent RNA Polymerase	993
Eukaryotic Homologous Recombination Is Required for Proper Chromosome Segregation during Meiosis	944	RNA-Dependent RNA Polymerases Share a Common Structural Fold	995
BOX 25-2 Why Proper Segregation of Chromosomes Matters	946	26.4 Catalytic RNAs and the RNA World Hypothesis	995
Some Double-Strand Breaks Are Repaired by Nonhomologous End Joining	948	Ribozymes Share Features with Protein Enzymes	996
BOX 25-3 How a DNA Strand Break Gets Attention	948	Ribozymes Participate in a Variety of Biological Processes	997
Site-Specific Recombination Results in Precise DNA Rearrangements	950	Ribozymes Provide Clues to the Origin of Life in an RNA World	998
Transposable Genetic Elements Move from One Location to Another	951	BOX 26-4 The SELEX Method for Generating RNA Polymers with New Functions	1000
Immunoglobulin Genes Assemble by Recombination	953	27 Protein Metabolism	1005
26 RNA Metabolism	960	27.1 The Genetic Code	1006
26.1 DNA-Dependent Synthesis of RNA	961	The Genetic Code Was Cracked Using Artificial mRNA Templates	1007
RNA Is Synthesized by RNA Polymerases	961	BOX 27-1 Exceptions That Prove the Rule: Natural Variations in the Genetic Code	1010
RNA Synthesis Begins at Promoters	963	Wobble Allows Some tRNAs to Recognize More than One Codon	1010
BOX 26-1 RNA Polymerase Leaves Its Footprint on a Promoter	965	The Genetic Code Is Mutation-Resistant	1012
Transcription Is Regulated at Several Levels	966	Translational Frameshifting Affects How the Code Is Read	1013
Specific Sequences Signal Termination of RNA Synthesis	967	Some mRNAs Are Edited before Translation	1013
Eukaryotic Cells Have Three Kinds of Nuclear RNA Polymerases	967	27.2 Protein Synthesis	1015
RNA Polymerase II Requires Many Other Protein Factors for Its Activity	968	The Ribosome Is a Complex Supramolecular Machine	1015
RNA Polymerases Are Drug Targets	971	Transfer RNAs Have Characteristic Structural Features	1018
26.2 RNA Processing	972	Stage 1: Aminoacyl-tRNA Synthetases Attach the Correct Amino Acids to Their tRNAs	1020
Eukaryotic mRNAs Are Capped at the 5' End	974	Stage 2: A Specific Amino Acid Initiates Protein Synthesis	1023
Both Introns and Exons Are Transcribed from DNA into RNA	975	BOX 27-2 Natural and Unnatural Expansion of the Genetic Code	1025
RNA Catalyzes the Splicing of Introns	975		
In Eukaryotes the Spliceosome Carries out Nuclear pre-mRNA Splicing	977		
Proteins Catalyze Splicing of tRNAs	980		
Eukaryotic mRNAs Have a Distinctive 3' End Structure	980		
A Gene Can Give Rise to Multiple Products by Differential RNA Processing	981		

Stage 3: Peptide Bonds Are Formed in the Elongation Stage	1030	Most Eukaryotic Promoters Are Positively Regulated	1077
BOX 27-3 Ribosome Pausing, Arrest, and Rescue	1033	DNA-Binding Activators and Coactivators Facilitate Assembly of the Basal Transcription Factors	1077
Stage 4: Termination of Polypeptide Synthesis Requires a Special Signal	1035	The Genes of Galactose Metabolism in Yeast Are Subject to Both Positive and Negative Regulation	1081
Stage 5: Newly Synthesized Polypeptide Chains Undergo Folding and Processing	1036	Transcription Activators Have a Modular Structure	1081
Protein Synthesis Is Inhibited by Many Antibiotics and Toxins	1039	Eukaryotic Gene Expression Can Be Regulated by Intercellular and Intracellular Signals	1083
27.3 Protein Targeting and Degradation	1041	Regulation Can Result from Phosphorylation of Nuclear Transcription Factors	1084
Posttranslational Modification of Many Eukaryotic Proteins Begins in the Endoplasmic Reticulum	1041	Many Eukaryotic mRNAs Are Subject to Translational Repression	1084
Glycosylation Plays a Key Role in Protein Targeting	1042	Posttranscriptional Gene Silencing Is Mediated by RNA Interference	1085
Signal Sequences for Nuclear Transport Are Not Cleaved	1045	RNA-Mediated Regulation of Gene Expression Takes Many Forms in Eukaryotes	1086
Bacteria Also Use Signal Sequences for Protein Targeting	1046	Development Is Controlled by Cascades of Regulatory Proteins	1087
Cells Import Proteins by Receptor-Mediated Endocytosis	1046	Stem Cells Have Developmental Potential That Can Be Controlled	1089
Protein Degradation Is Mediated by Specialized Systems in All Cells	1048	BOX 28-1 Of Fins, Wings, Beaks, and Things	1092
28 Regulation of Gene Expression	1054	Abbreviated Solutions to Problems	AS-1
28.1 The Proteins and RNAs of Gene Regulation	1055	Glossary	G-1
RNA Polymerase Binds to DNA at Promoters	1055	Index	I-1
Transcription Initiation Is Regulated by Proteins and RNAs	1056	Resources	R-1
Many Bacterial Genes Are Clustered and Regulated in Operons	1058		
The <i>lac</i> Operon Is Subject to Negative Regulation	1058		
Regulatory Proteins Have Discrete DNA-Binding Domains	1060		
Regulatory Proteins Also Have Protein-Protein Interaction Domains	1063		
28.2 Regulation of Gene Expression in Bacteria	1065		
The <i>lac</i> Operon Undergoes Positive Regulation	1066		
Many Genes for Amino Acid Biosynthetic Enzymes Are Regulated by Transcription Attenuation	1067		
Induction of the SOS Response Requires Destruction of Repressor Proteins	1068		
Synthesis of Ribosomal Proteins Is Coordinated with rRNA Synthesis	1070		
The Function of Some mRNAs Is Regulated by Small RNAs in Cis or in Trans	1071		
Some Genes Are Regulated by Genetic Recombination	1073		
28.3 Regulation of Gene Expression in Eukaryotes	1075		
Transcriptionally Active Chromatin Is Structurally Distinct from Inactive Chromatin	1075		