

Table of contents

Preface	1
Presidential Address	
B. Rosický	3
Acarology - A Modern Science	
J. C. Conroy	5
Acarology and Environment	
B. Rosický	17
SYMPOSIA	
1. Evolutionary ecology of dispersal in mites	
1.1. Ecology and evolution of phoresy in mites	
F. Aghas-Binche	27
2. Pheromonal communication of mites and ticks	
2.1. Pheromone study on astigmatid mites - alarm, aggregation and sex	
Y. Kwahara	43
2.2. Pheromone sensory subsystem in ticks: Correlation between structure of sensilla and evolution of behaviour	
S.A. Leonovich, F. Dusbábek	53
2.3. Artificial assembly pheromone of argasid ticks (Ixodoidea: Argasidae)	
F. Dusbábek, A. Jegorov, P. Šimek	59
2.4. Mounting sex pheromone: Its role in regulation of mate recognition in the Ixodidae	
D.E. Sonenshine, J.G. Hamilton, J.S. Phillips, W.J. Lusby	69
2.5. Field studies on the aggregation-attachment pheromones of <i>Amblyomma</i> sp., vectors of human and animal rickettsioses, in Zimbabwe	
C.E. Yunker, R.A.I. Norval	79
3. Host immunoresistance to ticks	
3.1. Immunologically mediated control of ixodid ticks: An overview	
J.R. Allen	83
3.2. Immunology of feeding of adult argasid ticks on birds	
F. Dusbábek, L. Grubhoffer, P. Kohnová	89

3.3.	Rabbit vaccination with <i>Rhipicephalus appendiculatus</i> (Acari: Ixodidae) immunogens bound to nitrocellulose B. Rutti, R. Lienhard, M. Brossard	95
3.4.	Towards the development of a commercial vaccine against <i>Boophilus microplus</i> P. Willadsen, D.H. Kemp, G. Cobon	103
4.	Lyme disease	
4.1.	A hypothesis for the palaeogenesis of the distribution of the main vectors for Lyme disease N.A. Filippova	109
4.2.	Tick <i>Ixodes persulcatus</i> Schulze, 1930 as a vector of <i>Borrelia burgdorferi</i> E.I. Korenberg, Yu.V. Kovalevsky, V.N. Kryuchevnikov, N.B. Gorelova	119
4.3.	Isolation of Lyme borreliosis spirochetes from tick vectors and feral rodents in Japan K. Miyamoto, M. Nakao, N. Sato, M. Mori	125
5.	Mites in biological and integrated control of pests in agriculture	
5.1.	A synopsis of classical biological control of mites in agriculture J.S. Yaninek, G.J. de Moraes	133
5.2.	Augmentative releases to control mites in agriculture J.A. McMurtry	151
5.3.	Using native phytoseiids in agricultural cropping systems S. Ragusa di Chiara	159
5.4.	Natural enemy-spider mite interactions: Comments on implications for population assessment L.T. Wilson, P.J. Trichilo, D.L. Flaherty, R. Hanna, A. Corbett	167
5.5.	Genetic improvement of phytoseiids: In theory and practice M.A. Hoy	175
6.	Environmental acarology	
6.1.	H. Hoogstraal, one of the founding fathers of environmental acarology B. Rosický	185
6.2.	Using satellite data to forecast the occurrence of the common tick <i>Ixodes ricinus</i> (L.) M. Daniel, J. Kolář	191
6.3.	Influence of a landscape devastated by industrial activities on the occurrence of ticks in Czechoslovakia V. Černý	197
6.4.	Influence of the refuse dump biotopes on ecology of some gamasoid mites and ticks M. Kohn	199

6.5.	<i>Typhlodromus pyri</i> Scheuten, 1857 (Acari: Phytoseiidae), a unique predator for biological control of phytophagous mites in Czechoslovakia	
	M. Zacharda	205
6.6.	Stored product acarology	
	E. Žďárková	211
7.	Tropical acarology	
7.1.	Current approach to control of African ticks on livestock at ICIPE, Kenya	
	O.O. Dipeolu	219
7.2.	Heartwater disease of ruminants in Zimbabwe: Current research and prospects for control	
	C.E. Yunker, R.A.I. Norval	229
7.3.	<i>Theileria sergenti</i> cannot be regarded as the same species as <i>T. buffeli</i> and <i>T. orientalis</i> because of its transmissibility only by <i>Kaiseriana</i> ticks	
	K. Fujisaki, T. Kamio, S. Kawazu	233
7.4.	The development and survival of <i>Amblyomma variegatum</i> Fabricius (Acari: Ixodidae) under quasi-natural conditions in Zambia	
	E.T. Mwase, R.G. Pegram, M.G.R. Varma	239
8.	Theoretical questions of natural focality of tick and mite borne diseases	
8.1.	The concept of specific vector	
	V.N. Kryuchevnikov	245
8.2.	Comparative considerations on the epidemiology of Lyme borreliosis and tick-borne encephalitis in Switzerland	
	L. Gern, F. de Marval, A. Aeschlimann	249
8.3.	Biogeographic indication of natural foci of tick-borne infections	
	Z. Hubálek	255
9.	Status of pathogenic sarcoptic and demodectic mites	
9.1.	Origin, variability and adaptability of <i>Sarcoptes scabiei</i>	
	A. Fain	261
9.2.	Biology and immunology of <i>Sarcoptes scabiei</i>	
	J.R.H. Andrews, L.G. Arlian	267
9.3.	The digestive system of <i>Sarcoptes scabiei</i> (L.): Light and electron microscope study	
	C.E. Desch, J.R.H. Andrews, L.G. Arlian	271
9.4.	Epidemiology of scabies (<i>Sarcoptes scabiei</i>)	
	J.R.H. Andrews	281
9.5.	Control and prevention of scabies	
	E. Kutzer	287

9.6.	Structural reduction and topological retrieval: Problems in taxonomy of Demodecidae	
	V. Bukva	293
9.7.	Epidemiological studies of <i>Demodex</i> spp. (Acariformes: Demodecidae)	
	H.G. Sengbusch	301
9.8.	Demodecosis, treatment and prevention	
	W.B. Nutting	309
10.	Cell and molecular biology of Acari	
10.1.	Hemolymph and egg yolk proteins in <i>Dermacentor variabilis</i>: Preliminary results	
	R. Rosell, L.B. Coons	319
10.2.	Generation of a cDNA library for tick vitellogenin: Screening a cDNA library that recognize <i>Dermacentor variabilis</i> (Acari: Ixodidae) vitellogenin	
	W.J. Lamoreaux, L.B. Coons	325
10.3.	Protective responses of Ixodoidea hemocytes	
	V.N. Kryuchevnikov	331
10.4.	Evidence that a 90 kDA tick salivary gland polypeptide is a cement component	
	D.C. Jaworski, R. Rosell, L.B. Coons, G.R. Needham	335
10.5.	Gut cells of the tick <i>Boophilus microplus</i>: The effects of vaccination on digest cells and experiments on blood meal absorption by these cells	
	S.E. Hamilton, D.H. Kemp, R.V. McKenna, P. Willadsen	341

SECTIONS

11.	Biological role of mites in soil	
11.1.	Acari colonization of <i>Quercus suber</i> and <i>Eucalyptus globulus</i> litter	
	F. Serralheiro, M. Madeira	353
11.2.	Oribatid communities in transects from bogs to forests in Berlin indicating the biotope qualities	
	G. Weigmann	359
11.3.	Oribatei and Mesostigmata of pine forests from Poland	
	Z.A. Sylwestrowicz, D.B. Kostecka	365
11.4.	A five year study on the secondary succession of Gamasina on a ruderal site: The influence of recultivation	
	H.H. Kochler	373
11.5.	Development of the oribatid fauna in several reafforested areas of Navarra (Northern Spain)	
	A.I. Moreno	385

11.6.	Small mammals as carriers of non-parasitic mites (Oribatida, Uropodina)	
	L. Miko, M. Stanko	395
11.7.	Effects of agricultural impact on soil inhabiting oribatid (Acari: Oribatida) communities	
	A. Adán, E. Viñuela, J. Jacas	403
11.8.	Potential of <i>Meristacarus degradatus</i> and <i>Xylobates rhomboides</i> (Acari: Oribatei) in the degradation of higher plant materials	
	N. Ramani, M.A. Haq	411
11.9.	Alpine oribatid mites and plant decomposition: Feeding and faeces production	
	P. Reutimann	417
11.10.	Fungal diet as an influencing factor in the development of a galumnoid mite (Acari: Oribatei)	
	K. Sumangala, M.A. Haq	423
11.11.	Accumulation of heavy metals in two oribatid mites	
	M. Ludwig, M. Kratzmann, G. Alberti	431
11.12.	Use of Acari in establishing a postmortem interval in a homicide case on the Island of Oahu, Hawaii	
	M.L. Goff	439
11.13.	Studies on deep litter mites on farms in Mexico	
	M.T. Quintero, H.A. Acevedo	443
12.	Water mites as the indicators of environmental pollution	
12.1.	Water mites in the plankton of Hubenov Reservoir and their relations to fish stock composition	
	P. Punčochář, J. Hrbáček	449
12.2.	The taxonomy of water mite larvae in last two decades (Acarina: Hydracarina)	
	V. Prasad	459
12.3.	Sensitivity of water mites to water pollution	
	B. Cicolani, A. Di Sabatino	465
12.4.	Water mites (Hydracarina) as indicators of trophy and pollution in lakes	
	E. Biesiadka, W. Kowalik	475
12.5.	Water quality and water mites (Acari, Actinedida) in the upper Danube region, 1959-1984	
	R. Gerecke, J. Schwoerbel	483
12.6.	Water mite larvae parasitic on insects - a study of larval structures and host relationships	
	R.A. Baker, S. Brett, N. Morley	493

12.7.	Water mites: The impact of larvae and adults on their host and prey populations	
	C. Davids	497
12.8.	A preliminary assessment of single rocks for sampling water mites	
	A.G.-Valdecasas, A. Baltanás, E. Bello	503
13.	Mites as pests of plants	
13.1.	The mites of agricultural importance in India with remarks on their economic status	
	S.K. Gupta	509
13.2.	A study on mites associated with bark and twigs of various trees in Attica (Greece)	
	N.G. Emmanouel, H. Panou	523
13.3.	Observations on <i>Aculus schlechtendali</i> (Nal.) (Acari: Eriophyidae) in apple orchards in Western Norway	
	T. Solhøy, E. Dybwad, K. Hesjedal, M. Hossain, B. Hovland	533
13.4.	<i>Larvacarus transitans</i> , a serious pest of <i>Ziziphus</i> in India	
	A. Sharma	539
13.5.	Resistance of melon to the carmine spider mite, <i>Tetranychus cinnabarinus</i> (Boisduval) (Acari: Tetranychidae) and evaluation of antibiosis for selected lines	
	F. Mansour, Z. Karchi	543
13.6.	Some factors affecting the distribution of <i>Brevipalpus californicus</i> (Banks) on citrus trees	
	M.E. El-Halawany	555
13.7.	Ecology of <i>Oligonychus indicus</i> (Acarina: Tetranychidae) infesting coconut in South Gujarat, India	
	A.B. Rai, R.C. Jhala, C.B. Patel, V.J. Patel, K.G. Patel, A.H. Shah	559
13.8.	The distribution of phytoseiid species (Acari: Phytoseiidae) in important apple growing areas of Turkey	
	S. Çobanoğlu	565
13.9.	Studies on okra mite <i>Tetranychus macfarlanei</i> (Acari: Tetranychidae) and its chemical control	
	A.B. Rai, A.S. Sejalía, C.B. Patel, A.H. Shah	571
13.10.	Biological studies of citrus mite, <i>Eutetranychus orientalis</i> (Klein) (Acari: Tetranychidae) under field conditions in West Bengal, India	
	T.K. Das, S.K. Gupta	581
13.11.	Susceptibility of Soltani and Adsi fig varieties trees to the infestation with <i>Eriophyes ficus</i> Cotte and <i>Tetranychus urticae</i> Koch	
	G.A. Ibrahim, M.E. El-Halawany, M.A. Abdel-Samed	589

13.12. Does a vascular wilt fungus induce a defense in tomato affecting reproduction of two-spotted spider mites? P.H.J. Jongebloed, D.M. Elgersma, M.W. Sabelis	595
13.13. The effects of apple rust mite, <i>Aculus schlechtendali</i> , on the apple tree and its fruit M.A. Easterbrook	601
13.14. Phenolics in tomato leaves infested by carmine spider mite (<i>Tetranychus cinnabarinus</i> Boisduval) M. Kielkiewicz	603
14. Mites as pests of stored products	
14.1. Application of the bio-preparation "Cheyletin" in empty stores E. Žďárková	607
14.2. Mites of fermented liquid foods in Mexico M.T. Quintero, H.A. Acevedo	611
14.3. Stored products mites (Acaroidea) in Polish bee hives W. Chmielewski	615
14.4. A comparison between house dust mite populations in homes of patients with atopic dermatitis and healthy non-atopics M.J. Colloff	621
15. Mites and ticks as parasites of humans and animals	
15.1. Host parasite relationships and distribution of larval Trombiculidae of the Philippine Islands W.A. Brown	627
15.2. Data on <i>Acarapis woodi</i> in bees from Southeastern Mexico G. Otero-Colina, C. Romero-Vera, D. Rodríguez-Báez, M.T. Pérez-Lozada	633
Index of Authors	637
Index of Genera and Species	639