

Contents

Acknowledgements	9
1 INTRODUCTION	11
2 CHEMICAL MICRO-INHOMOGENEITY OF THE DUCTILE IRON MATRIX	13
2.1 Eutectic solidification of ductile iron	13
2.2 Segregation of alloying elements during ductile iron solidification	16
2.3 Evaluation of chemical micro-inhomogeneity of the ductile iron matrix	17
2.4 Chemical micro-inhomogeneity of the low-alloy ductile iron matrix	22
References in Chapters 1 and 2	25
3 THE BAINITIC TRANSFORMATION	27
3.1 Definition and structure of bainite	27
3.2 The structure of bainite in Fe-C-Si alloys	29
3.2.1 Distribution and spatial shape of bainitic ferrite particles in ductile iron	29
3.2.2 Morphology of upper and lower bainite	31
3.2.3 Substructure of upper and lower bainite	34
3.2.4 Origin of carbides in upper and lower bainite	37
3.2.5 Structure of intercellular regions in the bainitic matrix of ductile iron	43
3.3 Kinetics of bainitic transformation	44
3.3.1 Transformation diagrams	45
3.3.2 Kinetics of the growth of bainitic ferrite particles	57
3.4 Discussion of results	63
References in Chapter 3	67

4 EFFECT OF AUSTEMPERING CONDITIONS AND CHEMICAL COMPOSITION ON THE MECHANICAL PROPERTIES OF DUCTILE IRON	73
4.1 Unalloyed austempered ductile iron	74
4.1.1 Effect of austempering temperature	74
4.1.2 Effect of austempering time	80
4.2 Low-alloy austempered ductile iron	85
4.2.1 Effect of austempering temperature	86
4.2.2 Effect of austempering time	87
4.2.3 Mechanical characteristics and their relationships	104
4.3 Discussion of results	113
4.3.1 Changes in the structure and mechanical properties during isothermal bainitic transformation in ductile irons	113
4.3.2 Chemical composition, structure and mechanical properties of austempered ductile irons	123
4.3.3 Mechanical properties of ductile irons with various matrix structures	126
References in Chapter 4	127
5 "AUSTEMPERABILITY" OF DUCTILE IRON	130
5.1 Methods of determining hardenability and austemperability	131
5.2 Effective cooling rate and cooling time	132
5.2.1 Experimental determination of effective cooling rate and cooling time	133
5.2.2 Regression equations used to determine the cooling rate or time	134
5.3 Critical cooling rate, critical bar diameter	137
5.3.1 Effects of chemical composition of ductile iron and of isothermal bainitic transformation temperature on critical cooling rate	137
5.3.2 Experimental methods used to determine critical cooling rate and critical bar diameter	140
5.3.3 Experimental-calculation methods for determining critical cooling rate and critical bar diameter	143
5.4 Concluding remarks	154
References in Chapter 5	155
6 MECHANICAL STRESSING OF AUSTEMPERED DUCTILE IRON	158
6.1 Deformation and fracture behaviour of ductile iron under static loading at room temperature	159
6.1.1 Effect of graphite in the ductile iron matrix	159

6.1.2 Mechanical stability of retained austenite in austempered structures	162
6.2 Deformation and fracture behaviour of austempered ductile iron under static loading at low temperatures	170
6.2.1 Transition fracture behaviour	170
6.3 Impact properties of austempered ductile iron	182
6.4 Fracture toughness of austempered ductile iron	185
6.5 Fatigue strength of austempered ductile iron	193
6.5.1 High-cycle fatigue properties of austempered ductile iron	193
6.5.2 Contact-fatigue properties	198
6.6 Wear resistance of austempered ductile iron	203
References in Chapter 6	206
7 TECHNOLOGICAL ASPECTS OF AUSTEMPERING	210
8 PRACTICAL APPLICATIONS OF AUSTEMPERED DUCTILE IRON	214
References in Chapters 7 and 8	217
9 SUMMARY	220
Index	223
Appendix of illustrations	