

Contents

List of text figures	6
List of plates	9
List of colour plates	10
List of tables	10
Acknowledgements	11
Chapter 1. Introduction	13
Chapter 2. The excavations of 1992-95	18
Introduction	
The excavation by season	
The excavation by trench	
Sonda 12B: <i>Area south-east of Objekt 64</i>	
<i>Objekt 64</i>	
<i>Postholes between Objekt 64 and Palisade trench 606</i>	
<i>The palisade trench and adjacent features</i>	
<i>Ditch 612</i>	
Sonda 12C: <i>Area north-east of the palisade trench</i>	
<i>Ditch circuits G and H (Red Ditch)</i>	
<i>Sonda 19</i>	
<i>Sonda 12B</i>	
<i>Sonda 27</i>	
<i>Interpretation of the Red Ditch excavations</i>	
Sonda 12 outside the Red Ditch (S.12B/E)	
Sonda 34	
Sonda 35 (Orchard trench)	
Chapter 3. Geophysical surveys of 1992 and 1993	51
Orchard	
Lower field	
Interpretation	
Chapter 4. The finds, by Radka Šumberová and Anthony Harding	53
Procedures	
Pottery	
Ceramic objects other than pottery	
Worked bone	
Copper alloy	
Stone and flint	
Industrial residues	
Amber	
Daub	
Chapter 5. Dating, phasing and stratigraphy	79
The affinities of the Velim finds	
Analagous sites	
Stratigraphic indications	
Absolute chronology	
Conclusion	
Chapter 6. The human remains, by Christopher J. Knüsel	85

Chapter 7. The animal bones from Velim-Skalka (British excavations 1992-95): a palaeoeconomic report, by Alan K. Outram and Stephanie Knight	90
Chapter 8. A comparison of human and animal deposition at Velim-Skalka through an integrated approach, by Christopher Knüsel, Alan Outram and Stephanie Knight	97
Chapter 9. Carbonised plant macrofossils from Velim-Skalka: preliminary observations, by Carol Palmer	137
Chapter 10. Interpretation and discussion	144
The form of the site	
The evidence for defence and attack	
The evidence for domestic activity	
Cult and ritual	
Analogies	
Conclusions	
Chapter 11. Velim and its territory in the Bronze Age, by Radka Šumberová	154
Chapter 12. The wider scene	158
Defence and the development of Bronze Age warfare	
Identifying cult	
Velim and the transition to the Urnfield cultures	
Final words: what next for Velim?	
Appendices	161
1. Particle size analysis of samples from Velim, by Robert S. Shiel	
2. Radiocarbon dates	
Bibliography	163

List of Figures

- Fig. 1.1. Location map showing the position of Kolín in central Europe
 Fig. 1.2. Location map for Velim in east-central Bohemia
 Fig. 1.3. Skalka hill showing excavation and survey areas discussed in this report
- Fig. 2.1. Position of trenches (Sondy) within the excavated area of Velim-Skalka
 Fig. 2.2. Sonda 12B, general plan
 Fig. 2.3. Sonda 12B, south-western end
 Fig. 2.4. Sonda 12B, Objekt 64, south-west facing section at upper excavation level
 Fig. 2.5. Sonda 12B, plan of Objekt 64 (north and south pits)
 Fig. 2.6. Sonda 12B, Objekt 64, south pit showing child skeletons and pottery scatter
 Fig. 2.7. Sonda 12B, Objekt 64, south pit, north-facing section
 Fig. 2.8. Sonda 12B, Objekt 64, north pit, sections across pit: a) south-west facing; b) north-west facing
 Fig. 2.9. Sonda 12B, Objekt 64, north pit, plan during excavation
 Fig. 2.10. Sonda 12B, Objekt 64, north pit, plan at a later stage of excavation
 Fig. 2.11. Sonda 12B, central area, plan showing pits and post-holes between Objekt 64 and Ditch 612
 Fig. 2.12. Sections of pits and post-holes shown in Fig. 2.11
 Fig. 2.13. Sonda 12B, central area, plan at a lower level than Fig. 2.11, showing pits and post-holes
 Fig. 2.14. Sections of pits and post-holes shown in Fig. 2.13
 Fig. 2.15. Sonda 12B, central area, plan of palisade trench 606 showing location of section trenches
 Fig. 2.16. Sonda 12B, central area, plan of palisade trench 606 showing location of section trenches
 Fig. 2.17. Sonda 12B, palisade trench 606 and adjacent features
 Fig. 2.18. Sections through palisade trench 606
 Fig. 2.19. Ditch 612 and palisade trench 606, north-east facing section
 Fig. 2.20. Ditch 612 and palisade trench 606, south-west facing section
 Fig. 2.21. Ditch 612 and palisade trench 606, south-west facing section
 Fig. 2.22. Ditch 612 and palisade trench 606, north-east facing section

- Fig. 2.23. Ditch 612, north-facing section
 Fig. 2.24. Ditch 612, plan in trenches A and G
 Fig. 2.25, a-b. Ditch 612, terminal in trench D at two stages of excavation
 Fig. 2.26. Sonda 12C, overall plan
 Fig. 2.27. Sonda 12C, south-eastern part
 Fig. 2.28. Sonda 12C, plan and sections of features in south-eastern part of trench
 Fig. 2.29. Sonda 12C, plan and section of context 2024
 Fig. 2.30. Sonda 12C, north-western area
 Fig. 2.31. Sonda 12C, features in the north-western area
 Fig. 2.32. Sonda 12C, palisade trench 2502 before excavation, showing location of sections
 Fig. 2.33. Sonda 12C, palisade trench 2502 after excavation
 Fig. 2.34, a-j. Sections through post-holes in palisade trench 2502
 Fig. 2.35. Sonda 12C, north-western area showing location of section trenches
 Figs. 2.36 – 2.39 Sonda 12C, north-western area, trench A, plans at successive stages of excavation
 Fig. 2.40, a-b. Sonda 12C, trench A, sections through ditch 2560. A: south-west facing; B: north-east facing
 Fig. 2.41 – 2.42. Sonda 12C, north-western area, trench B, plans at successive stages of excavation
 Fig. 2.43. Sonda 12C, trench B, sections through ditch 2616. Upper: north-east facing; lower: south-west facing
 Fig. 2.44. Sonda 12C, trench B, bone deposit in trench B
 Fig. 2.45. Sonda 12C, north-western area, trenches C and D
 Fig. 2.46. Sonda 12C, trenches C and D, sections of partially excavated ditch
 Fig. 2.47. Sonda 19, plan showing Ditch circuits G (45) and H (45A) (the “Red Ditch”)
 Fig. 2.48. Sonda 19, north-facing section
 Fig. 2.49. Sonda 19, bone deposit on bottom of outer ditch (H / 45A)
 Fig. 2.50. Sonda 12B, Řez 5, north-east facing section
 Fig. 2.51. Sonda 12B, Red Ditch section, plan
 Fig. 2.52. Sonda 12B, Red Ditch section, north-facing section
 Fig. 2.53. Sonda 27, Řez 1, south-facing section
 Fig. 2.54. Sonda 12B/C, plan
 Fig. 2.55. Sonda 12E, plan
 Figs 2.56 – 2.57. Sonda 12E, pit sections
 Fig. 2.58. Sonda 34, plan
 Fig. 2.59. Sonda 34, pit sections
 Fig. 2.60. Sonda 34, north-western area, plan
 Fig. 2.61. Sonda 34, ditch 4026, east-facing section
 Fig. 2.62. Sonda 34, pit 4028, south-facing section
- Fig. 3.1. Velim-Skalka, geophysical survey area in orchard
 Fig. 3.2. Velim-Dolní Nouzov, geophysical survey area
- Fig. 4.1. Finds categories in percent
 Fig. 4.2. Sherd numbers by fabric
 Fig. 4.3. Sherd weight by fabric
 Fig. 4.4. Average sherd weight by fabric
 Fig. 4.5. Fabric group percentage representation
 Fig. 4.6. Average sherd weight by fabric group
 Fig. 4.7. Numbers of rim types by fabric group
 Fig. 4.8. Numbers of base types by fabric group
 Fig. 4.9. Numbers of handle and knob types by fabric group
 Fig. 4.10. Numbers of decorative elements by fabric group
 Fig. 4.11. Percentage representation of vessel parts
 Fig. 4.12. Numbers of individual vessel elements
 Fig. 4.13. Rim numbers by type
 Fig. 4.14. Rim types
 Fig. 4.15. Handle and knob numbers by type
 Fig. 4.16. Handle and base types
 Fig. 4.17. Base numbers by type
 Fig. 4.18. Decorative element numbers by type
 Fig. 4.19. Decorative element types 1-7
 Fig. 4.20. Decorative element types 8-23
 Fig. 4.21. Vessel forms: jugs, cups, biconical vessels and amphorae

Fig. 4.22. Vessel forms: jars, bowls and other forms

Fig. 4.23. Pot forms from Objekt 64 North pit, in stratigraphical order

Fig. 4.24. Pot forms from Ditch 612, in stratigraphical order

Fig. 5.1. Probability distributions for radiocarbon dates from Velim-Skalka

Fig. 6.1. Distal condylar surface of a human femur bearing evidence of osteoarthritic change

Fig. 6.2. Cattle femoral caput with eburnation indicative of osteoarthritis

Fig. 6.3. Frontal bone from a child exhibiting a thickened diploë layer indicative of iron deficiency anaemia

Fig. 6.4. Human frontal with osteomata (benign tumours)

Fig. 6.5. New bone formation on the visceral surface of a pig rib

Fig. 6.6. New bone formation on the visceral surface of a cattle rib

Fig. 6.7. Kostra 41, a 5 to 6-year-old child *in situ*

Fig. 6.8. Kostra 46, a three to six-month old infant *in situ*

Fig. 6.9. Kostra 48, the articulated remains of an adult and individual 47a, a 6 to 8 year-old child *in situ*

Fig. 6.10. Close-up of Fig. 6.9 showing the flexed lower limbs of Kostra 47a in a squatting position

Fig. 7.1. Proportions of species, as quantified by NISP and MAU, for all contexts.

Fig. 7.2. A comparison of proportions of the four main species, as quantified by NISP, between Objekts 64, 45, 612.

Fig. 7.3. Element abundance, as quantified by MAU, for all contexts and species.

Fig. 7.4. % survival of cattle by fusion stage (N=404)

Fig. 7.5. % survival of ovicaprids by fusion stage (N=157)

Fig. 7.6. % survival of pigs by fusion stage (N=175)

Fig. 8.1. An example of Dobney and Rielly's (1988) bone zonation for the *os coxae* and its adapted human form

Fig. 8.2. Human element representation at Velim-Skalka

Fig. 8.3. Graph of composition (Human versus Animal NISP)

Fig. 8.4. Graph of the proportions of the five main animal species (by NISP)

Fig. 8.5. Pie chart showing the distribution of human bone by feature (numbers indicate NISP by feature and percentage of NISP for the whole human bone assemblage)

Fig. 8.6. Graph of human part representation and % completeness

Fig. 8.7. Graph of all animal part representation and % completeness

Fig. 8.8. Graph of cattle part representation and % completeness

Fig. 8.9. Graph of ovicaprid part representation and % completeness

Fig. 8.10. Graph of pig part representation and % completeness

Fig. 8.11. Graph of horse part representation and % completeness

Fig. 8.12. Graph comparing proportions butchered, all species

Fig. 8.13. Graph of proportions of butchery type

Fig. 8.14. Diagram of human trauma

Fig. 8.15. Human rib with two parallel cutmarks

Fig. 8.16. Scanning electron micrograph x 10 of the human rib cutmarks depicted in Fig. 8.15

Fig. 8.17. Scanning electron micrograph x 50 of the human rib cutmarks depicted in Fig. 8.15

Fig. 8.18. Scanning electron micrograph x 10 on a human rib fragment bearing marks from excavation trowel damage

Fig. 8.19. Three incised cutmarks on the posterior proximal aspect left human femur

Fig. 8.20. Scanning electron micrograph of the incised cutmarks on a proximal left human femur depicted in Fig. 8.19

Fig. 8.21. Traumatic decapitation-type injury to the gonial angle of a human mandible

Fig. 8.22. Left parietal fragment bearing evidence for linear sharp force traumatic injury with crushing of the surrounding ectocranial bone

Fig. 8.23. Ectocranial view of the same lesion depicted in Fig. 8.22 and 8.24, with the internal bevel

Fig. 8.24. Photograph of cutmarks located in the vicinity of the lesion depicted in Figs 8.22 and 8.23

Fig. 8.25. Scanning electron micrograph of the cutmarks depicted in Fig. 8.24

Fig. 8.26. Depressed penetrating injury to the ectocranial surface of the left parietal with a radiating fracture line revealing the diploë layer beneath

Fig. 8.27. View of the diploë layer with a 'bulb of percussion'-like appearance of the same specimen depicted in Fig. 8.26

Fig. 8.28. Endocranial surface hinge fracture with a portion of incomplete bevel produced by shear forces

Fig. 8.29. Diagram of cattle butchery

Fig. 8.30. Diagram of ovicaprid butchery

- Fig. 8.31. Diagram of pig butchery
 Fig. 8.32. Diagram of horse butchery
 Fig. 8.33. Summary diagram of animal butchery
 Fig. 8.34. Interpretation diagram of animal butchery
 Fig. 8.35. Graph of burning proportions human/animal
 Fig. 8.36. Graph of proportions of burning type by context
 Fig. 8.37. Graph of proportions of burning type by species
 Fig. 8.38. Diagram of burning positions of human skeleton
 Fig. 8.39. Heavily calcined human intermediate phalanx
 Fig. 8.40. Human femur fragment with evidence of scorching
 Fig. 8.41. The same specimen as depicted in Fig. 8.40 showing the scorched cancellous bone within the femoral fragment
 Fig. 8.42. Scanning electron micrograph image of root etching
 Fig. 8.43. Graph of root etching and gnawing human/animal
 Fig. 8.44. Graph of root etching and gnawing by context
 Fig. 8.45. A distal right human humerus with abrasions on the anterior diaphysis
 Fig. 8.46. Graph of fracture type by species
 Fig. 8.47. Graph of animal fractures high marrow/low marrow
 Fig. 8.48. Graph of human fractures high marrow/low marrow
 Fig. 8.49. Morlan's percentage completeness for human remains
 Fig. 8.50. Fracture type proportions for human remains
 Fig. 8.51. NISP for North and South pits and Sonda 12C
 Fig. 8.52. Percentage completeness for human remains from Sonda 12B and 12C
 Fig. 8.53. Butterfly fracture from the diaphysis of a human humerus from Context 12/503
 Fig. 8.54. Helical fracture from a human right femoral fragment that also bears an impact from Context 12/2615
 Fig. 8.55. Helical fracture from a human right femoral fragment that also bears an impact from Context 12/221
 Fig. 8.56. Cut-marked human proximal left femur with dry fracture
 Fig. 8.57. Close-up of the dry fracture present on the femur depicted in Fig. 8.56
 Fig. 8.58. NISP for graph of fractures by context for identified animal bones
 Fig. 8.59. Graph of fractures by context for unidentified fragments
 Fig. 8.60. Graph of fragment sizes by context
 Fig. 8.61. The assemblages from Velim-Skalka plotted in the feasible regions of an attritional cemetery (A), a predicted living group (B), and historical warfare-related groups (C) (after Bishop and Knüsel 2005)
- Fig. 9.1. Abaxial view of a spikelet base of the 'new' type glume wheat (Jones *et al.* 2000)
 Fig. 9.2. Abaxial views of (left to right) einkorn (*T. monococcum*), emmer (*T. dicoccum*) and the 'new' type glume wheat spikelet bases from Velim-Skalka context 640, Sonda 12
 Fig. 9.3. Adaxial views of the spikelet bases shown in Fig. 9.2
 Fig. 9.4. Lateral views of the spikelet bases shown in Figs 9.2 - 9.3
- Fig. 10.1. Velim-Skalka: plan showing all excavated areas
- Fig. 11.1. Extract from 1st Military Survey of Bohemia (1764-68)
 Fig. 11.2. Location of the outermost ditch circuit enclosing the area from Skalka to Velim village
 Fig. 11.3. Kolín district, showing findspots of the Tumulus and Lausitz cultures

Plates

- Plate 1. Pottery: cups (1-26, 29-32), jars (27-28)
 Plate 2. Pottery: jars (1-6), jug (7), jars and storage vessels (8-16)
 Plate 3. Pottery: jugs (1, 6-7, 12), amphorae (2-5, 8-11, 13-16)
 Plate 4. Pottery: large storage vessels
 Plate 5. Pottery: biconical vessels and amphorae
 Plate 6. Pottery: fingernail and finger-impressed decoration, cordons
 Plate 7. Pottery: handles, ledges and knobs
 Plate 8. Pottery: incised line and groove decoration
 Plate 9. Pottery: pricked and bossed decoration, and perforated sherds
 Plate 10. Pottery: amphora (1), bases (2-16)

- Plate 11. Pottery: bowls (1-2, 5, 7-15), conical cups (3-4, 6), miniature vessels (16-17), jars (18-22), amphorae (23-31)
- Plate 12. Pottery: rims: everted, flaring, horizontal, bowls, and straight
- Plate 13. Pottery: rims: incurving, straight, carinated vessels, bellied vessels
- Plate 14. Miscellaneous finds: flint (1-3), bone (4-6), copper alloy (7-23), fired clay (24-35), iron (36-38)
- Plate 15. Figurine 95/1937
- Plate 16. Ceramic discs (1-9, 11-13), perforated discs or whorls (10, 14-15), stone (16-21)
- Plate 17. Querns (1-2), clay weight fragments (3-4)

Colour plates

Colour Plate 1. A. Aerial view of Skalka from the south-west, 1993; B. View of Skalka from the east; C. Sonda 12B, Objekt 64, South pit, showing upper levels of Kostra (skeleton) 41; D. Sonda 12B, Objekt 64, South pit, showing context 234 (Kostra 41) in matrix 220

Colour Plate 2. A. Sonda 12B, Objekt 64, North pit viewed from north, at level of context 3009; B. Sonda 12B, Objekt 64, North pit viewed from south, at level of context 3012; C. Sonda 12B, Objekt 64, North pit viewed from west, completely excavated

Colour Plate 3. A. Sonda 12B, Red Ditch, north-facing section, north-west part; B. Sonda 12B, Red Ditch, south-facing section, detail showing lumps of coloured marl; C. Sonda 12B, Red Ditch, north-facing section, detail from the section shown in A above; D. Sonda 12B, Red Ditch, basal deposit 117 viewed from north-west

Colour Plate 4. A. Sonda 12B, Ditch 612, section in trench d, viewed from south-west; B. Sonda 12C, palisade (prior to excavation) viewed from south; C. Sonda 12C, trench B, context 2636 (with parts of Kostra 47a, 47b and 48); Sonda 12B/12E, pit rows viewed from south

Tables

Table 4.1. Breakdown of finds by material

Table 4.2. Numbers of sherds, weight and average sherd weight by fabric

Table 4.3. Pottery groups illustrating recorded minimum and maximum values for dimension and thickness compared with overall values for sherd size and thickness for the whole assemblage

Table 4.4. Dimensions of clay discs

Table 5.1. Radiocarbon dates from Velim-Skalka

Table 7.1. Species list and quantification (NISP and MAU) for all contexts

Table 9.1. Summary table of the distribution and concentration of carbonised plant macrofossils in the sampled contexts from Velim-Skalka.