

Contents

		Con
		xix
List of Figures		xix
List of Tables		xxi
Preface		xxv
1 Introduction		1
1.1 A brief history		1
1.2 Today's system		6
1.3 Working with this book		10
1.3.1 What's here		10
1.3.2 Typographic conventions		11
1.3.3 Using the examples		14
2 The Structure of a L^AT_EX Document		15
2.1 The structure of a source file		15
2.1.1 Processing of options and packages		17
2.1.2 Splitting the source file into parts		18
2.1.3 Combining several files		20
2.1.4 optional—Providing variants in the document source		21
2.2 Sectioning commands		22
2.2.1 Numbering headings		24
2.2.2 Formatting headings		27
2.2.3 Changing fixed heading texts		34
2.2.4 fncychap—Predefined chapter heading layouts		34
2.2.5 quotchap—Mottos on chapters		35
2.2.6 titlesec—A different approach to headings		36

2.3	Table of contents structures	45
2.3.1	Entering information into the contents files	46
2.3.2	Typesetting a contents list	49
2.3.3	Combining contents lists	52
2.3.4	Providing additional contents files	54
2.3.5	<i>shorttoc</i> —Summary table of contents	55
2.3.6	<i>minitoc</i> —Multiple tables of contents	56
2.3.7	<i>titletoc</i> —A different approach to contents lists	58
2.4	Managing references	66
2.4.1	<i>showkeys</i> —Displaying the reference keys	68
2.4.2	<i>varioref</i> —More flexible cross-references	68
2.4.3	<i>prettyref</i> —Adding frills to references	75
2.4.4	<i>titleref</i> —Non-numerical references	76
2.4.5	<i>hyperref</i> —Active references	78
2.4.6	<i>xr</i> —References to external documents	78
3	Basic Formatting Tools	79
3.1	Phrases and paragraphs	80
3.1.1	<i>xspace</i> —Gentle spacing after a macro	80
3.1.2	<i>ellipsis, lips</i> —Marks of omission	81
3.1.3	<i>amsmath</i> —Nonbreaking dashes	83
3.1.4	<i>relsize</i> —Relative changes to the font size	83
3.1.5	<i>textcase</i> —Change case of text intelligently	85
3.1.6	<i>ulem</i> —Emphasize via underline	87
3.1.7	<i>soul</i> —Letterspacing or stealing sheep	88
3.1.8	<i>url</i> —Typesetting URLs, path names, and the like	93
3.1.9	<i>euro</i> —Converting and typesetting currencies	96
3.1.10	<i>lettrine</i> —Dropping your capital	99
3.1.11	Paragraph justification in L ^A T _E X	102
3.1.12	<i>ragged2e</i> —Enhancing justification	105
3.1.13	<i>setspace</i> —Changing interline spacing	106
3.1.14	<i>picinpar</i> —Making rectangular holes	108
3.2	Footnotes, endnotes, and marginals	109
3.2.1	Using standard footnotes	110
3.2.2	Customizing standard footnotes	112
3.2.3	<i>ftnright</i> —Right footnotes in a two-column environment	114
3.2.4	<i>footmisc</i> —Various footnotes styles	114
3.2.5	<i>perpage</i> —Resetting counters on a “per-page” basis	120
3.2.6	<i>manyfoot</i> —Independent footnotes	122
3.2.7	<i>endnotes</i> —An alternative to footnotes	125
3.2.8	Marginal notes	126
3.3	List structures	128
3.3.1	Modifying the standard lists	128
3.3.2	<i>paralist</i> —Extended list environments	132

3.3.3	<i>amsthm</i> —Providing headed lists	138
3.3.4	Making your own lists	144
3.4	Simulating typed text	151
3.4.1	Simple verbatim extensions	152
3.4.2	<i>upquote</i> —Computer program style quoting	153
3.4.3	<i>fancyvrb</i> —Highly customizable verbatim environments . .	155
3.4.4	<i>listings</i> —Pretty-printing program code	168
3.5	Lines and columns	175
3.5.1	<i>lineno</i> —Numbering lines of text	176
3.5.2	<i>parallel</i> —Two text streams aligned	181
3.5.3	<i>multicol</i> —A flexible way to handle multiple columns . .	184
3.5.4	<i>changebar</i> —Adding revision bars to documents	189
4	The Layout of the Page	193
4.1	Geometrical dimensions of the layout	193
4.2	Changing the layout	197
4.2.1	<i>layouts</i> —Displaying your layout	199
4.2.2	A collection of page layout packages	202
4.2.3	<i>typearea</i> —A traditional approach	203
4.2.4	<i>geometry</i> —Layout specification with auto-completion . .	206
4.2.5	<i>lscape</i> —Typesetting individual pages in landscape mode .	211
4.2.6	<i>crop</i> —Producing trimming marks	212
4.3	Dynamic page data: page numbers and marks	215
4.3.1	<i>LATEX</i> page numbers	215
4.3.2	<i>lastpage</i> —A way to reference it	216
4.3.3	<i>chappg</i> —Page numbers by chapters	216
4.3.4	<i>LATEX</i> mark commands	217
4.3.5	<i>extramarks</i> —Providing new marks	220
4.4	Page styles	221
4.4.1	The low-level page style interface	223
4.4.2	<i>fancyhdr</i> —Customizing page styles	224
4.4.3	<i>truncate</i> —Truncate text to a given length	232
4.5	Visual formatting	234
4.5.1	<i>nextpage</i> —Extensions to <code>\clearpage</code>	235
4.6	Doing layout with class	236
4.6.1	KOMA-Script—A drop-in replacement for <i>article</i> et al. .	236
4.6.2	<i>memoir</i> —Producing complex publications	237
5	Tabular Material	239
5.1	Standard <i>LATEX</i> environments	240
5.1.1	Using the <i>tabbing</i> environment	241
5.1.2	Using the <i>tabular</i> environment	242
5.2	<i>array</i> —Extending the <i>tabular</i> environments	243
5.2.1	Examples of preamble commands	244

5.2.2	Defining new column specifiers	248
5.3	Calculating column widths	249
5.3.1	Explicit calculation of column widths	250
5.3.2	<i>tabularx</i> —Automatic calculation of column widths	251
5.3.3	<i>tabulary</i> —Column widths based on content	253
5.3.4	Differences between <i>tabular*</i> , <i>tabularx</i> , and <i>tabulary</i>	255
5.4	Multipage tabular material	255
5.4.1	<i>supertabular</i> —Making multipage tabulars	256
5.4.2	<i>longtable</i> —Alternative multipage tabulars	259
5.5	Color in tables	264
5.6	Customizing table rules and spacing	265
5.6.1	Colored table rules	265
5.6.2	Variable-width rules	266
5.6.3	<i>hhline</i> —Combining horizontal and vertical lines	266
5.6.4	<i>arydshln</i> —Dashed rules	267
5.6.5	<i>tbls</i> —Controlling row spacing	269
5.6.6	<i>booktabs</i> —Formal ruled tables	269
5.7	Further extensions	272
5.7.1	<i>multirow</i> —Vertical alignment in tables	273
5.7.2	<i>dcolumn</i> —Decimal column alignments	274
5.8	Footnotes in tabular material	277
5.8.1	Using <i>minipage</i> footnotes with tables	277
5.8.2	<i>threeparttable</i> —Setting table and notes together	278
5.9	Applications	279
5.9.1	Managing tables with wide entries	279
5.9.2	Tables inside tables	280
6	Mastering Floats	283
6.1	Understanding float parameters	284
6.2	Float placement control	286
6.2.1	<i>placeins</i> —Preventing floats from crossing a barrier	288
6.2.2	<i>afterpage</i> —Taking control at the page boundary	289
6.2.3	<i>endfloat</i> —Placing figures and tables at the end	289
6.3	Extensions to L ^A T _E X's float concept	291
6.3.1	<i>float</i> —Creating new float types	291
6.3.2	<i>caption</i> —For nonfloating figures and tables	295
6.3.3	<i>rotating</i> —Rotating floats	296
6.3.4	<i>rotfloat</i> —Combining float and rotating	298
6.4	Inline floats	298
6.4.1	<i>wrapfig</i> —Wrapping text around a figure	299
6.4.2	<i>picins</i> —Placing pictures inside the text	302
6.5	Controlling the float caption	306
6.5.1	<i>caption</i> —Customizing your captions	308
6.5.2	<i>subfig</i> —Substructuring floats	315

6.5.3	<i>subfloat</i> —Sub-numbering floats	321
6.5.4	<i>sidecap</i> —Place captions sideways	323
6.5.5	<i>fltpage</i> —Captions on a separate page	325
7	F onts and E ncodings	327
7.1	Introduction	327
7.1.1	The history of L ^A T _E X's font selection scheme (NFSS)	327
7.1.2	Input and output encodings	329
7.2	Understanding font characteristics	331
7.2.1	Monospaced and proportional fonts	331
7.2.2	Serifed and sans serif fonts	332
7.2.3	Font families and their attributes	333
7.2.4	Font encodings	336
7.3	Using fonts in text	337
7.3.1	Standard L ^A T _E X font commands	338
7.3.2	Combining standard font commands	343
7.3.3	Font commands versus declarations	344
7.3.4	Accessing all characters of a font	345
7.3.5	Changing the default text fonts	346
7.3.6	L ^A T _E X 2.09 font commands	347
7.4	Using fonts in math	347
7.4.1	Special math alphabet identifiers	348
7.4.2	Text font commands in math	351
7.4.3	Mathematical formula versions	352
7.5	Standard L ^A T _E X font support	353
7.5.1	Computer Modern—The L ^A T _E X standard fonts	353
7.5.2	<i>inputenc</i> —Selecting the input encoding	357
7.5.3	<i>fontenc</i> —Selecting font encodings	361
7.5.4	<i>textcomp</i> —Providing additional text symbols	362
7.5.5	<i>exscale</i> —Scaling large operators	368
7.5.6	<i>tracefnt</i> —Tracing the font selection	368
7.5.7	<i>nfssfont.tex</i> —Displaying font tables and samples	369
7.6	PSNFSS—PostScript fonts with L ^A T _E X	370
7.6.1	Font samples for fonts supported by PSNFSS	373
7.6.2	<i>mathptmx</i> —Times Roman in math and text	376
7.6.3	<i>mathpazo</i> —Palatino in math and text	377
7.6.4	<i>pifont</i> —Accessing Pi and Symbol fonts	378
7.7	A collection of font packages	381
7.7.1	<i>eco</i> —Old-style numerals with Computer Modern	381
7.7.2	<i>ccfonts, concmath</i> —The Concrete fonts	383
7.7.3	<i>cmbright</i> —The Computer Modern Bright fonts	385
7.7.4	<i>luximono</i> —A general-purpose typewriter font	386
7.7.5	<i>txfonts</i> —Alternative support for Times Roman	388
7.7.6	<i>pxfonts</i> —Alternative support for Palatino	390

7.7.7	The Fourier-GUTenberg fonts	391
7.7.8	The URW Antiqua and Grotesk fonts	393
7.7.9	yfonts—Typesetting with Old German fonts	394
7.7.10	euler, eulervm—Accessing the Euler fonts	396
7.8	The L ^A T _E X world of symbols	399
7.8.1	dingbat—A selection of hands	400
7.8.2	wasysym—Waldi's symbol font	401
7.8.3	marvosym—Interface to the MarVoSym font	401
7.8.4	bding—A METAFONT alternative to Zapf Dingbats	403
7.8.5	ifsym—Clocks, clouds, mountains, and other symbols	403
7.8.6	tipa—International Phonetic Alphabet symbols	405
7.8.7	Typesetting the euro symbol (€)	407
7.9	The low-level interface	412
7.9.1	Setting individual font attributes	413
7.9.2	Setting several font attributes	417
7.9.3	Automatic substitution of fonts	418
7.9.4	Using low-level commands in the document	418
7.10	Setting up new fonts	419
7.10.1	Overview	419
7.10.2	Naming those thousands of fonts	420
7.10.3	Declaring new font families and font shape groups	421
7.10.4	Modifying font families and font shape groups	429
7.10.5	Declaring new font encoding schemes	430
7.10.6	Internal file organization	431
7.10.7	Declaring new fonts for use in math	432
7.10.8	Example: Defining your own .fd files	437
7.10.9	The order of declaration	439
7.11	L ^A T _E X's encoding models	440
7.11.1	Character data within the L ^A T _E X system	440
7.11.2	L ^A T _E X's internal character representation (LICR)	442
7.11.3	Input encodings	443
7.11.4	Output encodings	447
7.12	Compatibility packages for very old documents	463
7.12.1	oldlfont, rawfonts, newlfont—Processing old documents .	463
7.12.2	latexsym—Providing symbols from L ^A T _E X 2.09 lasy fonts .	464
8	Higher Mathematics	465
8.1	Introduction to <i>AMSLATE</i>	466
8.2	Display and alignment structures for equations	468
8.2.1	Comparison with standard L ^A T _E X	470
8.2.2	A single equation on one line	471
8.2.3	A single equation on several lines: no alignment	471
8.2.4	A single equation on several lines: with alignment	473
8.2.5	Equation groups without alignment	474

8.2.6	Equation groups with simple alignment	475
8.2.7	Multiple alignments: <code>align</code> and <code>flalign</code>	475
8.2.8	Display environments as mini-pages	477
8.2.9	Interrupting displays: <code>\intertext</code>	479
8.2.10	Vertical space and page breaks in and around displays	479
8.2.11	Equation numbering and tags	482
8.2.12	Fine-tuning tag placement	483
8.2.13	Subordinate numbering sequences	484
8.2.14	Resetting the equation counter	485
8.3	Matrix-like environments	485
8.3.1	The <code>cases</code> environment	486
8.3.2	The matrix environments	486
8.3.3	Stacking in subscripts and superscripts	487
8.3.4	Commutative diagrams	488
8.3.5	<code>delarray</code> —Delimiters surrounding an array	489
8.4	Compound structures and decorations	490
8.4.1	Decorated arrows	490
8.4.2	Continued fractions	490
8.4.3	Boxed formulas	491
8.4.4	Limiting positions	491
8.4.5	Multiple integral signs	492
8.4.6	Modular relations	492
8.4.7	Fractions and generalizations	493
8.4.8	Dottier accents	494
8.4.9	<code>amsxtra</code> —Accents as superscripts	495
8.4.10	Extra decorations	495
8.5	Variable symbol commands	495
8.5.1	Ellipsis	496
8.5.2	Horizontal extensions	497
8.5.3	Vertical extensions	498
8.6	Words in mathematics	499
8.6.1	The <code>\text</code> command	499
8.6.2	Operator and function names	499
8.7	Fine-tuning the mathematical layout	502
8.7.1	Controlling the automatic sizing and spacing	502
8.7.2	Sub-formulas	503
8.7.3	Big-g delimiters	504
8.7.4	Radical movements	504
8.7.5	<code>Ghostbusters™</code>	505
8.7.6	Horizontal spaces	507
8.8	Fonts in formulas	508
8.8.1	Additional math font commands	509
8.8.2	<code>bm</code> —Making bold	510
8.8.3	A collection of math font set-ups	513

8.9	Symbols in formulas	524
8.9.1	Mathematical symbol classes	524
8.9.2	Letters, numerals, and other Ordinary symbols	526
8.9.3	Mathematical accents	529
8.9.4	Binary operator symbols	529
8.9.5	Relation symbols	531
8.9.6	Punctuation	535
8.9.7	Operator symbols	536
8.9.8	Opening and Closing symbols	537
9	L^AT_EX in a Multilingual Environment	539
9.1	T _E X and non-English languages	539
9.1.1	Language-related aspects of typesetting	541
9.1.2	Culture-related aspects of typesetting	542
9.1.3	Babel—L ^A T _E X speaks multiple languages	542
9.2	The <i>babel</i> user interface	543
9.2.1	Setting or getting the current language	544
9.2.2	Handling shorthands	547
9.2.3	Language attributes	549
9.3	User commands provided by language options	550
9.3.1	Translations	550
9.3.2	Available shorthands	550
9.3.3	Language-specific commands	558
9.3.4	Layout considerations	564
9.3.5	Languages and font encoding	566
9.4	Support for non-Latin alphabets	569
9.4.1	The Cyrillic alphabet	569
9.4.2	The Greek alphabet	574
9.4.3	The Hebrew alphabet	576
9.5	Tailoring <i>babel</i>	579
9.5.1	Hyphenating in several languages	580
9.5.2	The package file	581
9.5.3	The structure of the <i>babel</i> language definition file	582
9.6	Other approaches	591
9.6.1	More complex languages	591
9.6.2	Omega	592
10	Graphics Generation and Manipulation	593
10.1	Producing portable graphics and ornaments	595
10.1.1	<i>boxedminipage</i> —Boxes with frames	595
10.1.2	<i>shadow</i> —Boxes with shadows	595
10.1.3	<i>fancybox</i> —Ornamental boxes	596
10.1.4	<i>epic</i> —An enhanced <i>picture</i> environment	600
10.1.5	<i>eepic</i> —Extending the <i>epic</i> package	607
10.1.6	Special-purpose languages	611

10.2	<code>\LaTeX</code> 's device-dependent graphics support	613
10.2.1	Options for <code>graphics</code> and <code>graphicx</code>	614
10.2.2	The <code>\includegraphics</code> syntax in the <code>graphics</code> package .	616
10.2.3	The <code>\includegraphics</code> syntax in the <code>graphicx</code> package .	618
10.2.4	Setting default key values for the <code>graphicx</code> package .	623
10.2.5	Declarations guiding the inclusion of images	624
10.2.6	A caveat: Encapsulation is important	627
10.3	Manipulating graphical objects in <code>\LaTeX</code>	628
10.3.1	Scaling a <code>\LaTeX</code> box	628
10.3.2	Resizing to a given size	629
10.3.3	Rotating a <code>\LaTeX</code> box	630
10.3.4	<code>rotating</code> —Revisited	633
10.4	Display languages: PostScript, PDF, and SVG	634
10.4.1	The PostScript language	635
10.4.2	The <code>dvips</code> PostScript driver	637
10.4.3	<code>pspicture</code> —An enhanced picture environment for <code>dvips</code> .	638
10.4.4	The Portable Document Format	642
10.4.5	Scalable Vector Graphics	644
11	Index Generation	647
11.1	Syntax of the index entries	648
11.1.1	Simple index entries	650
11.1.2	Generating subentries	650
11.1.3	Page ranges and cross-references	651
11.1.4	Controlling the presentation form	651
11.1.5	Printing special characters	652
11.1.6	Creating a glossary	653
11.1.7	Defining your own index commands	653
11.1.8	Special considerations	654
11.2	<code>makeindex</code> —A program to format and sort indexes .	654
11.2.1	Generating the formatted index	655
11.2.2	Detailed options of the <i>MakeIndex</i> program	655
11.2.3	Error messages	658
11.2.4	Customizing the index with <i>MakeIndex</i>	659
11.2.5	<i>MakeIndex</i> pitfalls	665
11.3	<code>xindy</code> —An alternative to <i>MakeIndex</i>	666
11.3.1	Generating the formatted index with <code>xindy</code>	668
11.3.2	International indexing with <code>xindy</code>	669
11.3.3	Modules for common tasks	671
11.3.4	Style files for individual solutions	673
11.4	Enhancing the index with <code>\LaTeX</code> features	679
11.4.1	Modifying the layout	679
11.4.2	<code>showidx</code> , <code>repeatindex</code> , <code>tocbibind</code> , <code>idxcite</code> —Little helpers .	680
11.4.3	<code>index</code> —Producing multiple indexes	681

12 Managing Citations	683
12.1 Introduction	683
12.1.1 Bibliographical reference schemes	684
12.1.2 Markup structure for citations and bibliography	686
12.1.3 Using $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ to produce the bibliography input	687
12.2 The number-only system	691
12.2.1 Standard $\text{\texttt{L}}\text{\texttt{A}}\text{\texttt{T}}\text{\texttt{E}}\text{\texttt{X}}$ —Reference by number	691
12.2.2 $\text{\texttt{cite}}$ —Enhanced references by number	693
12.2.3 $\text{\texttt{notoccite}}$ —Solving a problem with unsorted citations	697
12.3 The author-date system	698
12.3.1 Early attempts	699
12.3.2 $\text{\texttt{natbib}}$ —Customizable author-date references	700
12.3.3 $\text{\texttt{bibentry}}$ —Full bibliographic entries in running text	710
12.4 The author-number system	712
12.4.1 $\text{\texttt{natbib}}$ —Revisited	712
12.5 The short-title system	715
12.5.1 $\text{\texttt{jurabib}}$ —Customizable short-title references	715
12.5.2 $\text{\texttt{camel}}$ —Dedicated law support	743
12.6 Multiple bibliographies in one document	745
12.6.1 $\text{\texttt{chapterbib}}$ —Bibliographies per included file	747
12.6.2 $\text{\texttt{bibunits}}$ —Bibliographies for arbitrary units	749
12.6.3 $\text{\texttt{bibtopic}}$ —Combining references by topic	753
12.6.4 $\text{\texttt{multibib}}$ —Separate global bibliographies	755
13 Bibliography Generation	757
13.1 The $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ program and some variants	758
13.1.1 $\text{\texttt{bibtex8}}$ —An 8-bit reimplementation of $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$	759
13.1.2 Recent developments	759
13.2 The $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ database format	761
13.2.1 Entry types and fields	762
13.2.2 The text part of a field explained	764
13.2.3 Abbreviations in $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$	769
13.2.4 The $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ preamble	771
13.2.5 Cross-referencing entries	772
13.3 On-line bibliographies	773
13.4 Bibliography database management tools	774
13.4.1 $\text{\texttt{biblist}}$ —Printing $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ database files	774
13.4.2 $\text{\texttt{bibtools}}$ —A collection of command-line tools	775
13.4.3 $\text{\texttt{bibclean}}$, etc.—A second set of command-line tools	777
13.4.4 $\text{\texttt{bibtool}}$ —A multipurpose command-line tool	778
13.4.5 $\text{\texttt{pybliographer}}$ —An extensible bibliography manager	784
13.4.6 $\text{\texttt{JBibtexManager}}$ —A $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ database manager in Java	787
13.4.7 $\text{\texttt{BibTexMng}}$ —A $\text{\texttt{B}}\text{\texttt{B}\texttt{T}\texttt{E}\texttt{X}}$ database manager for Windows	789

13.5	Formatting the bibliography with <code>BIBTEX</code> styles	790
13.5.1	A collection of <code>BIBTEX</code> style files	791
13.5.2	<code>custom-bib</code> —Generate <code>BIBTEX</code> styles with ease	798
13.6	The <code>BIBTEX</code> style language	805
13.6.1	The <code>BIBTEX</code> style file commands and built-in functions	805
13.6.2	The documentation style <code>btxbst.doc</code>	806
13.6.3	Introducing small changes in a style file	809
14	LATEX Package Documentation Tools	813
14.1	<code>doc</code> —Documenting LATEX and other code	813
14.1.1	General conventions for the source file	814
14.1.2	Describing new macros and environments	815
14.1.3	Cross-referencing all macros used	817
14.1.4	The documentation driver	818
14.1.5	Conditional code in the source	819
14.2	<code>docstrip.tex</code> —Producing ready-to-run code	824
14.2.1	Invocation of the <code>DOCSTRIP</code> utility	825
14.2.2	<code>DOCSTRIP</code> script commands	826
14.2.3	Installation support and configuration	830
14.2.4	Using <code>DOCSTRIP</code> with other languages	833
14.3	<code>ltxdoc</code> —A simple LATEX documentation class	834
14.3.1	Extensions provided by <code>ltxdoc</code>	834
14.3.2	Customizing the output of documents that use <code>ltxdoc</code>	835
14.4	Making use of version control tools	836
14.4.1	<code>rcs</code> —Accessing individual keywords	837
14.4.2	<code>rcsinfo</code> —Parsing the <code>\$Id\$</code> keyword	838
A	A LATEX Overview for Preamble, Package, and Class Writers	841
A.1	Linking markup and formatting	841
A.1.1	Command and environment names	842
A.1.2	Defining new commands	843
A.1.3	Defining new environments	847
A.1.4	Defining and changing counters	851
A.1.5	Defining and changing space parameters	854
A.2	Page markup—Boxes and rules	860
A.2.1	LR boxes	860
A.2.2	Paragraph boxes	862
A.2.3	Rule boxes	866
A.2.4	Manipulating boxed material	868
A.2.5	Box commands and color	870
A.3	Control structure extensions	871
A.3.1	<code>calc</code> —Arithmetic calculations	871
A.3.2	<code>ifthen</code> —Advanced control structures	872

A.4	Package and class file structure	877
A.4.1	The identification part	877
A.4.2	The initial code part	880
A.4.3	The declaration of options	880
A.4.4	The execution of options	881
A.4.5	The package loading part	882
A.4.6	The main code part	883
A.4.7	Special commands for package and class files	883
A.4.8	Special commands for class files	886
A.4.9	A minimal class file	888
B	Tracing and Resolving Problems	889
B.1	Error messages	890
B.1.1	Dying with memory exceeded	915
B.2	Warnings and informational messages	920
B.3	<i>T</i> <i>E</i> X and <i>L</i> <i>A</i> <i>T</i> <i>E</i> X commands for tracing	931
B.3.1	Displaying command definitions and register values	932
B.3.2	Diagnosing page-breaking problems	935
B.3.3	Diagnosing and solving paragraph-breaking problems	939
B.3.4	Other low-level tracing tools	943
B.3.5	trace—Selectively tracing command execution	945
C	<i>L</i><i>A</i><i>T</i><i>E</i>X Software and User Group Information	947
C.1	Getting help	947
C.2	How to get those <i>T</i> <i>E</i> X files?	948
C.3	Using CTAN	950
C.3.1	Finding files on the archive	950
C.3.2	Using the <i>T</i> <i>E</i> X file catalogue	950
C.3.3	Getting multiple files	952
C.4	Finding the documentation on your <i>T</i> <i>E</i> X system	954
C.4.1	<i>texdoc</i> —Command-line interface for a search by name	954
C.4.2	<i>texdoctk</i> —Panel interface for a search by subject	955
C.5	<i>T</i> <i>E</i> X user groups	956
D	TLC2 <i>T</i><i>E</i>X CD	959
Bibliography	bibliographies	963
Index of Commands and Concepts	index	983
People	people	1080
Biographies	biographies	1083
Production Notes	production	1089