

## Table of contents

### Table des matières

Interaction between spread foundations and subsoil	Djordjević A., Šoškić B. & Djordjević V.	239
Numerical analysis of a deep excavation excavation next to an existing building	Włodzimierz J. & Hruščić N.	245
MAIN SESSION 4: Foundations in urban areas	Don T.	245
SÉANCE PLÉNIÈRE 4: Fondations en zones urbaines	Don T.	249
Utilisation of geothermal energy using earthcoupled structures – theoretical and experimental investigations, case histories	Adam D. & Markiewicz R.	3
On the impact of groundwater lowering on existing buildings	Achmus M. & Kaiser J.	11
Ground water lowering in loessial collapsible soils	Andrei S. & Dumitrescu V.	17
Reinforcement systems in construction of open pit Zagrad in Rijeka, Croatia	Arbanas Ž., Jardas B. & Kovačević M.S.	23
Reconstruction of La Fenice theatre in Venice. Foundation problems	Balossi Restelli A., Tornaghi R., Pettinaroli A. & Rovetto E.	29
The influence of the technology of construction on the stressed-deformed state of the system “construction-foundation”	Bartolomey A.A. & Bartolomey L.A.	35
ULS and SLS design of embedded walls according to Eurocode 7	Bauduin C., De Vos M. & Frank R.	41
Deep basement design for man-made ground water profiles	Beadman D. & Stephenson P.	47
Jet grouting – range of the grouting jet	Bergschneider B. & Walz B.	53
La réduction des déplacements latéraux du sol au voisinage d'un remblai sur pieux : une étude paramétrique en vraie grandeur	Borel S., Reiffsteck Ph. & Bourgeois E.	57
Underpinning and support of a façade wall and former graveyard	Boudik Z., Čuda R. & Kuběš J.	65
Specialist foundation construction for deep open excavations in Berlin underground	Brunner W.G. & Gollub P.	71
New quality standards in the construction of jet grouted slabs	Buder S. & Schrader D.	77
Observed settlements of footings on São Paulo tertiary soils, Brazil	Castello R.R. & Bicalho K.V.	81
Design and control parameters for Jet Grouting	Celma J.J. & Carrión M.A.	87
Influence of a deep excavation in Bucharest downtown on the nearby environment behavior	Chirica A., Enescu C. & Ungureanu N.	93
Numerical evaluation of deep foundations in a tropical soil of Brazil	Cunha R.P., Kuklik P. & Laurin J.	99
Groundwater level	Telles G., Gabos Gy. & Fügfi T.	351

Étude des massifs de fondation reposant sur sols traités par colonnes ballastées et soumis à des efforts de renversement	105
<i>Dhouib A., Stoehr B. &amp; Deryckere N.</i>	
Numerical analysis of a deep basement excavation next to an existing tunnel	111
<i>Dou H.</i>	
Portance des semelles en bord de talus	119
<i>Droniou N. &amp; Magnan J.P.</i>	
Comportement observé d'une paroi moulée en milieu urbain	127
<i>Duca V., Delattre L., Reiffsteck Ph. &amp; Magnan J.P.</i>	
Mouvements induits par le creusement de tunnel à faible profondeur : interaction avec un ouvrage existant fondé sur pieux	133
<i>Emeriault F.</i>	
Drilled steel pipe piles in effective bridge construction	139
<i>Eronen S. &amp; Hartikainen J.</i>	
Justification d'une fondation superficielle sur un sol renforcé d'inclusions	147
<i>Frossard A. &amp; Glandy M.</i>	
Étude des interactions entre une fondation filante et un écran de soutènement	155
<i>Gaudin C., Garnier J., Gaudicheau P. &amp; Favraud C.</i>	
The development of skin friction on pipe piles in overconsolidated sand	161
<i>Gavin K.G., Lehane B.M. &amp; Prieto C.</i>	
Slender bored pile walls for deep excavations	167
<i>Girsch E.</i>	
Destruction of buildings and structures caused by the cryogenic weathering of footing material	173
<i>Grebennets V.I.</i>	
Effective steel foundation system for detached and row houses	179
<i>Hartikainen J., Pitkänen J. &amp; Jokiniemi H.</i>	
Ground displacement screw piles project in Belgium – 72-pile load testing program on two different sites	185
<i>Huybrechts N., Maertens J. &amp; Holeman A.</i>	
Buildings with deep foundations and their impact on nearby structures in Moscow	191
<i>Ilyichev V.A., Konovalov P.A. &amp; Nikiforova N.S.</i>	
Analysis of the geotechnical anchor load transfer mechanism	197
<i>Ivandić K. &amp; Verić F.</i>	
Seismic tomography as a spatial check-up of grouting operations effect	203
<i>Ivantović T. &amp; Muhovec I.</i>	
Finite difference solutions for buckling of piles in a stratified soil	209
<i>Justo J.L. &amp; Galán J.M.</i>	
The settlement of a group of raked piles	215
<i>Justo J.L. &amp; Sánchez Langeber J.M.</i>	
Experimental field tests for optimized ground improvement under railway lines on soft soils	221
<i>Katzenbach R. &amp; Ittershagen M.</i>	
Experience with friction-micropiled-raft foundation on soft soils	229
<i>Kempfert H.-G. &amp; Böhm F.</i>	

Terrain movement caused by estate expansion	235
Kovács M. & Czap Z.	
Interaction between spread foundations and subsoil	239
Kuzma J. & Hrušťinec L.	
Side Grip Piling, a new method for impact driving of micropiles	245
Lehtonen J.	
Seismic response of large diameter piles in liquefiable soils	249
Liam Finn W.D. & Fujita N.K. & Oztoprak S.	
Predicting the behaviour of foundations on structured soils	255
Liyanapathirana D.S., Liu M.D., Carter J.P. & Airey D.W.	
Infrastructure rehabilitation of some steel tanks in urban areas on difficult foundation soils	261
Lungu I., Raileanu P., Stanciu A., Musat V. & Boti N.	
Stability of circular and square excavations in cohesive soils with strength increasing with depth	265
Lyamin A.V., Sloan S.W. & Hjaj M.	
Stress changes associated with driving pile groups in clayey silt	271
McCabe B.A. & Lehane B.M.	
Actual trends in deep excavation technology and performance based on an international database	277
Moermann Ch.	
Interactions between retaining system and foundation piles during excavation	285
Moermann Ch.	
Impact of groundwater-lowering on combined piled raft foundations in urban area	293
Moermann Ch. & Katzenbach R.	
Modeling of a pile loading in the Particle Flow Code	301
Mörchen N. & Walz B.	
Localized deformation and stability of soft foundation under embankment construction via mesh-free method	305
Murakami A., Arimoto S. & Setsuyasu T.	
Geotechnical works on reconstruction of the Old bridge in Mostar	311
Pequeux G. & Ivanković T.	
Monitoring of underground water lines in the underground construction area	317
Petrushin V.P., Isaev O.N. & Nayatov D.V.	
Effect of geotechnical work on settlement of surrounding buildings at underground construction	323
Petrushin V.P., Shuljatjev O.A. & Mozhacheva O.A.	
Teatro Circo: underpinning of a centenary theatre	329
Pinto A. & Gouveia M.	
Capacity of driven piles with time – implications for re-use	335
Powell J.J.M., Butcher A.P. & Pellew A.	
Correlation between density index and relative density for sandy gravel subgrade	341
Pula O.	
Geotechnical problems related to the design of an underground car park in Rome	345
Rampello S., Callisto L. & Calabresi G.	
The tilting of the Tower of Pisa with the groundwater level	351
Rétháti L. (f.), Imre E., Trang Q.P., Telekes G., Gabos Gy. & Firgi T.	

Compression and tension capacities of rock socketed drilled piers	359
<i>Saglamer A., Yilmaz E. &amp; Erol O.</i>	
A diagnosis of the fundamental ground of the Old Bridge in Mostar	365
<i>Selimović M., Ivanković T. &amp; Langof Z.</i>	
Interactions sismiques à grande échelle en milieu urbain	371
<i>Semblat J-F., Kham M., Guéguen P. &amp; Bard P.-Y.</i>	
Use of piled rafts in Adapazari soils	377
<i>Sert S. &amp; Önalp A.</i>	
De-Tilting of buildings and structures	383
<i>Shokarev V.S., Stepura I.V., Tregub A.S., Pavlov A.V., Chaplygin V.I. &amp; Samchenko R.V.</i>	
Indicator pile driving programs at the Port of Los Angeles Pier 400 container wharf	387
<i>Schneider J.A., Howard R.Jr., Robins P.N. &amp; McNeilan T.W.</i>	
The interaction coefficient of axially loaded bored piles installed in sandy soil	393
<i>Sližytė D., Stragys V.V. &amp; Medzvieckas J.</i>	
Application of injection under base of bored piles in cohesive soils	399
<i>Tejchman A. &amp; Gwizdala K.</i>	
Calculation of complex reconstruction solutions (as may be exemplified by architectural monuments of St. Petersburg)	407
<i>Ulitsky V.M., Shashkin A.G. &amp; Shashkin K.G.</i>	
Electrical discharge (explosions) in geotechnical engineering	413
<i>Valeri E. &amp; Richter T.</i>	
Bearing mechanism of pile	419
<i>Wada A. &amp; Nhan N.T.</i>	
A novel urban foundation system using pressed-in H-piles	425
<i>White D.J., Bolton M.D. &amp; Wako C.</i>	
<b>MAIN SESSION 5: Geotechnical Engineering in urban areas</b>	
<b>SÉANCE PLÉNIÈRE 5: Géotechnique en milieu urbain</b>	
Sample disturbance of fine grained soils	433
<i>Aksoy H.S. &amp; Ozudogru K.</i>	
Étude en laboratoire du comportement d'un sol compacté non saturé utilisé dans les remblais	437
<i>Alshihabi O., Shahrour I. &amp; Mieussens C.</i>	
Study of deep compaction in order to its application to deep foundations	443
<i>Antoine P.-C., Pohl E., van der Cruyssen J.-P. &amp; Verbrugge J.-C.</i>	
The underground constructions in the soil conditions of Astana	449
<i>Baitassov T.M.</i>	
Numerical modelling of pipe-soil stresses during pipe jacking in clays	453
<i>Barla M., Borghi X., Mair R.J. &amp; Soga K.</i>	
Analysis of consolidation process of dam of St.-Petersburg flood protection barrier	459
<i>Belkova I.N., Glagovsky V.B., Goldin A.L. &amp; Lipovetskaya T.F.</i>	

Monitoring processes of dangerous geologic in region seaside of Ukraine <i>Bessmertny A.F. &amp; Ryzhiy M.N.</i>	465
A new computer controlled hollow cylinder torsional shear apparatus <i>Bilé Serra J.P. &amp; Hooker P.</i>	471
Construction of a hydro-power plant beneath an existing one <i>Brandl H.</i>	479
Importance of geotechnical and seismic microzonation for urban development planning <i>Cinicioglu S.F., Kelesoglu M.K. &amp; Oztoprak S.</i>	485
A probability approach using in the plate stability research on watersaturated seismic loaded foundation <i>Cherny H.I., Trofimchuk A.N. &amp; Cherny V.H.</i>	491
Application of waterproofing methods in tunneling through an alluvial deposit <i>Chun B.S., Yeo J.H. &amp; Shin Y.W.</i>	497
Modélisation numérique de la réponse d'un bâtiment aux déplacements engendrés par le creusement d'un tunnel <i>Dias D. &amp; Kastner R.</i>	503
Empirical vs numerical prediction of settlement trough due to shallow tunnelling in soft ground <i>Doležalová M.</i>	509
Gmax from multichannel analysis of surface waves for Dublin Boulder clay <i>Donohue S., Gavin K., Long M. &amp; Connor P.O.</i>	515
Influence of potential soil deformations on soil pressure at rest upon retaining wall <i>Doubrovský M.P., Khonelia N.N., Poizner M.B. &amp; Kaluzhny A.V.</i>	521
Coupled consolidation analysis for excavations <i>Drakos I.S., Tsotsos S. &amp; Hatzigogos Th.</i>	527
A building pit supported by a jetgrout wall reinforced with a sheet pile <i>van Duijnen P.G. &amp; Huisman C.</i>	533
Effet d'inclinaison des micropieux dans un groupe. Approche par une méthode hybride <i>Estephan R., Frank R. &amp; Degny E.</i>	541
Stability of a railway embankment <i>Fagerholm K., Fischer K., Niemi O. &amp; Ravaska O.</i>	547
The rqualification of an ancient tuff cavity in the centre of Naples <i>Fenelli G.B., Pagano L. &amp; Sica S.</i>	553
Designing multiple shallow tunnel linings constructed with the application of grouting <i>Fotieva N.N., Bulychev N.S. &amp; Antziferov S.V.</i>	559
Earth pressure on anchored walls in dry and saturated sand-fill <i>Fuglsang L.D.</i>	565
Working out a numerous method of calculation of deformation of clay layer surface under its swelling <i>Gabibov F.G.</i>	571
Flexural strength of kaolin clay reinforced with synthetic fibres and stabilised with lime and cement <i>Ghataora G.S., Freer-Hewish R.J. &amp; Dall'Acqua G.P.</i>	577
Failure of shallow foundations under general combined loading <i>Gourvenec S. &amp; Randolph M.</i>	583

Full-scale compensation grouting trial North/South line Amsterdam; Spatial relationships of fracture grouting injection pressures	589
Haasnoot J.K., van der Stoel A.E.C. & Kaalberg F.J.	
Monitoring of a surcharge loading for the construction of a quay wall	595
Haegeman W. & Baertsoen A.	
Towards a risk-based design of underground construction in urban areas	601
Hannink G., Brassinga H.E., van Meerten J.J. & de Wit M.S.	
GIS – a useful tool to map vibrations from transportation	607
Hårvik L. & Heyerdahl H.	
Modèle réduit pour l'interaction sol-ouvrage : influence des raideurs sur les redistributions d'efforts	615
Houy L., Breysse D., Niandou H., Denis A. & Riou C.	
Causes and consequence of the collapse of the tufe layers on the example of the river Pliva	621
Ivanković T., Marjanović P. & Ivanković V.	
Study of soil deformations caused by the discharge of groundwater in case of different geological structure	627
Ivanov I.J. & Mihova L.A.	
Performance of 150 year-old railway slopes in glacial till: case study from southwest Ireland	631
Jennings P.	
Consolidation and drainage of the Franeker-bridge earth embankment, The Netherlands	637
Karim U.F.A., van Meekeren H. & Feenstra R.	
Numeric indexing of soils and fractions of particles in civil engineering purposes	643
Kilvander E.Ya. & Svezhko O.V.	
On calculation of natural oscillation period of landslide slopes	649
Kilvander E.Ya. & Svezhko O.V.	
Physical and numerical modelling of an axially load driven pile in sands	653
Klotz U., Mayer P.-M. & Roddeman D.	
The potential function of soft clay	661
Korhonen O., Korhonen K.-H. & Lojander M.	
Permanent deformations of unbound materials of road pavement in accelerated pavement tests	665
Korkiala-Tanttu L. & Laaksonen R.	
Risk involved in conventional numerical models of lateral pressure on structures	671
Koudelka P. & Koudelka T.	
Loads and impacts on building constructions of urban underground structures	677
Kryvosheyev P.I.	
Contour effects at arrangements for large scale tests of direct shear strength	681
Langof Z., Talic Z. & Ivankovic T.	
Numerical analysis of the interaction between a calcarenous rockfill embankment and a stiff caly deposit	687
Lollino P., Cotecchia F., Zdravkovic L. & Potts D.M.	
Tide influenced water and earth pressure distribution on quay walls	693
Mardfeldt B. & Grabe J.	
Kriging variance as an indicator of geotechnical hazard	699
Marijanović P., Ivanković T. & Kovac I.	

Finite element analysis of a shallow tunnel	705
Martins F.F., Macau B.	
Reinforced soil systems with non-planar lateral soil-wall boundaries	711
McGow A. & Kupec J.	
Evaluation of numerical analyses used to model the influence of heave reducing piles on excavation induced ground movements	717
McNamara A.M., Stallebrass S.E. & Taylor R.N.	
Instrumentation and interpretation of precast segmental tunnel linings in the Line 8 Madrid Metro extension 1999–2003, Spain	723
Melis M.J., González A., Oteo C.S., Pugh R.C. & Romo P.	
Technical control for the construction of the extension of the Madrid Metro. Control Monitoring Unit (USAC)	729
Melis M.J., Matias I., Romo P.J. & Sanz J.	
Monitoring and analysis of diaphragm walls in the Madrid underground extension 1999 – 2003	735
Melis Maynar M.J., Rodríguez Ortiz J.M <sup>a</sup> , Talavera Manso R. & Sola Casado P.	
Well-founded risk management for the Betuweroete freight railway by the observational method	741
Molendijk W.O. & van den Berg F.P.W.	
Settlement prediction for staged construction of a cut-and-cover tunnel for a high-speed railway line	747
Monaco P., Calabrese M., Marchetti S. & Totani G.	
Improved design approach and use of performance monitoring programme for railway tunnelling under urban areas in Norway	753
Myrvoll F. & Mykland J.	
Centrifuge modelling of multiple tunnel interaction in shallow ground	759
Ng C.W.W., Zhou X.W. & Chung J.K.H.	
Concept for a reference pile testing site for the development and improvement of NDT-CE	763
Niederleithinger E. & Taffe A.	
Deformation patterns in sand beneath shallow foundations subjected to vertical loading	767
O'Loughlin C.D., Lehane B.M. & White D.J.	
The Oddernestunnel - a "cover and cut" tunnel in urban area	773
Olsson R., Bjornstu T., Mortensten M. & Grosås I.	
Piles subject to excavation-induced soil movement in clay	777
Ong D.E.L., Leung C.F. & Chow Y.K.	
Towards an on-time method of interpretation of field instrumentation data	783
Oztoprak S. & Cinicioglu S.F.	
Time dependent movements induced by tunnelling in stiff cohesive soils: a parametric study	791
Pane V., Cecconi M. & Tamagnini C.	
Antivibration isolation of foundations against mobile sources of vibration	797
Pantea P.	
A slice method for embankment and excavation stability analyses	803
Passalacqua R., Bareto A. & Dalerci G.	
Sustainable development of underground space in urban areas	809
Paul T., Chow F.C., Kjekstad O., Vähäaho I.T., Sellberg B. & Lemos L.J.L.	

Estimation of the tense-deformed state of the landslide slope of Moldova Republic using finite element method	815
<i>Polcanov V.N., Grama V.G., Macovei I.A. &amp; Nigrey E.</i>	
Comparison of geotechnic softwares - Geo FEM, Plaxis, Z-Soil	819
<i>Pruška J.</i>	
La plastification du milieu granulaire sous fortes contraintes	825
<i>Rahma A.</i>	
Influence of earth pressure on the inner forces in the tunnel lining	831
<i>Rymsza B.</i>	
Integrated geotechnical – geophysical investigation and testing of hazardous man-made objects	837
<i>Salát P. &amp; Nagy L.</i>	
Stability analyses of retaining walls by different numerical approaches	843
<i>Schanz T. &amp; Gollub P.</i>	
Compressed air tunnelling – Tunnel advance simulation to determine air losses	849
<i>Scheid Y. &amp; Semprich S.</i>	
Construction of a six storey car park underneath the Lake Geneva - Open excavation with diaphragm walls and internal bracing	855
<i>Scheller P.O.</i>	
Seismic stability of rock islands for bridge protection in coastal South Carolina	859
<i>Siegel T.C., Chang C.C. &amp; Loizias M.</i>	
Azuga testing platform	865
<i>Sima N. &amp; Furnigel L.</i>	
Ground treatment for tunnel construction on the Madrid Metro	869
<i>Sola P.R., Martín L., Ángel Blanco M. &amp; San Juan R.</i>	
Measuring underground pipeline infrastructure using fibre optics	875
<i>Spruit R., van de Walle N.J., Bouman J.H., van der Hoek M.J. &amp; van de Belt L.Z.</i>	
Model tests of bearing capacity of homogeneous soil limited by rigid layer	881
<i>Srokosz P.E., Bartoszewicz A. &amp; Dembicki E.</i>	
Assessment of deformations of a reinforced soil structure	887
<i>Stanić B., Kovačević M.S. &amp; Szavits-Nossan V.</i>	
Slope stability problems in Denmark - a joke or dire reality?	893
<i>Steenfelt J.S. &amp; Sørensen C.S.</i>	
Jet grouting model tests and simulation	899
<i>Stein J. &amp; Grabe J.</i>	
Design method for dike uplift stabilisation by underground doweling	903
<i>Van M.A., van Eekelen S.J.M. &amp; Barends F.B.J.</i>	
Numerical analysis on Haarajoki test embankment	909
<i>Vepsäläinen P., Loijander M., Koskinen M. &amp; Smura M.</i>	
Stability of boreholes in case of directional drilling	913
<i>Viehöfer T.C., Bezuijen A. &amp; Hergarden H.J.A.M.</i>	
Movement of gravity caisson wharf	917
<i>Zhang X.Y., Leung C.F. &amp; Lee F.H.</i>	
Correlation between inter-granular void ratio and cone tip resistance of loose silty sand	923
<i>Ziaie Moayed R. &amp; Naeini S.A.</i>	

Response of pavement granular base material on repetitional traffic loads <i>Žlender B. &amp; Macuh B.</i>	929
Back analyses of high retaining structures within the framework of the observational method <i>Žvanut P., Majes B. &amp; Logar J.</i>	933

**MAIN SESSION 6: European Geotechnical Networking**  
**SÉANCE PLÉNIÈRE 6: Travail en réseau des géotechniciens de l'Europe**

<b>MAIN SESSION 6:</b> <i>Foundations in urban areas</i>	
A GIS model application supporting the analysis of the seismic hazard for the urban area of Catania (Italy) <i>Grasso S. &amp; Maugeri M.</i>	941
PRIMA technology programme <i>Mäkelä H.</i>	947
TREE et INTRANSNET : deux projets européens et un réseau commun de recherche au service de la géotechnique, du génie civil et des transports <i>Maldonado A., Garnier J., Kovarik K. &amp; Bujnak J.</i>	951
A new digital format for exchange of borehole and piezometer data <i>Nohl W.A., Engering F.P.H., Bosch J.H.A. &amp; Jonker A.</i>	957
Databank Ondergrond Vlaanderen (DOV): a regional information system for geotechnical, geological and hydrogeological data of the subsoil in Flanders, Belgium. <i>Vergauwen I., De Schrijver P. &amp; van Alboom G.</i>	961

**Fondations en zones urbaines**