

CONTENTS

Preface	V
LAFONT, R. HPLC analysis of ecdysteroids in plants and animals	1
ANDRONIKASHVILI, T.G., BEREZKIN, V.G., EPRIKASHVILI, L.G., ABULASHVILI, E.I. and GOGITIDZE, N.M. Effectiveness of chromatographic columns filled with polymer surface-layer sorbents	17
ARNOLD, G., POPP, P., MOTHES, S., MARTINI, L., STARK, B., ORTLIEB, H.-J. and KÖLLER, J. A high-sensitive photoionization detector for gas chromatography	23
BÁRDOS, L. and OPPEL, K. Different separation techniques for the evaluation of glycohemoglobin levels in cows	31
BIACS, P.A., DAOOD, H.G., PAIS, L., FEHÉR, M. and HAJDÚ, F. Chromatographic investigation of tomato fruit metabolites during ripening	39
BOJARSKI, J. New advances in the chiral stationary phases - A review	61
BOOS, K.-S., WILMERS, B. and SCHLIMME, E. Digital HPLC of natural cis-diol compounds	87

CHLENOV, M.A., VOLGIN, Yu.V. and KOROTAEV, G.K. HPLC of some peptide hormones	111
CHUMBURIDZE, T.A., PAPP, J., TSITSISHVILI, G.V. and MÉSZÁROS, A. Studies on the separative properties of zeolite- containing tuffs of various deposits in Hungary	125
CORRADINI, D. and NEVI, M. Conformational effects in high-performance hydrophobic-interaction chromatography of conalbumin	139
DANEK, L., NOCON, H., TARNAWSKA, A. and MELZACKA, M. The TLC-HPLC study of ipsapirone (TVX Q 7821) metabolism in rats	153
DAOOD, H., BIACS, P.A., HOSCHKE, A. and HAJDÚ, F. New mobile phase for HPLC separation of pigments in some vegetables	159
EDWARD-INATIMI, B.E. Multi-element analysis by solvent extraction and high-performance liquid chromatography of soil samples	175
ENDREFFY, I. Determination of urinary glycosaminoglycans in connective tissue disorders using thin-layer chromatography	187
FELLEGVÁRI, I., VALKÓ, K., SIMONYI, M., SÁNDOR, P. and LÁNG, T. Separation of conformational diastereomers of 2,3-benzodiazepines by HPLC	193
FITOS, I., SIMONYI, M. and TEGYEY, Zs. Resolution of warfarin via enhanced stereo- selective binding to human serum albumin induced by lorazepam acetate	205
GORIUS, A. Perturbation analysis: A powerful tool for prediction of the dynamics of chromatographic columns	209
GÖNDÖS, Gy., SZÉCSÉNYI, I. and GERA, L. Separation of <u>cis</u> and <u>trans</u> isomers of cyclic compounds. Part I. Separation of <u>cis</u> and <u>trans</u> 2-amino-1-cyclohexane-carboxamide and their derivatives by thin-layer chromatography	219

HOOGMARTENS, J., ROETS, E, and VANDERHAEGHE, H. The development of the analysis of tetracycline by high performance-liquid chromatography	225
IDEI, M., PAJOR, A., GOUTH, J. and MENYHÁRT, J. A substance isolated from human amniotic fluid that inhibits contractile function of human myometrium	241
KALAMBET, Yu.A., BUROVA, E.I., ZHUCHKOV, A.A., KNORRE, V.L. and ALEXANDROV, A.A. Measurement of DNA-protein binding constants by a computerized chromatograph "Milichrom"	251
KALÁSZ, H. and GULYÁS, A. Chamber for planar supercritical fluid chromatography	269
KALÁSZ, H., KERECSEN, L., KNOLL, J., PUCSOK, J., DOBÓ, R. and HOLLÓSI, I. Studies on the metabolism of (-)Deprenyl by gas chromatography — mass spectrometry	275
KOBYLINSKA-LUCZKO, A., GRZESZKIEWICZ, A., CENDROWSKA, I. and BUTKIEWICZ, K. Investigations on the stability of fenoterol hydrobromide in injection solutions and tablets by HPLC method	285
KREMMER, T., BOLDIZSÁR, M. and PAULIK, E. HPLC monitoring of the metabolic changes induced by antitumor agents in combined chemotherapy	295
ORNA, L., ZEIDAKA, A., SALMANE, R. and BEZBORODOVA, S. Using various chromatography types and electrophoresis to reveal microhetero- geneity in crystalline protein preparations	311
PÁLOSI-SZÁNTHÓ, V., KURCZ, M. and FRITSCH, S. Determination of hydrochlorothiazide in serum	321
RÓZYLO, J.K., GWIS-CHOMICZ, D. and MALINOWSKA, I. Chitin - A new natural stationary phase in chromatography	329
RÓZYLO, J.K. and JANICKA, M. Some problems of using thin-layer chromatography as a pilot technique for liquid column chromato- graphy in the analysis of organic compounds	345

RÓZYLO, J.K., MALINOWSKA, I. and KOŁODZIEJCZYK, H. Specific surface area of the adsorbent as the parameter of optimization in adsorption thin-layer chromatography process	359
RUMYANTSEV, V.Yu., BEREZKIN, V.G. and KURKIN, B.I. Multistage two-dimensional TLC and its application to the investigation of catalysts for the hydroformylation of olefins	375
SCHLÖSSLER, W., BOEDEN, H.-F. and HIEPE, F. A novel procedure for the activation of support materials	381
SHATZ, V.D. and SAHARTOVA, O.V. A simplified hydrophobicity criterion for solutes in reversed-phase chromatography	389
STEHLE, P. and FÜRST, P. Capillary isotachopheresis in peptide and amino acid chemistry - Analysis of Cyst(e)ine-containing di- and tripeptides	401
SZABÓ, Gy., CSATÓ, E., BORBÉLY-KUSZMANN, A. and LIPTAY, Gy. Preparation of different phenyl phases for RP-HPLC	415
SZABÓ, Gy., OFFENMÜLLER, K. and CSATÓ, E. Size exclusion separations of proteins on stabilized diol phase	427
SZÓKÁN, Gy., HUDECZ, F., DIETZSCHOLD, B., EARLEY, J., GÖNCZÖL, E., IANACONE, J., GAY, T. and PLOTKIN, S. Chromatography of human cytomegalovirus proteins	441
URBÁN-SZABÓ, K. and KURCZ, M. Simple HPLC method for the determination of indomethacin in rat serum	457
YAKUSHINA, L.M.; LYKOVA, N.M. and RYNDAKOVA, I.A. Rapid determination of tocopherols by HPLC	463
YEGAZAR'YANTS, S.V. Group separation of different petroleum fractions by high-performance liquid chromatography	471

VERESS, T., SZÁNTHÓ, J. I. and LEISZTNER, L. HPLC analysis of cannabinoids using amino bonded stationary phase column	481
WERNER, A., SIEMS, W., GERBER, G., SCHMIDT, H. BECKER, H., TOGUZOV, P., TICHONOV, Yu. and PIMENOV, A. Separation of nucleotides in cells of different metabolic complexity by use of reversed-phase and ion-pair HPLC	495
ZEIDAKA, A., SKRODELIS, O., ORNA, L., DZIRKALE, L. and GIBIETIS, J. Chromatographic purification of antibodies and antibody-enzyme conjugates	509
List of contributors	525
Subject index	535