

Table of contents

KEYNOTE LECTURES

| | |
|--|---|
| Štembera V. (#124): <i>Efficient prediction of the plastic collapse of structures</i> | 1 |
| Uruba V. (#112): <i>Wake behind a cylinder: An overview of spatio-temporal aspects</i> | 7 |

PAPERS

| | |
|--|-----|
| Baláž I., Koleková Y., Partov D. (#29): <i>Stability of beams under uniform loading q combined with end moments M_a and M_b</i> | 17 |
| Baláž I., Koleková Y., Partov D. (#30): <i>Stability of beams under force F in middle of span combined with end moments M_a and M_b</i> | 21 |
| Baran J., Fecko T., Jurgoš M., Borzovič V. (#67): <i>Theoretical and experimental analysis of reinforced concrete T-beam before strengthening</i> | 25 |
| Barraclough V., Strob M. (#77): <i>Ultrasonic methods for determining flow rate and velocity field</i> ... | 29 |
| Bayer J. (#24): <i>Modeling the moving cogwheel load — Analysis using Ansys & MATLAB</i> | 33 |
| Benčat J., Lukáč M. (#11): <i>Application of waves spectral analysis for determination of ground dynamic parameters</i> | 37 |
| Bublík O., Heidler V., Pecka A., Vimmr J. (#98): <i>Flow field prediction in a blade cascade using a convolution neural network</i> | 41 |
| Cábová K., Vopatová K., Radchuk M. (#52): <i>Sensitivity analysis of steel to timber joint exposed to fire</i> | 45 |
| Cacciotti R., Wolf B., Macháček M., Frankl J. (#21): <i>Innovative device for the simulation of environmental conditions and testing of building materials</i> | 49 |
| Čech V. (#115): <i>Measured met data filtering for corrections of very long projectile trajectories</i> | 53 |
| Čečrdle J., Malínek P., Vích O. (#19): <i>Wind tunnel test of W-WING aeroelastic demonstrator</i> | 57 |
| Černocho J., Mašek J., Löffelmann F. (#38): <i>Analytical and numerical analysis of thermal structure</i> | 61 |
| Česenek J. (#14): <i>The numerical simulation of the spray</i> | 65 |
| Cichański A., Nowicki K. (#111): <i>Iterative evaluation of trabecular bone anisotropic apparent mechanical properties</i> | 69 |
| Cimrman R. (#35): <i>Leveraging Python tensor contraction packages for evaluating finite element weak forms</i> | 73 |
| Cirkl D., Luciová A., Škoda J., Mendřický R. (#62): <i>Validation of FEM model of interaction of car seat cushion and rigid indenter</i> | 77 |
| Čížek M., Pařez J. (#105): <i>Total pressure distribution of labyrinth seal investigation</i> | 81 |
| Doktor T., Fíla T., Zlámal P., Jiroušek O. (#121): <i>Effect of polymeric fillers on Poisson's function in additively manufactured auxetics</i> | 85 |
| Eiba P., et al. (#109): <i>Research on Splachnocranial Injuries due to Brachial Violence</i> | 89 |
| Falta J., Yunus Yilmaz E. (#93): <i>Strain-rate dependent compressive properties of inverted honeycomb lattice and bulk cylindrical samples 3D printed by MSLA method</i> | 93 |
| Feber N., Jandera M. (#81): <i>Laser-welded I-sections stainless steel beam-columns</i> | 97 |
| Ferfecki P., Molčan M., Nevřela M., Páleník R. (#58): <i>Numerical and experimental modal analysis of an induction electric motor</i> | 101 |
| Ferfecki P., Zapoměl J., Molčan M. (#59): <i>Design of the magnetically sensitive hydrodynamic bearing for the experimental rotor rig</i> | 105 |
| Fíla T. (#110): <i>Analytical and experimental analysis of stress uniformity in specimen during direct impact Hopkinson bar test</i> | 109 |

| | |
|--|-----|
| Frátrik M., Mičian M., Winczek J. (#97): <i>An analysis of strengthening mechanisms of TMCP HSLA steels</i> | 113 |
| Frydryšek K., et al. (#82): <i>Probabilistic analysis of screws for femoral neck fractures</i> | 117 |
| Głowacki M., Mazurkiewicz A., Polishchuk O., Matuszewski M. (#120): <i>Friction coefficient value in joints in dependence on hialuronic acid concentration in lubricant</i> | 121 |
| Głowacki M., Mazurkiewicz A., Słomion M. (#117): <i>Evaluation of the effectiveness of methods for improving the mechanical properties of plastic products manufactured in the FDM technology — A mini review</i> | 125 |
| Guran A. (#126): <i>A fluid power actuation system for shape control of an elastic rod</i> | 129 |
| Gzik-Zroska B., Jozsko K., Wolański W., Kawlewska E. (#86): <i>Numerical analysis of different methods of sternum osteosynthesis after sternotomy procedure</i> | 133 |
| Harant M., Jopek M., Podaný K., Řiháček J. (#107): <i>Investigation of Johnson-Cook parameters of aluminium alloy 2024-T3</i> | 137 |
| Hermann M., Kacálek P. (#70): <i>Topology optimization based on deformation energy</i> | 141 |
| Hertl L., Bojko M. (#16): <i>Stochastic modelling of overflow from a spinning container</i> | 145 |
| Hrabovský L., Frydryšek K., Čepica D. (#83): <i>Winkler and Hetenyi elastic foundation applied in belt conveyors for wheat transport</i> | 149 |
| Hračov S., Macháček M. (#88): <i>Aeroelastic instability of differently porous U-profiles in crosswind direction</i> | 153 |
| Hrubanová A., Kubiček L., Burša J. (#53): <i>Patient anamnesis and its impact on mechanical properties of atherosclerotic carotid arteries: An explorative study</i> | 157 |
| Hvožd'a J., Strunga A., Kůdelová T. (#31): <i>Fully polymeric distillation unit based on polypropylene hollow fiber membranes: Thermal performance analysis</i> | 161 |
| Illík J., Štigler J. (#50): <i>CFD analysis of free surface vortex shape in an unbaffled stirred tank</i> | 165 |
| Jozsko K., et al. (#90): <i>Strength tests of human tendons following prolonged storage</i> | 169 |
| Jozsko K., et al. (#91): <i>Application of the finite element analysis as a new approach in pipe expansion joint engineering</i> | 173 |
| Jurgoš M., Baran J., Borzovič V. (#68): <i>Experimental study of effect of recycled aggregate on the behaviour of reinforced beam elements</i> | 177 |
| Kałaczyński T., Łukasiewicz M., Liss M. (#49): <i>Experimental modal analysis implementation in the assessment of the large-size objects dynamic state</i> | 181 |
| Kawlewska E., et al. (#12): <i>Comparative analysis of biometric measurements of face geometry obtained with the use of direct measurements, photoanthropometry and 3D scanning</i> | 185 |
| Kazakov K., Mihova L., Partov D. (#79): <i>A buried arch bridge — Conclusions about approaches for FE modeling</i> | 189 |
| Kazakov K., Partov D., Stoyanov Ch. (#89): <i>Comparison between the current models of the theory of creep in the light of numerical results obtained by time history analysis of composite sections, using integral equation of Volterra</i> | 193 |
| Klepač V., et al. (#101): <i>Use of advanced kinematic hardening rule within FE ratcheting simulation</i> | 197 |
| Kolman R., et al. (#80): <i>Localized formulation of bipenalty method in contact-impact problems</i> | 201 |
| Komlev V., Machacek J. (#46): <i>Cable-net systems supporting glass facades</i> | 205 |
| Koňářík T. (#56): <i>Optimization of the slay mechanism of the weaving loom DIFA</i> | 209 |
| Korczak A., Dziatkiewicz J. (#25): <i>Modeling of irradiation by short laser pulse — Comparison of Boltzmann transport equation and a two-temperature model with experimental data</i> | 213 |
| Kovář J., Fuis V. (#17): <i>Comparison of the results of analytical and FEM stress calculations of the spherical nanoindentation</i> | 217 |
| Králík J., Králík J. jr. (#87): <i>Experimental and numerical fluid analysis of the influence of NPP buildings to wind impact on the ventilating chimney</i> | 221 |

| | |
|---|-----|
| Krejsa J., Vechet S., Chen K. S. (#41): <i>Determination of current floor during mobile robot elevator ride</i> | 225 |
| Krejsa M., Brozovsky J., Lehner P. (#18): <i>Fatigue damage prediction of HSS bridge</i> | 229 |
| Kudláček P., Novotný P., Vacula J. (#65): <i>Computational estimation of sealing gas blowby</i> | 233 |
| Ledvinková B., Hračov S., Macháček M. (#54): <i>Determination of aerodynamic coefficients for air flow around U-profiles with different flange porosities</i> | 237 |
| Lunda F., Fialová S., Pírková M. (#55): <i>Computational simulation of two-phase immiscible flow in horizontal pipeline</i> | 241 |
| Macháček M., Lo Y. L., Máca J. (#100): <i>Aerodynamic interference forces acting on two square prisms in a model atmospheric boundary layer</i> | 245 |
| Marek R., Parma S., Klepač V., Feigenbaum H. P. (#71): <i>A quick calibration tool for cyclic plasticity using analytical solution</i> | 249 |
| Maršík F. (#23): <i>Laser shock peening: Laser explosion and shear wave propagation</i> | 253 |
| Marton M., Sokol M., Lamperová K. (#94): <i>Coefficient of subsoil reaction calibrated by PSO method</i> | 257 |
| Morávka Š., Študent J. (#118): <i>Influence of manufacturing variations of protuberant teeth shapes on gearing stresses of high-speed gearboxes</i> | 261 |
| Mráz K., Kroulíková T., Resl O. (#39): <i>Liquid cooling of LED car headlamps using polymeric hollow fibers</i> | 265 |
| Mucha W., Viana J. C., Nunes J. P. (#74): <i>Smart operational load monitoring using decision trees and artificial neural networks: A comparative study</i> | 269 |
| Musil M., Havelka F., Chlebo O., Úradniček J. (#57): <i>Diagnostics of loose clamping joints</i> | 273 |
| Náprstek J., Fischer C. (#4): <i>Theoretical analysis of selected trajectories inscribed by a ball freely rolling in a spherical cavity</i> | 277 |
| Náprstek J., Fischer C. (#26): <i>Application of first integrals in the construction of the Lyapunov function for the random response stability testing</i> | 281 |
| Neuhäuserová M., Koudelka P., Fíla T. (#114): <i>Numerical model of open Hopkinson pressure bar and its utilisation for inverse numerical analysis of closed-cell aluminium foam</i> | 285 |
| Novák L., Novák D. (#13): <i>Semi-probabilistic assessment of concrete bridge using polynomial chaos and Gram-Charlier expansions</i> | 289 |
| Onyshchenko Ye., Zinkovskii A., Matveev V. (#37): <i>Calculated investigation of the beam vibrations with local surface damage</i> | 293 |
| Orlová L., Gumulec J., Burša J. (#60): <i>The impact of the mitochondrial network on the mechanical response of diseased animal cell</i> | 297 |
| Páleník R., Molčan M., Poruba Z. (#92): <i>Comparison of co-rotational and nonlinear finite element simulations with geometric nonlinearities</i> | 301 |
| Pařez J., Čížek M., Vampola T. (#108): <i>Influence of thermo-mechanical deformation on the labyrinth seals efficiency</i> | 305 |
| Polach P., Anderle M., Papáček Š. (#40): <i>On the design and modeling of a trainer for the underactuated walking robot without ankles</i> | 309 |
| Procházka P., Barraclough V., Skála V., Uruba V. (#102): <i>The design and aerodynamic testing of DPIK probe</i> | 313 |
| Profant T., Sládek J., Sládek V., Kotoul M. (#104): <i>Assessment of amplitude factors of asymptotic expansion at crack tip in flexoelectric solid under mode I loadings</i> | 317 |
| Radolf V., et al. (#75): <i>Damping of human vocal folds vibration</i> | 321 |
| Rágulík J., Sivčák M. (#61): <i>Comparison of approaches to air spring height control</i> | 325 |
| Rebej M., Vondál J., Juřena T., Jegla Z. (#96): <i>Sensitivity study of a bubble size on mass transfer in a CFD model of a bubble-column photobioreactor</i> | 329 |
| Rohan E., Moravcová F. (#103): <i>Modelling of acoustic streaming in porous media</i> | 333 |

| | |
|---|-----|
| Romanek J., et al. (#69): <i>Analysis of influence of visual stimuli on perception of pain through use of virtual reality</i> | 337 |
| Sant Z., Chase K., Busuttil A. (#43): <i>The analysis of stand-up activity</i> | 341 |
| Schmidt J., Hálková B. (#47): <i>Practical usability of fractional viscoelasticity for interlayer polymers</i> | 345 |
| Schuster M. (#34): <i>Simulation of time-dependent pressure fields in model of the control rods of nuclear reactor</i> | 349 |
| Šebek F., Kubík P., Petruška J. (#9): <i>Evaluation of damage accumulation for ductile materials</i> | 353 |
| Sedláček J., Hurda L., Mráček J. (#119): <i>Analysis of multi constant current flowmeter heated elements</i> | 357 |
| Seitl S., et al. (#116): <i>Advanced statistical evaluation of fatigue data obtained during the measurement of concrete mixtures with various water-cement ratio</i> | 361 |
| Šejna J., Šulc S., Cábová K., Wald F. (#45): <i>Mechanical analysis of steel beam protected by OSB</i> .. | 365 |
| Šmejkal M., Lainer M., Müller M. (#44): <i>Implementation of a hybrid Trefftz finite element for elastodynamic media</i> | 369 |
| Smyk E., Markowicz M., Szyca M. (#33): <i>Volume analysis of cooling systems with synthetic jet actuator</i> | 373 |
| Šnábl P., et al. (#99): <i>Effect of oscillating blade on tonal noise of blade cascade with five NACA 0010 profiles</i> | 377 |
| Šnajder J., Bednařík J. (#42): <i>Czech sign language single hand alphabet classification with MediaPipe</i> | 381 |
| Stosiak M., Osiński P., Urbanowicz K., Cieślícki R. (#63): <i>Reduction of pressure ripple in the hydraulic micropower unit</i> | 385 |
| Straka P., Němec M. (#15): <i>Numerical and experimental aerodynamic investigation of small-sized impulse-type turbine stage</i> | 389 |
| Svárovský J., et al. (#64): <i>Development of autonomous experimental setup to investigate directional distortional hardening under biaxial loading</i> | 393 |
| Vavřík D., et al. (#85): <i>Tomographic investigation of the sandstone fracture toughness</i> | 397 |
| Vechet S., Krejsa J., Chen K. S. (#20): <i>Control system architecture for novel experimental microalgae photobioreactor Simbios</i> | 401 |
| Vozáb J., Vorel J. (#113): <i>LDPM structure enhancement with Voronoi particles</i> | 405 |
| Zapoměl J., Ferfecki P., Molčan M., Kozánek J. (#48): <i>Analysis of vibration of rotors with a thick rigid disc on the overhanging end supported by hydrodynamic bearings and loaded by uncertain unbalance effects</i> | 409 |
| Zinkovskii A., Kabannyk S., Kruts V. (#36): <i>Experimental investigation procedure of the vibration characteristics of the structural elements</i> | 413 |

Table of contents

(grouped by sections)

KEY – Keynote Lectures

| | |
|--|---|
| Štembera V. (#124): <i>Efficient prediction of the plastic collapse of structures</i> | 1 |
| Uruba V. (#112): <i>Wake behind a cylinder: An overview of spatio-temporal aspects</i> | 7 |

BIO – Biomechanics

| | |
|---|-----|
| Cichański A., Nowicki K. (#111): <i>Iterative evaluation of trabecular bone anisotropic apparent mechanical properties</i> | 69 |
| Eiba P., et al. (#109): <i>Research on Splachnocranial Injuries due to Brachial Violence</i> | 89 |
| Frydryšek K., et al. (#82): <i>Probabilistic analysis of screws for femoral neck fractures</i> | 117 |
| Głowacki M., Mazurkiewicz A., Polishchuk O., Matuszewski M. (#120): <i>Friction coefficient value in joints in dependence on hialuronic acid concentration in lubricant</i> | 121 |
| Gzik-Zroska B., Jozsko K., Wolański W., Kawlewska E. (#86): <i>Numerical analysis of different methods of sternum osteosynthesis after sternotomy procedure</i> | 133 |
| Hrubanová A., Kubíček L., Burša J. (#53): <i>Patient anamnesis and its impact on mechanical properties of atherosclerotic carotid arteries: An explorative study</i> | 157 |
| Jozsko K., et al. (#90): <i>Strength tests of human tendons following prolonged storage</i> | 169 |
| Kawlewska E., et al. (#12): <i>Comparative analysis of biometric measurements of face geometry obtained with the use of direct measurements, photoanthropometry and 3D scanning</i> | 185 |
| Orlová L., Gumulec J., Burša J. (#60): <i>The impact of the mitochondrial network on the mechanical response of diseased animal cell</i> | 297 |
| Radolf V., et al. (#75): <i>Damping of human vocal folds vibration</i> | 321 |
| Romanek J., et al. (#69): <i>Analysis of influence of visual stimuli on perception of pain through use of virtual reality</i> | 337 |
| Sant Z., Chase K., Busuttil A. (#43): <i>The analysis of stand-up activity</i> | 341 |

DYN – Dynamics

| | |
|---|-----|
| Bayer J. (#24): <i>Modeling the moving cogwheel load — Analysis using Ansys & MATLAB</i> | 33 |
| Benčat J., Lukáč M. (#11): <i>Application of waves spectral analysis for determination of ground dynamic parameters</i> | 37 |
| Čech V. (#115): <i>Measured met data filtering for corrections of very long projectile trajectories</i> | 53 |
| Čečrdle J., Malínek P., Vích O. (#19): <i>Wind tunnel test of W-WING aeroelastic demonstrator</i> | 57 |
| Čížek M., Pařez J. (#105): <i>Total pressure distribution of labyrinth seal investigation</i> | 81 |
| Ferfecki P., Molčan M., Nevřela M., Páleník R. (#58): <i>Numerical and experimental modal analysis of an induction electric motor</i> | 101 |
| Ferfecki P., Zapoměl J., Molčan M. (#59): <i>Design of the magnetically sensitive hydrodynamic bearing for the experimental rotor rig</i> | 105 |
| Kalaczyński T., Łukasiewicz M., Liss M. (#49): <i>Experimental modal analysis implementation in the assessment of the large-size objects dynamic state</i> | 181 |
| Kolman R., et al. (#80): <i>Localized formulation of bipenalty method in contact-impact problems</i> | 201 |
| Koňářík T. (#56): <i>Optimization of the slay mechanism of the weaving loom DIFA</i> | 209 |
| Marton M., Sokol M., Lamperová K. (#94): <i>Coefficient of subsoil reaction calibrated by PSO method</i> | 257 |
| Musil M., Havelka F., Chlebo O., Úradníček J. (#57): <i>Diagnostics of loose clamping joints</i> | 273 |
| Náprstek J., Fischer C. (#26): <i>Application of first integrals in the construction of the Lyapunov function for the random response stability testing</i> | 281 |

| | |
|---|-----|
| Náprstek J., Fischer C. (#4): <i>Theoretical analysis of selected trajectories inscribed by a ball freely rolling in a spherical cavity</i> | 277 |
| Onyshchenko Ye., Zinkovskii A., Matveev V. (#37): <i>Calculated investigation of the beam vibrations with local surface damage</i> | 293 |
| Šnábl P., et al. (#99): <i>Effect of oscillating blade on tonal noise of blade cascade with five NACA 0010 profiles</i> | 377 |
| Zapoměl J., Ferfecki P., Molčan M., Kozánek J. (#48): <i>Analysis of vibration of rotors with a thick rigid disc on the overhanging end supported by hydrodynamic bearings and loaded by uncertain unbalance effects</i> | 409 |
| Zinkovskii A., Kabannyk S., Kruts V. (#36): <i>Experimental investigation procedure of the vibration characteristics of the structural elements</i> | 413 |

FLU – Fluid Mechanics

| | |
|--|-----|
| Barraclough V., Strob M. (#77): <i>Ultrasonic methods for determining flow rate and velocity field</i> ... | 29 |
| Bublík O., Heidler V., Pecka A., Vimmr J. (#98): <i>Flow field prediction in a blade cascade using a convolution neural network</i> | 41 |
| Česenek J. (#14): <i>The numerical simulation of the spray</i> | 65 |
| Hračov S., Macháček M. (#88): <i>Aeroelastic instability of differently porous U-profiles in crosswind direction</i> | 153 |
| Illík J., Štigler J. (#50): <i>CFD analysis of free surface vortex shape in an unbaffled stirred tank</i> | 165 |
| Králík J., Králík J. jr. (#87): <i>Experimental and numerical fluid analysis of the influence of NPP buildings to wind impact on the ventilating chimney</i> | 221 |
| Kudláček P., Novotný P., Vacula J. (#65): <i>Computational estimation of sealing gas blowby</i> | 233 |
| Ledvinková B., Hračov S., Macháček M. (#54): <i>Determination of aerodynamic coefficients for air flow around U-profiles with different flange porosities</i> | 237 |
| Lunda F., Fialová S., Pírková M. (#55): <i>Computational simulation of two-phase immiscible flow in horizontal pipeline</i> | 241 |
| Macháček M., Lo Y. L., Máca J. (#100): <i>Aerodynamic interference forces acting on two square prisms in a model atmospheric boundary layer</i> | 245 |
| Procházka P., Barraclough V., Skála V., Uruba V. (#102): <i>The design and aerodynamic testing of DPIK probe</i> | 313 |
| Rebej M., Vondál J., Juřena T., Jegla Z. (#96): <i>Sensitivity study of a bubble size on mass transfer in a CFD model of a bubble-column photobioreactor</i> | 329 |
| Schuster M. (#34): <i>Simulation of time-dependent pressure fields in model of the control rods of nuclear reactor</i> | 349 |
| Sedláček J., Hurda L., Mráček J. (#119): <i>Analysis of multi constant current flowmeter heated elements</i> | 357 |
| Stosiak M., Osiński P., Urbanowicz K., Cieśliski R. (#63): <i>Reduction of pressure ripple in the hydraulic micropower unit</i> | 385 |
| Straka P., Němec M. (#15): <i>Numerical and experimental aerodynamic investigation of small-sized impulse-type turbine stage</i> | 389 |

FRA – Fracture Mechanics

| | |
|---|-----|
| Profant T., Sládek J., Sládek V., Kotoul M. (#104): <i>Assessment of amplitude factors of asymptotic expansion at crack tip in flexoelectric solid under mode I loadings</i> | 317 |
| Seitl S., et al. (#116): <i>Advanced statistical evaluation of fatigue data obtained during the measurement of concrete mixtures with various water-cement ratio</i> | 361 |
| Vavřík D., et al. (#85): <i>Tomographic investigation of the sandstone fracture toughness</i> | 397 |
| Vozáb J., Vorel J. (#113): <i>LDPM structure enhancement with Voronoi particles</i> | 405 |

MCT – Mechatronics

| | |
|--|-----|
| Guran A. (#126): <i>A fluid power actuation system for shape control of an elastic rod</i> | 129 |
| Krejsa J., Vechet S., Chen K. S. (#41): <i>Determination of current floor during mobile robot elevator ride</i> | 225 |
| Polach P., Anderle M., Papáček Š. (#40): <i>On the design and modeling of a trainer for the underactuated walking robot without ankles</i> | 309 |
| Rágulík J., Sivčák M. (#61): <i>Comparison of approaches to air spring height control</i> | 325 |
| Šnajder J., Bednařík J. (#42): <i>Czech sign language single hand alphabet classification with MediaPipe</i> | 381 |
| Vechet S., Krejsa J., Chen K. S. (#20): <i>Control system architecture for novel experimental microalgae photobioreactor Simbios</i> | 401 |

REL – Reliability

| | |
|---|-----|
| Baran J., Fecko T., Jurgoš M., Borzovič V. (#67): <i>Theoretical and experimental analysis of reinforced concrete T-beam before strengthening</i> | 25 |
| Cábová K., Vopatová K., Radchuk M. (#52): <i>Sensitivity analysis of steel to timber joint exposed to fire</i> | 45 |
| Feber N., Jandera M. (#81): <i>Laser-welded I-sections stainless steel beam-columns</i> | 97 |
| Hertl L., Bojko M. (#16): <i>Stochastic modelling of overflow from a spinning container</i> | 145 |
| Jurgoš M., Baran J., Borzovič V. (#68): <i>Experimental study of effect of recycled aggregate on the behaviour of reinforced beam elements</i> | 177 |
| Krejsa M., Brozovsky J., Lehner P. (#18): <i>Fatigue damage prediction of HSS bridge</i> | 229 |
| Novák L., Novák D. (#13): <i>Semi-probabilistic assessment of concrete bridge using polynomial chaos and Gram-Charlier expansions</i> | 289 |
| Šejna J., Šulc S., Cábová K., Wald F. (#45): <i>Mechanical analysis of steel beam protected by OSB</i> .. | 365 |

SOL – Mechanics of Solids

| | |
|---|-----|
| Baláž I., Koleková Y., Partov D. (#30): <i>Stability of beams under force F in middle of span combined with end moments M_a and M_b</i> | 21 |
| Baláž I., Koleková Y., Partov D. (#29): <i>Stability of beams under uniform loading q combined with end moments M_a and M_b</i> | 17 |
| Cacciotti R., Wolf B., Macháček M., Frankl J. (#21): <i>Innovative device for the simulation of environmental conditions and testing of building materials</i> | 49 |
| Cimrman R. (#35): <i>Leveraging Python tensor contraction packages for evaluating finite element weak forms</i> | 73 |
| Cirkl D., Luciová A., Škoda J., Mendřický R. (#62): <i>Validation of FEM model of interaction of car seat cushion and rigid indenter</i> | 77 |
| Doktor T., Fíla T., Zlámal P., Jiroušek O. (#121): <i>Effect of polymeric fillers on Poisson's function in additively manufactured auxetics</i> | 85 |
| Falta J., Yunus Yilmaz E. (#93): <i>Strain-rate dependent compressive properties of inverted honeycomb lattice and bulk cylindrical samples 3D printed by MSLA method</i> | 93 |
| Fíla T. (#110): <i>Analytical and experimental analysis of stress uniformity in specimen during direct impact Hopkinson bar test</i> | 109 |
| Frátrik M., Mičian M., Winczek J. (#97): <i>An analysis of strengthening mechanisms of TMCP HSLA steels</i> | 113 |
| Głowacki M., Mazurkiewicz A., Słomion M. (#117): <i>Evaluation of the effectiveness of methods for improving the mechanical properties of plastic products manufactured in the FDM technology — A mini review</i> | 125 |
| Harant M., Jopek M., Podaný K., Řiháček J. (#107): <i>Investigation of Johnson-Cook parameters of aluminium alloy 2024-T3</i> | 137 |

| | |
|--|-----|
| Hermann M., Kacálek P. (#70): <i>Topology optimization based on deformation energy</i> | 141 |
| Hrabovský L., Frydryšek K., Čepica D. (#83): <i>Winkler and Hetenyi elastic foundation applied in belt conveyors for wheat transport</i> | 149 |
| Joszek K., et al. (#91): <i>Application of the finite element analysis as a new approach in pipe expansion joint engineering</i> | 173 |
| Kazakov K., Mihova L., Partov D. (#79): <i>A buried arch bridge — Conclusions about approaches for FE modeling</i> | 189 |
| Kazakov K., Partov D., Stoyanov Ch. (#89): <i>Comparison between the current models of the theory of creep in the light of numerical results obtained by time history analysis of composite sections, using integral equation of Volterra</i> | 193 |
| Klepač V., et al. (#101): <i>Use of advanced kinematic hardening rule within FE ratcheting simulation</i> | 197 |
| Komlev V., Machacek J. (#46): <i>Cable-net systems supporting glass facades</i> | 205 |
| Kovář J., Fuis V. (#17): <i>Comparison of the results of analytical and FEM stress calculations of the spherical nanoindentation</i> | 217 |
| Marek R., Parma S., Klepač V., Feigenbaum H. P. (#71): <i>A quick calibration tool for cyclic plasticity using analytical solution</i> | 249 |
| Maršík F. (#23): <i>Laser shock peening: Laser explosion and shear wave propagation</i> | 253 |
| Morávka Š., Študent J. (#118): <i>Influence of manufacturing variations of protuberant teeth shapes on gearing stresses of high-speed gearboxes</i> | 261 |
| Mucha W., Viana J. C., Nunes J. P. (#74): <i>Smart operational load monitoring using decision trees and artificial neural networks: A comparative study</i> | 269 |
| Neuhäuserová M., Koudelka P., Fíla T. (#114): <i>Numerical model of open Hopkinson pressure bar and its utilisation for inverse numerical analysis of closed-cell aluminium foam</i> | 285 |
| Páleník R., Molčan M., Poruba Z. (#92): <i>Comparison of co-rotational and nonlinear finite element simulations with geometric nonlinearities</i> | 301 |
| Rohan E., Moravcová F. (#103): <i>Modelling of acoustic streaming in porous media</i> | 333 |
| Schmidt J., Hálková B. (#47): <i>Practical usability of fractional viscoelasticity for interlayer polymers</i> | 345 |
| Šebek F., Kubík P., Petruška J. (#9): <i>Evaluation of damage accumulation for ductile materials</i> | 353 |
| Šmejkal M., Lainer M., Müller M. (#44): <i>Implementation of a hybrid Trefftz finite element for elastodynamic media</i> | 369 |
| Svárovský J., et al. (#64): <i>Development of autonomous experimental setup to investigate directional distortional hardening under biaxial loading</i> | 393 |

TER – Thermodynamics

| | |
|---|-----|
| Černoch J., Mašek J., Löffelmann F. (#38): <i>Analytical and numerical analysis of thermal structure</i> | 61 |
| Hvožd'a J., Strunga A., Kůdelová T. (#31): <i>Fully polymeric distillation unit based on polypropylene hollow fiber membranes: Thermal performance analysis</i> | 161 |
| Korczak A., Dziatkiewicz J. (#25): <i>Modeling of irradiation by short laser pulse — Comparison of Boltzmann transport equation and a two-temperature model with experimental data</i> | 213 |
| Mráz K., Kroulíková T., Resl O. (#39): <i>Liquid cooling of LED car headlamps using polymeric hollow fibers</i> | 265 |
| Pařez J., Čížek M., Vampola T. (#108): <i>Influence of thermo-mechanical deformation on the labyrinth seals efficiency</i> | 305 |
| Smyk E., Markowicz M., Szyca M. (#33): <i>Volume analysis of cooling systems with synthetic jet actuator</i> | 373 |