

1s	Introduction: aims, strategies, and method selection for fish monitoring	06
1.1	Fully drainable waters (fishponds)	09
1.2	Sampling strategies: locality-based, continuous and area surveys	09
1.3	Sampling period and method selection	12
1.4	General guidelines for catch and data processing	13
1.4.1	Sampling for age analysis	14
1.4.2	Sampling for determination of length-weight relationships and biomass	15
1.5	Health and safety	15
1.6	References	16
2	Sampling by gillnets	20
	Sampling with gillnets has many advantages, such as:	
	However, there are some drawbacks that researchers should be aware of, namely:	
2.1	Basic equipment	22
2.2	Other equipment	26
2.3	Sampling	27
2.3.1	Selection of sampling sites	27
2.3.2	Sampling	30
2.4	Catch evaluation	32
2.5	Corrections of gillnet catches	32
2.5.1	Mesh size selectivity	33
2.5.2	Correction for overestimation of perch	33
2.5.3	Rough eel-abundance assessment using eel attacks	34
2.5.4	Correction for gillnet saturation and avoidance	35
2.5.5	Correction for shortened exposure time	37
2.6	References	38
3	Hydroacoustic surveys	44
	Advantages of hydroacoustic survey:	46
	Limitations of hydroacoustic survey:	46
3.1	Basic equipment	47
3.2	Other equipment required	47
3.3	Sampling	48
3.4	Processing and interpretation of results	50
	Acknowledgment	53
3.5	References	53
4	Electrofishing	59
	Advantages of electrofishing:	59
	Limitations of electrofishing:	60
	Principle of electric fishing	60
4.1	Use, time and suitable conditions for electric fishing	61

4.2	Equipment	61
4.2.1	Electrofishing boat	61
4.2.2	Generator unit	62
4.2.3	Electrodes	63
4.3	Additional equipment	65
4.4	Sampling	66
4.4.1	Selection of locality and environment	66
4.4.2	Before sampling	66
4.4.3	Sampling	67
4.5	The efficiency of electrofishing	68
4.5.1	Biological factors	68
4.5.2	Environmental factors	69
4.5.3	Technical factors	70
	Current type	70
	Electrodes size and shape	70
4.6	Catch processing	71
4.7	Data processing	71
4.8	Importance of correct settings	72
4.9	Work safety	72
4.10	References	73
5	Sampling by beach seine nets	76
	Advantages of beach seine nets:	76
	Disadvantages of beach seining:	77
5.1	Equipment	77
5.1.1	Beach seine net	77
5.1.2	Other equipment	78
5.2	Sampling	79
5.2.1	Selectivity of beach seine nets	79
5.2.2	Sampling period	79
5.2.3	Selection of suitable sites and sampling effort	80
5.3	Realization of a haul	81
5.3.1	Net preparation	81
5.3.2	Net deployment	81
5.3.2.1	Block net	81
5.3.2.2	Pull-by-rope	82
5.4	Pulling net to the shore	83
5.5	Measurement and calculation of swept area extension and catch per area unit parameters	84
5.5.1	Block net	84
5.5.2	Pull-by-rope method	84

5.6	Evaluation of results	85
5.7	References	86
6	Hook-lines used for sampling of european catfish (silurus glanis)	90
	The advantages of using hook-lines:	90
	The disadvantages of using hook-lines:	91
6.1	Scheme of hook-lines and the equipment	91
6.1.1	Basic equipment	91
6.1.2	Additional equipment	92
6.2	Sampling	93
6.2.1	Selective sampling of catfish using hook-lines	93
6.2.2	Sampling time	94
6.2.3	Selection of suitable location, sampling effort and time schedule	94
6.2.4	Assembly of the hook-line, its servicing and coping with the catch	95
6.2.4.1	Preparation of hook-line	95
6.2.4.2	Assembly of the hook-line in the field	95
6.2.4.3	Mounting of the snoods	96
6.2.4.4	Checking of the snoods and taking out of the caught catfish	97
6.3	Evaluation of the results	99
6.4	Reference	100
7	Managing data in ecology and fishery science: importance, challenges and tools	102
7.1	Increased generation and use of data in science	102
7.2	Data management workflow in science	103
7.3	Database basics	104
7.4	Example on a relational database in fish ecology	106
7.5	Data accessibility	108
7.6	Data legacy	108
7.7	Final remarks	109
7.8	References	109