

Introduction 1**Chapter 1 Setting the scene 3**

- 1.1. Electron count in a complex: the covalent model 4
 - 1.1.1. Ligand classification (L or X) 4
 - 1.1.2. Electron count and the 18-electron rule 8
- 1.2. An alternative model: the ionic model 12
 - 1.2.1. Lewis bases as ligands 12
 - 1.2.2. Equivalence of the covalent and ionic models: examples 14
- 1.3. Principles of orbital interactions 16
 - 1.3.1. Interaction between two orbitals with the same energy 16
 - 1.3.2. Interaction between two orbitals with different energies 17
 - 1.3.3. The role of symmetry 18
 - 1.3.4. σ and π interactions 19
- 1.4. Metal orbitals 19
 - 1.4.1. Description of the valence orbitals 20
 - 1.4.2. Orbital energies 23
- 1.5. Ligand orbitals 24
 - 1.5.1. A single ligand orbital: σ interactions 24
 - 1.5.2. Several orbitals: σ and π interactions 26
- 1.6. Initial orbital approach to ML_ℓ complexes 30
 - 1.6.1. Simplified interaction diagram 30
 - 1.6.2. Strong-field and weak-field complexes 31
 - 1.6.3. Electronic configuration and the 18-electron rule 31
 - 1.6.4. Analogy with the octet rule 32

Exercises 33**Chapter 2 Principal ligand fields: σ interactions 37**

- 2.1. Octahedral ML_6 complexes 38
 - 2.1.1. Initial analysis of the metal–ligand orbital interactions 38
 - 2.1.2. Complete interaction diagram 41
 - 2.1.3. Electronic structure 48
- 2.2. Square-planar ML_4 complexes 51
 - 2.2.1. Characterization of the d block 51
 - 2.2.2. Electronic structure for 16-electron d^8 complexes 53
- 2.3. Square-based pyramidal ML_5 complexes 53

2.3.1.	Characterization of the d block (metal in the basal plane)	54
2.3.2.	Characterization of the d block (metal out of the basal plane)	56
2.3.3.	Electronic structure and geometry	60
2.4.	Tetrahedral ML_4 complexes	62
2.4.1.	Characterization of the d block	63
2.4.2.	Electronic structure	66
2.4.3.	ML_4 complexes: square-planar or tetrahedral?	66
2.5.	Trigonal-bipyramidal ML_5 complexes	69
2.5.1.	Characterization of the d block	69
2.5.2.	Electronic structure	72
2.6.	Trigonal-planar ML_3 complexes	73
2.6.1.	Characterization of the d block	73
2.6.2.	16-electron d^{10} complexes	74
2.7.	Linear ML_2 complexes	74
2.7.1.	Characterization of the d block	75
2.7.2.	Electronic structure	76
2.8.	Other complexes or ML_n fragments	76
2.8.1.	Pyramidal ML_3 complexes	77
2.8.2.	'T-shaped' ML_3 complexes	79
2.8.3.	'Butterfly' ML_4 complexes	81
2.8.4.	Bent ML_2 complexes	83
2.8.5.	ML complexes	84
	Exercises	85
	Appendix A: polarization of the d orbitals	89
	Appendix B: Orbital energies	94

Chapter 3 π -type interactions 97

3.1.	π -donor ligands: general properties	98
3.1.1.	The nature of the π orbital on the ligand	98
3.1.2.	'Single-face' and 'double-face' π -donors	99
3.1.3.	Perturbation of the d orbitals: the general interaction diagram	100
3.1.4.	A first example: the octahedral complex $[ML_5Cl]$	101
3.2.	π -acceptor ligands: general properties	104
3.2.1.	The nature of the π orbital on the ligand	104
3.2.2.	'Single-face' and 'double-face' π -acceptors	105
3.2.3.	Perturbation of the d orbitals: the general interaction diagram	107

- 3.2.4. A first example: the octahedral complex $[\text{ML}_5\text{CO}]$ 108
- 3.3. Complexes with several π -donor or π -acceptor ligands 111
 - 3.3.1. The *trans*- $[\text{ML}_4\text{Cl}_2]$ octahedral complex 111
 - 3.3.2. The *trans*- $[\text{ML}_4(\text{CO})_2]$ octahedral complex 116
 - 3.3.3. Construction of the d-block orbitals 'by hand' 117
 - 3.3.4. $[\text{MCl}_6]$ and $[\text{M}(\text{CO})_6]$ octahedral complexes 123
- 3.4. π complexes: the example of ethylene 125
 - 3.4.1. Orbital interactions: the Dewar–Chatt–Duncanson model 125
 - 3.4.2. Electronic structure of a d^6 complex $[\text{ML}_5(\eta^2\text{-C}_2\text{H}_4)]$ 126
 - 3.4.3. Metallocenes Cp_2M 129
 - 3.4.4. Cp_2ML_n complexes 130
- 3.5. π interactions and electron counting 133
- Exercises 135
- Appendix C: The carbonyl ligand, a double-face π -acceptor 138

Chapter 4 Applications 141

- 4.1. Conformational problems 141
 - 4.1.1. d^8 - $[\text{ML}_4(\eta^2\text{-C}_2\text{H}_4)]$ complexes 141
 - 4.1.2. d^6 - $[\text{ML}_5(\eta^2\text{-C}_2\text{H}_4)]$ complexes: staggered or eclipsed conformation? 144
 - 4.1.3. d^6 - $[\text{ML}_4(\eta^2\text{-C}_2\text{H}_4)_2]$ complexes: coupling of two π -acceptor ligands 147
 - 4.1.4. Orientation of H_2 in the 'Kubas complex' $[\text{W}(\text{CO})_3(\text{PR}_3)_2(\eta^2\text{-H}_2)]$ 152
- 4.2. 'Abnormal' bond angles 156
 - 4.2.1. Agostic interactions 156
 - 4.2.2. d^6 ML_5 complexes: a 'T-shaped' or 'Y-shaped' geometry? 160
- 4.3. Carbene complexes 165
 - 4.3.1. Ambiguity in the electron count for carbene complexes 165
 - 4.3.2. Two limiting cases: Fischer carbenes and Schrock carbenes 166

- 4.4. Bimetallic complexes: from a single to a quadruple bond 170
 - 4.4.1. σ , π , and δ interactions 171
 - 4.4.2. M_2L_{10} complexes 172
 - 4.4.3. The $[Re_2(Cl)_8]^{2-}$ complex: a staggered or an eclipsed conformation? 174
- 4.5. The reductive elimination reaction 176
 - 4.5.1. Definition 176
 - 4.5.2. Simplified model for the reaction
 $[L_nMR_2] \rightarrow [L_nM] + R-R$ 176
 - 4.5.3. An example:
 $d^8-[L_2MR_2] \rightarrow d^{10}-[L_2M] + R-R.$ 178
- 4.6. Principal references used 181
- Exercises 181

Chapter 5 The isolobal analogy 185

- 5.1. The analogy between fragments of octahedral ML_6 and of tetrahedral CH_4 185
 - 5.1.1. Fragment orbitals by the valence-bond method 187
 - 5.1.2. Fragment molecular orbitals 190
- 5.2. Other analogous fragments 194
- 5.3. Applications 195
 - 5.3.1. Metal-metal bonds 195
 - 5.3.2. Conformational problems 199
- 5.4. Limitations 200
- Exercises 202

Chapter 6 Elements of group theory and applications 205

- 6.1. Symmetry elements and symmetry operations 205
 - 6.1.1. Reflection planes 205
 - 6.1.2. Inversion centre 206
 - 6.1.3. Rotation axes 207
 - 6.1.4. Improper rotation axes 209
- 6.2. Symmetry groups 210
 - 6.2.1. Definitions 210
 - 6.2.2. Determination of the symmetry point group 211
 - 6.2.3. Basis of an irreducible representation 212

- 6.2.4. Characters 215
- 6.2.5. Character tables 217
- 6.3. The reduction formula 220
 - 6.3.1. The reduction formula 220
 - 6.3.2. Characters of a reducible representation 221
 - 6.3.3. Applications 222
 - 6.3.4. Direct products 224
- 6.4. Symmetry-adapted orbitals 225
 - 6.4.1. Projection operator 225
 - 6.4.2. Application 225
- 6.5. Construction of MO: H₂O as an example 229
 - 6.5.1. Symmetry and overlap 229
 - 6.5.2. Molecular orbitals for H₂O 230
- 6.6. Symmetry-adapted orbitals in several ML_n complexes 231
 - 6.6.1. Square-planar ML₄ complexes 231
 - 6.6.2. Tetrahedral ML₄ complexes 234
 - 6.6.3. Trigonal-planar ML₃ complexes 236
 - 6.6.4. Trigonal-bipyramidal ML₅ complexes 238
 - 6.6.5. Octahedral ML₆ complexes 240
 - 6.6.6. Trigonal-planar ML₃ complexes with a 'π system' on the ligands 242
- Exercises 247

Answers to exercises 253

Bibliography 271

Index 273