

Contents

	<i>Preface</i>	page xiii
	Part I Models, propagation, stationary phenomena	1
	Introduction to Part I	3
	1 The rate-equation model for the laser	5
	1.1 Absorption, stimulated emission and spontaneous emission	5
	1.2 Calculation of the B coefficient	7
	1.3 The laser	9
	2 The interaction of a system of two-level atoms with the electromagnetic field	15
	2.1 The interaction Hamiltonian in the dipole approximation	15
	2.2 The two-level atom and its analogy with spin 1/2	17
	2.3 The rotating-wave approximation. Optical Bloch equations	19
	2.4 The Bloch vector and its nutation	21
	3 The Maxwell–Bloch equations	29
	3.1 The Maxwell equations. Paraxial and slowly varying envelope approximations	29
	3.2 The Maxwell–Bloch equations. The plane-wave approximation	33
	3.3 Self-induced transparency, the sine–Gordon equation and solitons	34
	3.4 Superradiance and superfluorescence	37
	4 Inclusion of the irreversible processes in the atomic equations	43
	4.1 Irreversible transition processes between the two levels	43
	4.2 Irreversible decay of the atomic polarization	45
	4.3 Damped Rabi oscillations and the approach to a stationary state	47
	4.4 The complete Maxwell–Bloch equations	48
	5 Propagation in irreversible Maxwell–Bloch equations	49
	5.1 Linear theory	49
	5.2 Saturation and power broadening	53
	5.3 Nonlinear propagation for a monochromatic input field: The role of saturation and nonlinear phase shift	55
	5.4 Background linear dispersion and absorption	57

6 Optical nonlinearities. Materials with quadratic nonlinearities	60
6.1 Linear and nonlinear polarization	61
6.2 Media with a quadratic nonlinearity	63
6.3 The stationary state in the plane-wave approximation	67
7 Optical nonlinearities. Materials with cubic nonlinearities	74
7.1 The Kerr medium nonlinearity. Self-phase modulation	74
7.2 Temporal Kerr solitons	76
7.3 Spatial Kerr solitons	78
7.4 The case of three frequency bands. Cross-phase modulation and four-wave mixing	79
7.5 Optical phase conjugation	81
8 Optical resonators. The planar ring cavity. Empty cavity. Linear cavity	85
8.1 Optical cavities	85
8.2 Beam splitters	86
8.3 The planar ring cavity. Boundary condition, input and output fields. Transmission of the cavity	87
8.4 The empty cavity	90
8.5 The linear cavity. Frequency pulling and pushing, mode splitting	92
9 A nonlinear active ring cavity: the ring laser, stationary states	95
9.1 Calculation of the nontrivial stationary solutions	95
9.2 The low-transmission limit	99
9.3 The analogy with second-order phase transitions	101
10 The adiabatic elimination principle	105
10.1 General formulation of the principle	105
10.2 Adiabatic elimination of the atomic polarization in the Bloch equations. Limits of the optical pumping between two levels	107
10.3 The three-level optical-pumping scheme	108
10.4 The four-level optical-pumping scheme	110
11 A nonlinear passive ring cavity: optical bistability	112
11.1 Absorptive optical bistability	112
11.2 Dispersive optical bistability	117
11.3 Optical bistability in two-level systems: the general case	120
11.4 Functionalities of optically bistable systems	123
12 Modal equations for the ring cavity. The single-mode model	126
12.1 Transformation of coordinates and transformation of variables. Modal equations	127
12.2 Introduction of the low-transmission approximation	131
12.3 The single-mode model	132
12.4 Stationary solutions of the single-mode model	134

13 Single- and two-mode models	135
13.1 A laser with an injected signal	135
13.2 A laser with a saturable absorber	139
13.3 The cubic model for dispersive optical bistability	142
13.4 A model for the degenerate optical parametric oscillator (and harmonic generation in a cavity) and its stationary solutions	144
14 Nonlinear dynamics in Fabry–Perot cavities	150
14.1 Modal equations for the Fabry–Perot cavity	151
14.2 The single-mode model for the Fabry–Perot cavity. Spatial hole-burning	156
14.3 A more convenient set of modal equations	159
14.4 Again the ring cavity: simplified forms of the models	163
14.5 The case of an atomic sample of length much shorter than the wavelength: difference-differential equations	165
15 Inhomogeneous broadening	170
15.1 Multimode dynamical equations	170
15.2 The single-mode model. The stationary state for the laser. Spectral hole-burning	172
16 The semiconductor laser	177
16.1 Some elements of semiconductor physics	177
16.2 The p–n junction	179
16.3 The double heterojunction. Optical confinement	180
16.4 Band structure	182
16.5 Dynamical equations	184
16.6 Vertical-cavity surface-emitting lasers	190
17 Lasers without inversion and the effects of atomic coherence	192
17.1 Model equations	192
17.2 Coherent population trapping	194
17.3 Electromagnetically induced transparency	196
17.4 Amplification without inversion	199
17.5 Lasing without inversion	202
Part II Dynamical phenomena, instabilities, chaos	205
Introduction to Part II	207
18 Some general aspects in nonlinear dissipative dynamical systems	209
18.1 Stationary solutions and their stability	210
18.2 Attractors and repellers; bistability and multistability	212
18.3 Other kinds of attractors: limit cycles, tori, strange attractors; deterministic chaos; generalized multistability	213
18.4 Transitions induced by the variation of a control parameter	214

19	Special limits in the single-mode model	219
19.1	Classification of lasers	219
19.2	Adiabatic elimination of the atomic variables (the good-cavity limit)	220
19.3	Adiabatic elimination of the atomic polarization: the single-mode rate-equation model	225
19.4	Adiabatic elimination of the electric field (the bad-cavity limit)	232
20	The linear-stability analysis of the Maxwell–Bloch equations	233
20.1	Coupled multimodal equations for field and atomic variables. Single-mode and multimode instabilities	234
20.2	Multimode instabilities and their features	238
20.3	Single-mode instabilities and their features	241
20.4	The general connection between single-mode and multimode instabilities	244
20.5	The resonant case, amplitude and phase instabilities	244
21	Adiabatic elimination in the complete Maxwell–Bloch equations	247
21.1	The rate-equation approximation	247
21.2	Adiabatic elimination of the atomic polarization and comparison with the rate-equation approximation	248
21.3	Adiabatic elimination of the atomic variables	249
22	Dynamical aspects in the laser	252
22.1	Linear-stability analysis of the trivial stationary solution in the standard laser	252
22.2	Linear-stability analysis of the trivial stationary solution in the laser without inversion	254
22.3	Class-C lasers: the analogy with the Lorenz model and optical chaos	255
22.4	The resonant single-mode laser instability	257
22.5	The multimode amplitude instability	261
22.6	The multimode phase instability	265
22.7	An ultrathin medium: the multimode amplitude instability in the Fabry–Perot laser	269
23	Single-mode and multimode operation in inhomogeneously broadened lasers	275
23.1	Multimode and single-mode instabilities	276
23.2	Mode-locking	285
24	Dynamical aspects in optical bistability	288
24.1	Critical slowing down	288
24.2	Multimode instabilities in optical bistability	291
24.3	Single-mode instabilities in optical bistability	300
25	Self-pulsing in other optical systems	306
25.1	A laser with an injected signal. Frequency locking and coexisting attractors	306

25.2	A laser with a saturable absorber. Repetitive passive Q -switching	309
25.3	A degenerate optical parametric oscillator, period doubling and chaos	313
Part III Transverse optical patterns		317
Introduction to Part III		319
26	Gaussian beams and modes of cavities with spherical mirrors	323
26.1	Gaussian-shaped beams	324
26.2	Higher-order modes	327
26.3	Gaussian modes in a cavity with spherical mirrors. The case of Fabry–Perot cavities	332
26.4	The $ABCD$ matrix method	334
26.5	Gaussian modes in a cavity with spherical mirrors. The case of ring cavities	336
26.6	Mode frequencies	337
27	General features about optical pattern formation in planar cavities	342
27.1	Dynamical models with diffraction	342
27.2	Systems with translational symmetry. The mechanisms for pattern formation	345
27.3	Pattern formation in optical parametric oscillators	353
27.4	Systems with a single feedback mirror	356
27.5	The analogy with hydrodynamics. Vortices and other defects	359
28	The Lugiato–Lefever model	363
28.1	Modulational instability and the patterns arising from it	364
28.2	The temporal version of the LL model and its application perspectives	370
29	Spatial patterns in cavities with spherical mirrors	378
29.1	Modal equations and the single-longitudinal-mode model	379
29.2	The single-mode Gaussian model	382
29.3	The multimodal transverse regime and cooperative frequency locking in the laser	384
29.4	Laser patterns from frequency-degenerate families of modes. Spontaneous breaking of the cylindrical symmetry. Phase-singularity crystals	388
30	Cavity solitons	393
30.1	Localized structures in optics	394
30.2	Generation and control of cavity solitons	398
30.3	Cavity solitons in semiconductor microresonators	402
30.4	The “cavity-soliton laser”	409

309	Appendix A The Routh–Hurwitz stability criterion	412
313	Appendix B Calculation of the oscillatory instability boundary	413
	B.1 The cubic case	413
317	B.2 The quartic case	414
	B.3 The quintic case	414
319	Appendix C Coefficients of the characteristic equation (20.20)	415
323	Appendix D Derivation of equations (20.27) and (20.28)	416
324	Appendix E Coefficients of equations (20.60) and (20.61)	417
327	Appendix F The exact boundary of the Risken–Nummedal–Graham–Haken instability	418
332	Appendix G Nonlinear analysis of the roll solution	419
334	<i>References</i>	425
337	<i>Index</i>	447
342	21.3 Adiabatic approximation	249
343	21.4 Systems with translational symmetry: The mechanisms for pattern formation	252
345	22.1 Linear stability analysis	252
347	22.2 Systems with a single feedback mirror: Patterns and their formation	254
349	22.3 The laser–laser model: The analogy with the Lorenz model	255
353	22.4 Modulation instability: Spontaneous pattern formation	257
354	22.5 The temporal version of the Lorenz model: The Lorenz attractor	261
357	22.6 The multimode phase instability	265
359	22.7 An ultraviolet instability: The multimode Fabry–Perot laser	269
378	23.1 Modal equations and the single-longitudinal-mode model	275
379	23.2 The multimode laser: Frequency-degenerate families of modes	276
382	23.3 The multimode laser: Frequency-degenerate families of modes	285
384	23.4 Laser patterns from frequency-degenerate families of modes	288
388	24 Spontaneous breaking of the cylindrical symmetry	288
388	24.1 Phase singularity crystals	291
393	24.2 The multimode laser: Frequency-degenerate families of modes	300
394	30 Cavity solitons	306
398	30.1 Localized structures in optics	306
402	30.2 Generation and control of cavity solitons	306
403	30.3 Cavity solitons in waveguide structures	306
409	30.4 The “cavity-soliton laser”	306