

CONTENTS

ARTICLES

- 125 Diagnostic molecular markers and the genetic relationships among three species of the *Cheilosia canicularis* group (Diptera: Syrphidae) — V. MILANKOV, J. STAMENKOVIĆ, J. LUDOŠKI, G. STĀHLS & A. VUJIĆ
- 133 Molecular phylogeny of the Aphidiinae (Hymenoptera: Braconidae) based on DNA sequences of 16S rRNA, 18S rDNA and ATPase 6 genes — M. SHI & X.-X. CHEN
- 139 Digestive proteolytic activity in the gut and salivary glands of the predatory bug *Podisus maculiventris* (Heteroptera: Pentatomidae); effect of proteinase inhibitors — H.A. BELL, R.E. DOWN, J.P. EDWARDS, J.A. GATEHOUSE & A.M.R. GATEHOUSE
- 147 Trypsin-like activity of membrane-bound midgut proteases from *Anticarsia gemmatalis* (Lepidoptera: Noctuidae) — L.P. XAVIER, M.G.A. OLIVEIRA, R.N.C. GUEDES, A.V. SANTOS & S.G. DE SIMONE
- 155 Honeydew production and honeydew sugar composition of polyphagous black bean aphid, *Aphis fabae* (Hemiptera: Aphididae) on various host plants and implications for ant-attendance — M.K. FISCHER, W. VÖLKL & K.H. HOFFMANN
- 161 Climate change and the effect of increasing spring temperatures on emergence dates of the butterfly *Apatura iris* (Lepidoptera: Nymphalidae) — D. DELL, T.H. SPARKS & R.L.H. DENNIS
- 169 Time of oviposition and reproductive success in *Argiope bruennichi* (Araneae: Araneidae) — R. LEBORGNE & A. PASQUET
- 175 Indirect effects of ant predation (Hymenoptera: Formicidae) on bilberry *Vaccinium myrtillus* — O. ATLEGRIM
- 181 Effects and interactions of temperature, host deprivation and adult feeding on the longevity of the parasitoid *Venaturia canescens* (Hymenoptera: Ichneumonidae) — P.A. ELIOPOULOS, G.J. STATHAS & S.L. BOURAS
- 189 Mate choice and reproductive success of two morphs of the seven spotted ladybird, *Coccinella septempunctata* (Coleoptera: Coccinellidae) — S. SRIVASTAVA & OMKAR
- 195 Fluctuating asymmetry as a measure of ecological stress in *Drosophila melanogaster* (Diptera: Drosophilidae) — V. TROTTA, F.C.F. CALBOLI, F. GAROIA, D. GRIFONI & S. CAVICCHI
- 201 Host-plant flowering status and the concentration of sugar in phloem sap: Effects on an ant-treehopper interaction — T.B. QUENTAL, J.R. TRIGO & P.S. OLIVEIRA
- 209 Ladybird (Coleoptera: Coccinellidae) dispersal in experimental fragmented alfalfa landscapes — A.A. GREZ, T. ZAVIEZO & M. Ríos
- 217 Species diversity and niche separation of cocoon parasitoids in different forest types with endemic populations of their host, the Common Pine Sawfly *Diprion pini* (Hymenoptera: Diprionidae) — A. HERZ & W. HEITLAND
- 225 Two types of refuge have opposite effects on the size of larval aggregations in a tropical defoliator — F.G. HORGAN
- 231 Description of the larval stages of *Gymnochthebius jensenhaarupi* and phylogenetic analysis of the relationships with other species of the subfamily Ochthebiinae (Coleoptera: Hydraenidae) — J.A. DELGADO & M. ARCHANGELSKY
- 241 Comparative study of larvae of Tenebrionoidea (Coleoptera: Cucujiformia) — R.G. BEUTEL & F. FRIEDRICH
- 265 Systematics and bioacoustics of the *Poecilimon sanctipauli*-group (Orthoptera: Tettigonioidea: Phaneropteridae) — K.-G. HELLER & H. SEVGILI
- 279 Nearctic Achalcinae with a first *Australachalcus* species of North America (Diptera: Dolichopodidae) — M.A.A. POLLET

NOTES

- 289 The use of RAPD markers to detect genetic patterns in *Aleurodicus dispersus* (Hemiptera: Aleyrodidae) populations from the Canary Islands — C. CALLEJAS, F.J. BEITIA, A. GOBBI, A. VELASCO & M.D. OCHANDO
- 293 Molecular differentiation of the B biotype from other biotypes of *Bemisia tabaci* (Hemiptera: Aleyrodidae), based on internally transcribed spacer 1 sequences — Z. LI, D. HU, Y. SONG & Z. SHEN
- 299 Geographical distribution of three oceanic *Halobates* spp. and an account of the behaviour of *H. sericeus* (Heteroptera: Gerridae) — T. HARADA
- 303 Non-host volatiles do not affect host acceptance by alate virginoparae of *Rhopalosiphum padi* (Hemiptera: Aphididae) settled on the host plant surface — R. OLIVARES-DONOSO & H.M. NIEMEYER
- 305 Mate searching in the scale insect, *Dactylopius coccus* (Hemiptera: Coccoidea: Dactylopiidae) — L.C. RODRÍGUEZ, E.H. FAÚNDEZ & H.M. NIEMEYER
- 307 Development of neotenes induced by a temporary absence of functional reproductives in *Kalotermes flavicollis* (Isoptera: Kalotermitidae) — J. KINDL & I. HRDÝ