

Thematic index

Presentation

9

Mediterranean-type sclerophyllous forests and shrub communities

13

| | |
|---|----|
| 1. Classical, friendly, and fragile | 15 |
| 1.1 A biome and climate on a human scale [L. Ferrés] | 17 |
| 1.1.1 Dry summers, mild winters | 17 |
| 1.1.2 Climatic and meteorological parameters | 17 |
| From semi-arid to subhumid | 18 |
| Relatively hot, tolerably cold | 19 |
| Equinoctial rains | 21 |
| • Dry riverbeds and autumn floods | 22 |
| Water, snow, and hail | 26 |
| 1.2 Reddish and brown poor soils [R. Vallejo] | 27 |
| 1.2.1 The formation of Mediterranean soils | 27 |
| Soil evolution | 27 |
| The case of red soils | 28 |
| 1.2.2 Mediterranean soil types | 29 |
| Poorly developed soils | 30 |
| Well-developed soils | 30 |
| Marginal soils | 31 |
| 1.2.3 Poor soils or impoverished soils? | 31 |
| Nutrient availability | 31 |
| Water, pH and depth | 32 |
| Soil impoverishment | 32 |
| 1.3 The Mediterranean regions of the world [L. Ferrés] | 33 |
| 1.3.1 A fragmented and scattered biome | 33 |
| 1.3.2 The limits of the Mediterranean biome | 33 |
| The Mediterranean Basin | 33 |
| The Californian mediterranean | 35 |
| The Chilean mediterranean | 37 |
| The Australian mediterraneans | 37 |
| The South Africa mediterranean | 37 |
| • The Cape kingdom: geraniums and gazanias [R. Folch] | 38 |
| 2. Life in sclerophyllous formations | 43 |
| 2.1 Mediterranean sclerophyllous formations [L. Ferrés] | 45 |
| 2.1.1 The trick of sclerophylly | 45 |
| Functional features | 45 |
| Transpiration and catching sunlight | 46 |
| Structural cost | 47 |
| 2.1.2 Never at a standstill, always ticking over | 47 |
| Biomass | 47 |
| Water economy | 49 |
| Production | 51 |
| Decomposition | 51 |
| The circulation of nutrients | 52 |

| | | |
|-------|--|-----|
| 2.1.3 | The biogeography of sclerophylly | 54 |
| | Sclerophyllous formations in the Mediterranean Basin | 54 |
| | California sclerophyllous formations | 58 |
| | Chilean sclerophyllous formations | 60 |
| | Cape sclerophyllous formations | 61 |
| | Australian sclerophyllous formations | 62 |
| 2.2 | Flora and vegetation | 64 |
| 2.2.1 | The origins of Mediterranean vegetation [M. Arianoutsou, J.S. Beard, L. Ferrés, R. Folch and L. Trabaud] | 64 |
| 2.2.2 | Sparse, slender, yellowish grasses | 66 |
| | Mediterranean herbaceous vegetation | 66 |
| | Herbaceous species in the Mediterranean regions | 67 |
| | Australia's grass trees, "black boys" and "black gins" | 68 |
| | • Proteaceae: at the service of Hephaestus or of Poseidon? [R. Folch] | 70 |
| 2.2.3 | Plenty of shrubs and small trees | 75 |
| | The trees of the Mediterranean Basin and of California | 75 |
| | Trees of the Chilean mediterranean | 78 |
| | Trees of the South African mediterranean | 79 |
| | The trees of the Australian mediterraneans | 80 |
| | The shrubs of the Mediterranean Basin and the Californian mediterranean | 80 |
| | The shrubs of the Chilean mediterranean | 81 |
| | The shrubs of the Cape mediterranean | 84 |
| | The shrubs of the Australian mediterranean | 85 |
| 2.2.4 | Structure, competition, and adaptations | 85 |
| | Stratification of holm oak forests | 85 |
| | Adaptation to unfavorable circumstances | 85 |
| 2.2.5 | Fire and vegetation | 91 |
| | The causes of spontaneous fires | 91 |
| | Adaptations to fire: sprouting or germination en masse | 93 |
| | The effects of fire on vegetation and the soil | 100 |
| | Fire and the nutrient cycle | 102 |
| 2.2.6 | The annual cycle | 106 |
| | Sprouting and vegetative growth | 108 |
| | Flowering | 108 |
| 2.3 | Fauna and animal populations [M. Del Castillo and J.P. Martínez-Rica] | 110 |
| 2.3.1 | The origins of the Mediterranean fauna | 110 |
| | The effects of the glaciations | 110 |
| | Insular speciation | 112 |
| | The role of humans | 113 |
| 2.3.2 | The Mediterranean fauna | 115 |
| | Ecological diversity and the fauna | 115 |
| | Geographical and historical contexts | 116 |
| | The case of the vertebrates | 118 |
| 2.3.3 | Mediterranean zoogeographical affinities | 121 |
| | The faunistic groups of the Mediterranean Basin | 121 |
| | • Mediterranean tropical plumages [R. Folch] | 122 |
| | The fauna of the other mediterranean regions | 127 |
| | The Mediterranean soil fauna | 128 |
| | Introductions and invasions | 128 |
| | Convergence phenomena | 130 |
| 2.3.4 | More room for the small than for the big | 132 |
| | A mosaic of ecological niches | 132 |
| | Some examples of niches | 133 |
| 2.3.5 | Who eats whom? | 135 |
| | Animal diets | 135 |
| | Food-webs | 135 |

| | |
|---|------------------------------------|
| 2.3.6 Migrants and residents | 138 |
| The great bird migrations | 139 |
| Other migratory movements | 142 |
| Sedentary animals | 145 |
| 2.3.7 The rhythm of animal life | 145 |
| Daily rhythms | 146 |
| Seasonal rhythms | 147 |
| 2.4 Life in rivers and lakes | [M. Comelles and L. Ferrés] 152 |
| 2.4.1. Changing aquatic systems, adaptable flora and fauna | 152 |
| The effect of human activity | 154 |
| 2.4.2 Mediterranean aquatic environments | 155 |
| Living dangerously in rivers, torrents and ramblas | 155 |
| Resisting the current in mountain zones | 156 |
| Steady flow in the plains at lower levels | 156 |
| Residual pools, refuges in the dry season | 157 |
| Billabongs, lakes on alluvial plains | 158 |
| Variable salinity and heat in shallow inland pools | 158 |
| The deep, still waters of karstic lakes | 160 |
| Waters in reservoirs, neither still nor flowing | 161 |
| 2.4.3 The vegetation of riverbanks | 162 |
| Forests along permanent watercourses | 162 |
| Woodlands along intermittent watercourses | 163 |
| Riverbank nitrophily | 163 |
| 2.5 Dynamics and variability | [L. Ferrés] 164 |
| 2.5.1 Sun and shade, up on the mountains | 164 |
| The effects of exposure | 164 |
| The effects of altitude | 164 |
| Calcareous or siliceous | 166 |
| 2.5.2 From forest to scrub: a one-way route? | 167 |
| Factors causing degradation | 167 |
| Human interference | 167 |
| 3. Humans in sclerophyllous formations | 169 |
| 3.1 The human settlement of sclerophyllous formations. | [J.M. Camarasa and C. Junyent] 171 |
| 3.1.1 A place to settle: the mediterraneans in the Paleolithic | 171 |
| Neanderthals and modern humans in the basin | 171 |
| The first modern humans in Mediterranean South Africa | 172 |
| The first humans in the contemporary Chilean mediterranean | 174 |
| The first human settlement of modern-day California | 174 |
| The first Australian mediterranean humans | 175 |
| 3.1.2 The Mediterranean cradle: from the Neolithic onwards | 175 |
| The first domestications | 175 |
| From the east to the west | 176 |
| Hunters and livestock rearers | 177 |
| • Believing in the Mediterranean | [R. Folch] 178 |
| 3.1.3 Native peoples and settlers from outside | 182 |
| The routes of antiquity | 182 |
| The new western cultures | 183 |
| From one end of the basin to the other: Greeks and Berbers | 184 |
| The Balkan Mediterranean peoples | 184 |
| The Mediterranean peoples of the Maghreb | 186 |
| The Roman-German connection | 187 |
| The expansion of Islam | 188 |
| The case of the Iberian peninsula | 188 |
| Exporting Mediterranean culture overseas | 189 |
| • Legionnaires and feudalists, traders and manufacturers | 190 |

| | | |
|-------|---|---|
| 3.1.4 | Mediterraneans beyond the Mediterranean | 195 |
| | The native population of California | 195 |
| | The population of central Chile | 198 |
| | The population of South Africa | 198 |
| | The population of the Australian mediterranean areas | 198 |
| 3.1.5 | The present day Mediterranean population | 200 |
| | The actual population of the Mediterranean Basin | 201 |
| | The present day populations of the overseas Mediterraneans | 204 |
| | Urban planning comes from the word <i>urbs</i> | 204 |
| | • Juniper in Majorca, cypress in California | [R. Folch] 206 |
| 3.1.6 | Mediterranean illnesses | 212 |
| | Thalassemia | 212 |
| | Favism | 212 |
| | Malta fever and other infectious diseases | 213 |
| 3.2 | The use of plant resources | [J.M. Camarasa, L. Ferrés and C. Junyent] 214 |
| 3.2.1 | Harvesting without planting | 214 |
| | Fruits, shoots and other foodstuffs | 214 |
| | Mushrooms | 215 |
| | Aromatic plants | 216 |
| | Ornamental plants | 217 |
| | • From the matorral to Grasse | [L. Ferrés] 218 |
| 3.2.2 | Using forests | 222 |
| | Complicated management, low yields | 222 |
| | Wood and wood-producing trees | 222 |
| | Organic fuels: firewood and charcoal | 228 |
| | Cork | 231 |
| | Other forest products | 232 |
| | • Light, insulating, impermeable | [R. Folch] 234 |
| 3.2.3 | Pastures with hardly any grass | 238 |
| | Herbaceous grazing formations | 238 |
| | Fallow land and stubble | 240 |
| | Woods and thickets that can be used for grazing | 241 |
| 3.2.4 | Dehesas: woodlands with pastures and crops | 242 |
| | The types of dehesa | 243 |
| | The treatment of dehesas | 245 |
| 3.2.5 | Dry land farming | 246 |
| | Spelt, emmer, and wheat | 248 |
| | Wheat and other cereals | 248 |
| | • Wheat in the Mediterranean's history | [C. Junyent] 250 |
| | The olive tree | 258 |
| | The grape vine | 263 |
| | • The shipwreck of the vineyards | [L. Ferrés] 268 |
| | The almond | 272 |
| | The carob tree | 272 |
| | The fig tree | 273 |
| | The pomegranate, the caper, and the haze | 274 |
| 3.2.6 | Irrigated vegetable gardens and orchards | 275 |
| | Vegetables and legumes | 276 |
| | The expansion of vegetable gardens and citrus and fruit cultivation | 277 |
| | Overseas exchanges | 278 |
| | • Edible yellow | [C. Junyent] 280 |
| 3.3 | The use of animal resources | [S. Lavín, E. Masagué, J. Ruiz and M. Vigo] 284 |
| 3.3.1 | Bloodless collection | 284 |
| | Beekeeping | 284 |
| | Gathering activities | 287 |

| | | |
|--------------|---|-----|
| 3.3.2 | Hunting activity | 287 |
| | • Eating snails [J.M. Camarasa] | 288 |
| | Small game: rabbits and hares, vermin predators and partridges | 292 |
| | Big game | 296 |
| | Falconry and ferreting | 297 |
| | The capture of passerine birds | 298 |
| | Hunting in the overseas mediterraneans | 299 |
| 3.3.3 | River fishing | 301 |
| | The river regime and characteristics | 301 |
| | Fishing in marshes, pools, and lower watercourses | 302 |
| | Fisheries in middle and upper stretches | 303 |
| | Introduced species | 304 |
| 3.3.4 | Stock-raising | 304 |
| | Extensive sedentary herding: the goat | 304 |
| | Extensive transhumance herding: sheep | 307 |
| | Livestock in dehesas: pigs | 311 |
| | • The Mesta and the Dogana [M. Vigo] | 312 |
| | Livestock in enclosures | 318 |
| 3.3.5 | Pets | 322 |
| | Mediterranean breeds of dog | 322 |
| | Cats among humans | 324 |
| | Caged birds | 325 |
| 3.4 | Management conflicts and environmental problems [J.S. Beard, J.M. Camarasa, J. Canadell, L. Ferrés, J. Ruiz and K.S. Walter] | 328 |
| 3.4.1 | Humanization that goes back to the ancient past | 328 |
| | The extraction of environmental resources | 328 |
| | Demographic pressure | 329 |
| | Agricultural and industrial activity | 330 |
| | Transforming influences in the overseas mediterraneans | 331 |
| | The current Mediterranean environment | 331 |
| 3.4.2 | The Mediterranean forestry areas | 331 |
| | The former splendor of the forests | 331 |
| | • Good and bad government [J.M. Camarasa] | 332 |
| | The overseas mediterraneans' forests before and after colonization | 336 |
| | The effect of livestock on forests | 339 |
| | The supply of firewood and timber | 340 |
| | The effects of war | 341 |
| | Forests reduced to ashes | 341 |
| | • Firefighting [R. Folch] | 346 |
| | Forest management | 350 |
| | The consequences of increasing atmospheric CO ₂ | 352 |
| 3.4.3 | Mediterranean farming and stock-raising | 354 |
| | The effects of agriculture on the environment | 354 |
| | The consequences of irrigation | 357 |
| | Integrated agriculture and animal husbandry | 359 |
| | Erosion and soil exhaustion | 362 |
| | Pollution by agriculture and stock-raising | 363 |
| | Mediterranean agriculture today | 365 |
| | • The architecture of hillsides [R. Folch] | 366 |
| 3.4.4 | Wildlife in retreat | 370 |
| | Hunting and direct impact | 370 |
| | Habitat transformation | 373 |
| | The expansion of anthropophilous fauna | 374 |
| | The spread of animal diseases | 375 |
| | Hunting control and the recovery of animal populations | 376 |
| 3.4.5 | A Mediterranean of naked brickwork | 379 |
| | The difficult healing of landscape wounds | 380 |
| | Uncontrolled housing development | 380 |
| | The tourist explosion | 381 |
| | Water, in short supply | 383 |
| | The new Mediterranean landscape | 384 |

| | |
|---|-----|
| 4. Protected areas and Biosphere Reserves in the sclerophyllous formations | 385 |
| 4.1 The world's protected sclerophyllous formations [G. Drucker] | 387 |
| 4.1.1 Some general considerations | 387 |
| 4.1.2 Protected parks and areas | 387 |
| Protected areas in the Mediterranean Basin | 387 |
| Protected areas in the South African mediterranean | 388 |
| The Protected areas of the Australian mediterraneans | 390 |
| The protected areas of the Chilean mediterranean | 391 |
| Protected areas in the California mediterranean | 392 |
| 4.2 UNESCO's biosphere reserves in sclerophyllous formations [G. Drucker] | 393 |
| 4.2.1 The Mediterranean biosphere reserves | 393 |
| 4.2.2 The Mediterranean Basin biosphere reserves | 393 |
| The Grazalema Biosphere Reserve | 396 |
| The case of the El Kala Biosphere Reserve | 402 |
| 4.2.3 The Biosphere Reserves in the Australian mediterraneans | 406 |
| The Fitzgerald River Biosphere Reserve | 406 |
| 4.2.4 The Biosphere Reserves in the Chilean Mediterranean. | 411 |
| General considerations and overall assessment | 411 |
| The Fray Jorge and Las Chinchillas Biosphere Reserve | 411 |
| 4.2.5 The Biosphere Reserves in the Californian Mediterranean | 415 |
| General considerations and overall assessment | 415 |
| The Central California Coast Biosphere Reserve | 416 |
| Bibliography | 421 |
| Indexes | 425 |
| Species' index | 426 |
| Thematic index. | 434 |

