

Table of contents
Table des matières

MAIN SESSION 4: Foundations in urban areas
SÉANCE PLÉNIÈRE 4: Fondations en zones urbaines

Utilisation of geothermal energy using earthcoupled structures – theoretical and experimental investigations, case histories <i>Adam D. & Markiewicz R.</i>	3
On the impact of groundwater lowering on existing buildings <i>Achmus M. & Kaiser J.</i>	11
Ground water lowering in loessial collapsible soils <i>Andrei S. & Dumitrescu V.</i>	17
Reinforcement systems in construction of open pit Zagrad in Rijeka, Croatia <i>Arbanas Ž., Jardas B. & Kovačević M.S.</i>	23
Reconstruction of La Fenice theatre in Venice. Foundation problems <i>Balossi Restelli A., Tornaghi R., Pettinaroli A. & Rovetto E.</i>	29
The influence of the technology of construction on the stressed-deformed state of the system “construction-foundation” <i>Bartolomey A.A. & Bartolomey L.A.</i>	35
ULS and SLS design of embedded walls according to Eurocode 7 <i>Bauduin C., De Vos M. & Frank R.</i>	41
Deep basement design for man-made ground water profiles <i>Beadman D. & Stephenson P.</i>	47
Jet grouting – range of the grouting jet <i>Bergschneider B. & Walz B.</i>	53
La réduction des déplacements latéraux du sol au voisinage d’un remblai sur pieux : une étude paramétrique en vraie grandeur <i>Borel S., Reiffsteck Ph. & Bourgeois E.</i>	57
Underpinning and support of a façade wall and former graveyard <i>Boudik Z., Čuda R. & Kubeš J.</i>	65
Specialist foundation construction for deep open excavations in Berlin <i>Brunner W.G. & Gollub P.</i>	71
New quality standards in the construction of jet grouted slabs <i>Buder S. & Schrader D.</i>	77
Observed settlements of footings on São Paulo tertiary soils, Brazil <i>Castello R.R. & Bicalho K.V.</i>	81
Design and control parameters for Jet Grouting <i>Celma J.J. & Carrión M.A.</i>	87
Influence of a deep excavation in Bucharest downtown on the nearby environment behavior <i>Chirica A., Enescu C. & Ungureanu N.</i>	93
Numerical evaluation of deep foundations in a tropical soil of Brazil <i>Cunha R.P., Kuklik P. & Laurin J.</i>	99

Étude des massifs de fondation reposant sur sols traités par colonnes ballastées et soumis à des efforts de renversement <i>Dhouib A., Stoehr B. & Deryckere N.</i>	105
Numerical analysis of a deep basement excavation next to an existing tunnel <i>Dou H.</i>	111
Portance des semelles en bord de talus <i>Droniuc N. & Magnan J.P.</i>	119
Comportement observé d'une paroi moulée en milieu urbain <i>Duca V., Delattre L., Reiffsteck Ph. & Magnan J.P.</i>	127
Mouvements induits par le creusement de tunnel à faible profondeur : interaction avec un ouvrage existant fondé sur pieux <i>Emeriault F.</i>	133
Drilled steel pipe piles in effective bridge construction <i>Eronen S. & Hartikainen J.</i>	139
Justification d'une fondation superficielle sur un sol renforcé d'inclusions <i>Frossard A. & Glandy M.</i>	147
Étude des interactions entre une fondation filante et un écran de soutènement <i>Gaudin C., Garnier J., Gaudicheau P. & Favraud C.</i>	155
The development of skin friction on pipe piles in overconsolidated sand <i>Gavin K.G., Lehane B.M. & Prieto C.</i>	161
Slender bored pile walls for deep excavations <i>Girsch E.</i>	167
Destruction of buildings and structures caused by the cryogenic weathering of footing material <i>Grebenets V.I.</i>	173
Effective steel foundation system for detached and row houses <i>Hartikainen J., Pitkänen J. & Jokiniemi H.</i>	179
Ground displacement screw piles project in Belgium – 72-pile load testing program on two different sites <i>Huybrechts N., Maertens J. & Holeyman A.</i>	185
Buildings with deep foundations and their impact on nearby structures in Moscow <i>Ilyichev V.A., Konovalov P.A. & Nikiforova N.S.</i>	191
Analysis of the geotechnical anchor load transfer mechanism <i>Ivandić K. & Verić F.</i>	197
Seismic tomography as a spatial check-up of grouting operations effect <i>Ivanković T. & Muhovec I.</i>	203
Finite difference solutions for buckling of piles in a stratified soil <i>Justo J.L. & Galán J.M.</i>	209
The settlement of a group of raked piles <i>Justo J.L. & Sánchez Langeber J.M.</i>	215
Experimental field tests for optimized ground improvement under railway lines on soft soils <i>Katzenbach R. & Ittershagen M.</i>	221
Experience with friction-micropiled-raft foundation on soft soils <i>Kempfert H.-G. & Böhm F.</i>	229

Terrain movement caused by estate expansion <i>Kovács M. & Czap Z.</i>	235
Interaction between spread foundations and subsoil <i>Kuzma J. & Hruštinec L.</i>	239
Side Grip Piling, a new method for impact driving of micropiles <i>Lehtonen J.</i>	245
Seismic response of large diameter piles in liquefiable soils <i>Liam Finn W.D. & Fujita N.</i>	249
Predicting the behaviour of foundations on structured soils <i>Liyanapathirana D.S., Liu M.D., Carter J.P. & Airey D.W.</i>	255
Infrastructure rehabilitation of some steel tanks in urban areas on difficult foundation soils <i>Lungu I., Raileanu P., Stanciu A., Musat V. & Boti N.</i>	261
Stability of circular and square excavations in cohesive soils with strength increasing with depth <i>Lyamin A.V., Sloan S.W. & Hjiqaj M.</i>	265
Stress changes associated with driving pile groups in clayey silt <i>McCabe B.A. & Lehane B.M.</i>	271
Actual trends in deep excavation technology and performance based on an international database <i>Moormann Ch.</i>	277
Interactions between retaining system and foundation piles during excavation <i>Moormann Ch.</i>	285
Impact of groundwater-lowering on combined piled raft foundations in urban area <i>Moormann Ch. & Katzenbach R.</i>	293
Modeling of a pile loading in the Particle Flow Code <i>Mörchen N. & Walz B.</i>	301
Localized deformation and stability of soft foundation under embankment construction via mesh-free method <i>Murakami A., Arimoto S. & Setsuyasu T.</i>	305
Geotechnical works on reconstruction of the Old bridge in Mostar <i>Pequeux G. & Ivanković T.</i>	311
Monitoring of underground water lines in the underground construction area <i>Petrukhin V.P., Isaev O.N. & Nayatov D.V.</i>	317
Effect of geotechnical work on settlement of surrounding buildings at underground construction <i>Petrukhin V.P., Shuljatjev O.A. & Mozgacheva O.A.</i>	323
Teatro Circo: underpinning of a centenary theatre <i>Pinto A. & Gouveia M.</i>	329
Capacity of driven piles with time – implications for re-use <i>Powell J.J.M., Butcher A.P. & Pellew A.</i>	335
Correlation between density index and relative density for sandy gravel subgrade <i>Pula O.</i>	341
Geotechnical problems related to the design of an underground car park in Rome <i>Rampello S., Callisto L. & Calabresi G.</i>	345
The tilting of the Tower of Pisa with the groundwater level <i>Rétháti L. (†), Imre E., Trang Q.P., Telekes G., Gabos Gy. & Firgi T.</i>	351

Compression and tension capacities of rock socketed drilled piers <i>Saglamer A., Yilmaz E. & Erol O.</i>	359
A diagnosis of the fundamental ground of the Old Bridge in Mostar <i>Selimović M., Ivanković T. & Langof Z.</i>	365
Interactions sismiques à grande échelle en milieu urbain <i>Semblat J-F, Kham M., Guéguen P. & Bard P.-Y.</i>	371
Use of piled rafts in Adapazarı soils <i>Sert S. & Önalp A.</i>	377
De-Tilting of buildings and structures <i>Shokarev V.S., Stepura I.V., Tregub A.S., Pavlov A.V., Chaplygin V.I. & Samchenko R.V.</i>	383
Indicator pile driving programs at the Port of Los Angeles Pier 400 container wharf <i>Schneider J.A., Howard R., Jr., Robins P.N. & McNeilan T.W.</i>	387
The interaction coefficient of axially loaded bored piles installed in sandy soil <i>Slizytė D., Stragys V.V. & Medzvieckas J.</i>	393
Application of injection under base of bored piles in cohesive soils <i>Tejchman A. & Gwizdala K.</i>	399
Calculation of complex reconstruction solutions (as may be exemplified by architectural monuments of St. Petersburg) <i>Ulitsky V.M., Shashkin A.G. & Shashkin K.G.</i>	407
Electrical discharge (explosions) in geotechnical engineering <i>Valeri E. & Richter T.</i>	413
Bearing mechanism of pile <i>Wada A. & Nhan N.T.</i>	419
A novel urban foundation system using pressed-in H-piles <i>White D.J., Bolton M.D. & Wako C.</i>	425
 MAIN SESSION 5: Geotechnical Engineering in urban areas SÉANCE PLÉNIÈRE 5: Géotechnique en milieu urbain	
Sample disturbance of fine grained soils <i>Aksoy H.S. & Ozudogru K.</i>	433
Étude en laboratoire du comportement d'un sol compacté non saturé utilisé dans les remblais <i>Alshihabi O., Shahrour I. & Mieussens C.</i>	437
Study of deep compaction in order to its application to deep foundations <i>Antoine P.-C., Pohl E., van der Cruyssen J.-P. & Verbrugge J.-C.</i>	443
The underground constructions in the soil conditions of Astana <i>Baitassov T.M.</i>	449
Numerical modelling of pipe-soil stresses during pipe jacking in clays. <i>Barla M., Borghi X., Mair R.J. & Soga K.</i>	453
Analysis of consolidation process of dam of St.-Petersburg flood protection barrier <i>Belkova I.N., Glagovsky V.B., Goldin A.L. & Lipovetskaya T.F.</i>	459

Monitoring processes of dangerous geologic in region seaside of Ukraine <i>Bessmertny A.F. & Ryzhiy M.N.</i>	465
A new computer controlled hollow cylinder torsional shear apparatus <i>Bilé Serra J.P. & Hooker P.</i>	471
Construction of a hydro-power plant beneath an existing one <i>Brandl H.</i>	479
Importance of geotechnical and seismic microzonation for urban development planning <i>Cinicioglu S.F., Kelesoglu M.K. & Oztoprak S.</i>	485
A probability approach using in the plate stability research on watersaturated seismic loaded foundation <i>Cherny H.I., Trofimchuk A.N. & Cherny V.H.</i>	491
Application of waterproofing methods in tunneling through an alluvial deposit <i>Chun B.S., Yeo Y.H. & Shin Y.W.</i>	497
Modélisation numérique de la réponse d'un bâtiment aux déplacements engendrés par le creusement d'un tunnel <i>Dias D. & Kastner R.</i>	503
Empirical vs numerical prediction of settlement trough due to shallow tunnelling in soft ground <i>Doležalová M.</i>	509
Gmax from multichannel analysis of surface waves for Dublin Boulder clay <i>Donohue S., Gavin K., Long M. & Connor P.O.</i>	515
Influence of potential soil deformations on soil pressure at rest upon retaining wall <i>Dobrovsky M.P., Khonelia N.N., Poizner M.B. & Kaluzhny A.V.</i>	521
Coupled consolidation analysis for excavations <i>Drakos I.S., Tsotsos S. & Hatzigogos Th.</i>	527
A building pit supported by a jetgrout wall reinforced with a sheet pile <i>van Duijnen P.G. & Huisman C.</i>	533
Effet d'inclinaison des micropieux dans un groupe. Approche par une méthode hybride <i>Estephan R., Frank R. & Degny E.</i>	541
Stability of a railway embankment <i>Fagerholm K., Fischer K., Niemi O. & Ravaska O.</i>	547
The riqualification of an ancient tuff cavity in the centre of Naples <i>Fenelli G.B., Pagano L. & Sica S.</i>	553
Designing multiple shallow tunnel linings constructed with the application of grouting <i>Fotieva N.N., Bulychev N.S. & Antziferov S.V.</i>	559
Earth pressure on anchored walls in dry and saturated sand-fill <i>Fuglsang L.D.</i>	565
Working out a numerous method of calculation of deformation of clay layer surface under its swelling <i>Gabibov F.G.</i>	571
Flexural strength of kaolin clay reinforced with synthetic fibres and stabilised with lime and cement <i>Ghataora G.S., Freer-Hewish R.J. & Dall'Acqua G.P.</i>	577
Failure of shallow foundations under general combined loading <i>Gourvenec S. & Randolph M.</i>	583

Full-scale compensation grouting trial North/South line Amsterdam; Spatial relationships of fracture grouting injection pressures <i>Haasnoot J.K., van der Stoel A.E.C. & Kaalberg F.J.</i>	589
Monitoring of a surcharge loading for the construction of a quay wall <i>Haegeman W. & Baertsoen A.</i>	595
Towards a risk-based design of underground construction in urban areas <i>Hannink G., Brassinga H.E., van Meerten J.J. & de Wit M.S.</i>	601
GIS – a useful tool to map vibrations from transportation <i>Hårvik L. & Heyerdahl H.</i>	607
Modèle réduit pour l'interaction sol-ouvrage : influence des raideurs sur les redistributions d'efforts <i>Houy L., Breyse D., Niandou H., Denis A. & Riou C.</i>	615
Causes and consequence of the collapse of the tufe layers on the example of the river Pliva <i>Ivanković T., Marjanović P. & Ivanković V.</i>	621
Study of soil deformations caused by the discharge of groundwater in case of different geological structure <i>Ivanov I.J. & Mihova L.A.</i>	627
Performance of 150 year-old railway slopes in glacial till: case study from southwest Ireland <i>Jennings P.</i>	631
Consolidation and drainage of the Franeker-bridge earth embankment, The Netherlands <i>Karim U.F.A., van Meekeren H. & Feenstra R.</i>	637
Numeric indexing of soils and fractions of particles in civil engineering purposes <i>Kilvander E.Ya. & Snezhko O.V.</i>	643
On calculation of natural oscillation period of landslide slopes <i>Kilvander E.Ya. & Snezhko O.V.</i>	649
Physical and numerical modelling of an axially load driven pile in sands <i>Klotz U., Mayer P.-M. & Roddeman D.</i>	653
The potential function of soft clay <i>Korhonen O., Korhonen K.-H. & Lojander M.</i>	661
Permanent deformations of unbound materials of road pavement in accelerated pavement tests <i>Korkiala-Tanttu L. & Laaksonen R.</i>	665
Risk involved in conventional numerical models of lateral pressure on structures <i>Koudelka P. & Koudelka T.</i>	671
Loads and impacts on building constructions of urban underground structures <i>Kryvosheyev P.I.</i>	677
Contour effects at arrangements for large scale tests of direct shear strength <i>Langof Z., Talic Z. & Ivankovic T.</i>	681
Numerical analysis of the interaction between a calcarenite rockfill embankment and a stiff caly deposit <i>Lollino P., Cotecchia F., Zdravkovic L. & Potts D.M.</i>	687
Tide influenced water and earth pressure distribution on quay walls <i>Mardfeldt B. & Grabe J.</i>	693
Kriging variance as an indicator of geotechnical hazard <i>Marijanović P., Ivanković T. & Kovač I.</i>	699

Finite element analysis of a shallow tunnel <i>Martins F.F.</i>	705
Reinforced soil systems with non-planar lateral soil-wall boundaries <i>McGown A. & Kupec J.</i>	711
Evaluation of numerical analyses used to model the influence of heave reducing piles on excavation induced ground movements <i>McNamara A.M., Stallebrass S.E. & Taylor R.N.</i>	717
Instrumentation and interpretation of precast segmental tunnel linings in the Line 8 Madrid Metro extension 1999–2003, Spain. <i>Melis M.J., González A., Oteo C.S., Pugh R.C. & Romo P.</i>	723
Technical control for the construction of the extension of the Madrid Metro. Control Monitoring Unit (USAC). <i>Melis M.J., Matías I., Romo P.J. & Sanz J.</i>	729
Monitoring and analysis of diaphragm walls in the Madrid underground extension 1999–2003. <i>Melis Maynar M.J., Rodríguez Ortiz J.M., Talavera Manso R. & Sola Casado P.</i>	735
Well-founded risk management for the Betuweroute freight railway by the observational method <i>Molendijk W.O. & van den Berg F.P.W.</i>	741
Settlement prediction for staged construction of a cut-and-cover tunnel for a high-speed railway line <i>Monaco P., Calabrese M., Marchetti S. & Totani G.</i>	747
Improved design approach and use of performance monitoring programme for railway tunnelling under urban areas in Norway <i>Myrvoll F. & Mykland J.</i>	753
Centrifuge modelling of multiple tunnel interaction in shallow ground <i>Ng C.W.W., Zhou X.W. & Chung J.K.H.</i>	759
Concept for a reference pile testing site for the development and improvement of NDT-CE <i>Niederleithinger E. & Taffe A.</i>	763
Deformation patterns in sand beneath shallow foundations subjected to vertical loading <i>O'Loughlin C.D., Lehane B.M. & White D.J.</i>	767
The Oddernestunnel - a "cover and cut" tunnel in urban area <i>Olsson R., Bjonnstu T., Mortensten M. & Grosås I.</i>	773
Piles subject to excavation-induced soil movement in clay <i>Ong D.E.L., Leung C.F. & Chow Y.K.</i>	777
Towards an on-time method of interpretation of field instrumentation data <i>Oztoprak S. & Cinicioglu S.F.</i>	783
Time dependent movements induced by tunnelling in stiff cohesive soils: a parametric study <i>Pane V., Cecconi M. & Tamagnini C.</i>	791
Antivibration isolation of foundations against mobile sources of vibration <i>Pantea P.</i>	797
A slice method for embankment and excavation stability analyses <i>Passalacqua R., Baretto A. & Dalerci G.</i>	803
Sustainable development of underground space in urban areas <i>Paul T., Chow F.C., Kjekstad O., Vähäaho I.T., Sellberg B. & Lemos L.J.L.</i>	809

Estimation of the tense-deformed state of the landslide slope of Moldova Republic using finite element method	815
<i>Polcanov V.N., Grama V.G., Macovei I.A. & Nigrey E.</i>	
Comparison of geotechnic softwares - Geo FEM, Plaxis, Z-Soil	819
<i>Pruška J.</i>	
La plastification du milieu granulaire sous fortes contraintes	825
<i>Rahma A.</i>	
Influence of earth pressure on the inner forces in the tunnel lining	831
<i>Rymsza B.</i>	
Integrated geotechnical – geophysical investigation and testing of hazardous man-made objects	837
<i>Salát P. & Nagy L.</i>	
Stability analyses of retaining walls by different numerical approaches	843
<i>Schanz T. & Gollub P.</i>	
Compressed air tunnelling – Tunnel advance simulation to determine air losses	849
<i>Scheid Y. & Semprich S.</i>	
Construction of a six storey car park underneath the Lake Geneva - Open excavation with diaphragm walls and internal bracing	855
<i>Scheller P.O.</i>	
Seismic stability of rock islands for bridge protection in coastal South Carolina	859
<i>Siegel T.C., Chang C.C. & Loizias M.</i>	
Azuga testing platform	865
<i>Sima N. & Furnigel L.</i>	
Ground treatment for tunnel construction on the Madrid Metro	869
<i>Sola P.R., Martín L., Ángel Blanco M. & San Juan R.</i>	
Measuring underground pipeline infrastructure using fibre optics	875
<i>Spruit R., van de Walle N.J., Bouman J.H., van der Hoek M.J. & van de Belt L.Z.</i>	
Model tests of bearing capacity of homogeneous soil limited by rigid layer	881
<i>Srokosz P.E., Bartoszewicz A. & Dembicki E.</i>	
Assessment of deformations of a reinforced soil structure	887
<i>Stanić B., Kovačević M.S. & Szavits-Nossan V.</i>	
Slope stability problems in Denmark - a joke or dire reality?	893
<i>Steenfelt J.S. & Sørensen C.S.</i>	
Jet grouting model tests and simulation	899
<i>Stein J. & Grabe J.</i>	
Design method for dike uplift stabilisation by underground doweling	903
<i>Van M.A., van Eekelen S.J.M. & Barends F.B.J.</i>	
Numerical analysis on Haarajoki test embankment	909
<i>Vepsäläinen P., Lojander M., Koskinen M. & Smura M.</i>	
Stability of boreholes in case of directional drilling	913
<i>Viehöfer T.C., Bezuijen A. & Hergarden H.J.A.M.</i>	
Movement of gravity caisson wharf	917
<i>Zhang X.Y., Leung C.F. & Lee F.H.</i>	
Correlation between inter-granular void ratio and cone tip resistance of loose silty sand	923
<i>Ziaie_Moayed R. & Naeini S.A.</i>	

Response of pavement granular base material on repetitional traffic loads <i>Žlender B. & Macuh B.</i>	929
Back analyses of high retaining structures within the framework of the observational method <i>Žvanut P., Majes B. & Logar J.</i>	933

MAIN SESSION 6: European Geotechnical Networking
SÉANCE PLÉNIÈRE 6: Travail en réseau des géotechniciens de l'Europe

A GIS model application supporting the analysis of the seismic hazard for the urban area of Catania (Italy) <i>Grasso S. & Maugeri M.</i>	941
PRIMA technology programme <i>Mäkelä H.</i>	947
TREE et INTRANSNET : deux projets européens et un réseau commun de recherche au service de la géotechnique, du génie civil et des transports <i>Maldonado A., Garnier J., Kovarik K. & Bujnak J.</i>	951
A new digital format for exchange of borehole and piezometer data <i>Nohl W.A., Engering F.P.H., Bosch J.H.A. & Jonker A.</i>	957
Databank Ondergrond Vlaanderen (DOV): a regional information system for geotechnical, geological and hydrogeological data of the subsoil in Flanders, Belgium. <i>Vergauwen I., De Schrijver P. & van Alboom G.</i>	961