

Contents

1	Major Classes of Natural Product Scaffolds and Enzymatic Biosynthetic Machinery	3
1.1	Introduction	3
1.2	Primary Metabolites vs. Secondary Metabolites	6
1.3	Eight Major Classes of Natural Products	9
1.4	Nucleophiles and Electrophiles in Natural Product Biosynthesis	13
1.5	Three Enzyme Classes that Operate in Natural Product Biosynthetic Pathways	14
1.6	Genome-independent and Genome-dependent Discovery of Natural Products	17
1.7	Approach of this Volume	19
	References	20
2	The Chemical Logic for Major Reaction Types	23
2.1	Two Classes of Molecules that Drive Major Reaction Types in Both Primary and Secondary Metabolisms	23
2.2	Thermodynamically Activated but Kinetically Stable Metabolites that Drive Biosynthetic Equilibria	24
2.2.1	ATP and NTP Congeners	28
2.2.2	Adenosine Phosphosulfate and Phosphoadenosine Phosphosulfate	29
2.2.3	Acetyl-S-coenzyme and Related Acyl Thioesters	29
2.2.4	NADH as Hydride Transfer Agent: Two Electrons at a Time	31
2.2.5	S-Adenosylmethionine	32
2.2.6	Carbamoyl Phosphate	32
2.2.7	UDP-Glucose	34
2.2.8	Isopentenyl Pyrophosphate	37
2.2.9	Phosphoenolpyruvate (PEP) as a Trapped Carbanion Equivalent	38
2.2.10	A Diverse Range of Thermodynamically Activated, Kinetically Stable Chemical Groups Power Metabolism	39
2.2.11	Molecular Oxygen	40

Natural Product Biosynthesis: Chemical Logic and Enzymatic Machinery, 2nd Edition

By Christopher T. Walsh and Yi Tang

© Christopher T. Walsh and Yi Tang 2023

Published by the Royal Society of Chemistry, www.rsc.org

2.3	Coenzyme Forms of B Vitamins as a Convergent Set of Metabolites Enabling Chemistry	42
2.4	Overview: Chemical Logic Embodied in the Two Sets of Metabolites and Coenzymes	44
	References	45
3	Polyketide Natural Products	49
3.1	Introduction	49
3.2	Polyketides Have Diverse Scaffolds and Therapeutic Utilities	51
3.3	Acetyl-CoA, Malonyl-CoA and Malonyl-S-Acyl Carrier Proteins as Building Blocks for Fatty Acids and Polyketides	56
3.4	The Logic and Enzymatic Machinery of Fatty Acid Synthesis is Adapted by Polyketide Synthases	59
3.4.1	Fatty Acid Synthases (FASs)	59
3.4.2	Polyketide Synthases (PKSs)	62
3.4.3	Alternate Acyl-CoA Substrates for PKS	64
3.4.4	Organization of Multiprotein Assemblages	64
3.4.5	PKS Chain Termination Modes	65
3.5	Biosynthesis of Major Polyketide Structural Classes	69
3.5.1	Oxytetracycline Biosynthesis: Aromatic Polyketides that Initiate Cyclization at C ₇ -C ₁₂ or C ₉ -C ₁₄	69
3.5.2	Fungal Aromatic Polyketides: Cyclizations that Start at C ₄ -C ₉ or C ₆ -C ₁₁	71
3.5.3	Type II Reducing PKSs Release Polyenes as Nascent Products	72
3.5.4	Polyketide Macrolactones: Type I Assembly-line Logic and Machinery	73
3.5.5	Polyketides Formed from Concerted Pericyclic Reactions	79
3.5.6	A Stepwise Cyclization of Polyketide: Ikarugamycin	81
3.5.7	Polyene Subclass of Polyketides	82
3.5.8	Polyketide to Polyether Metabolites	86
3.6	Convergence of Polyketide and Other Natural Product Pathways	91
3.7	Post-assembly-line Tailoring Enzymes	92
	References	96
4	Peptide Natural Products I: RiPPs	101
4.1	RiPPs vs. NRPs	101
4.2	RiPPs: Scope of Posttranslational Modifications: One- vs. Two-electron Reaction Manifolds	104
4.3	RiPP Biosynthetic Gene Organizations	106
4.4	Lanthipeptides: RiPPs Containing Crosslinking β-Thioethers	107
4.4.1	Lysine-Dha Crosslinks	108
4.4.2	Landornamide: Protein Arginases vs. Protein Deiminase	109
4.4.3	Phomopsins and Ustiloxins	112
4.5	RiPPs with Olefins and Oxazole and Thiazole Heterocycles	114
4.5.1	Goadsporin, Microcin B17, Plantazolocin	114
4.5.2	Patellamides A and C	116
4.5.3	Pyridines, Thiazoles, Oxazoles	117
4.6	Lasso Peptides: Nature's Rotaxanes	120
4.7	One-electron Reaction Manifolds in RiPP Generation from S-Adenosylmethionine Fragmentations	124

4.7.1	Sactipeptides	125
4.7.2	Homolytic Coupling of Lys-Trp in Streptide	126
4.7.3	Six-member Aliphatic Ethers from Threonine-Glutamate Crosslinking	127
4.7.4	Polytheonamides	128
4.7.5	RiPP α -Ketoamides from Splicing Out a Tyramine Moiety	133
4.7.6	Bottromycin: Multiple PTMs	135
4.8	Other RiPP Categories	137
4.8.1	Cittilins and Protein Cyclophanes	137
4.8.2	Microviridin	137
4.8.3	Amanitin and Phalloidin	140
4.8.4	Self-N-methylation of Peptide Bonds in Borosin RiPPs	140
4.9	RiPPs from Plants	143
4.10	Summary	143
4.10.1	Multiple Macrocyclization Strategies	145
4.10.2	Rigidification by Morphing Peptide Backbone into Heterocycles	146
4.10.3	Embedding Heterocycles in Macrocycles	146
4.10.4	Rotaxane Topology Implementation	146
4.10.5	Auguries of Novel Peptide Chemical Biology from the Radical SAM Universe	147
	References	147
5	Peptide Natural Products II: Nonribosomal Peptides	151
5.1	NRPS Assembly-line Strategies	151
5.2	Genome Mining and Bioinformatic Analyses	152
5.3	Constituents of NRPS Assembly Lines and the Logic of Nonribosomal Peptide Chain Growth	153
5.3.1	Nonproteinogenic Amino Acid Building Blocks	153
5.3.2	Phosphopantetheinyl Arms for Tethering Growing Peptidyl Thioester Chains	156
5.3.3	NRPS Domains and Modules	159
5.4	Representative NRPS Assembly Lines	160
5.4.1	The ACV Synthetase Assembly Line	160
5.4.2	The Enterobactin Synthetase Assembly Line	164
5.4.3	Obafluorin an Amino β -lactone from a Two-module NRPS	167
5.4.4	Azabicyclene Scaffolds from <i>Pseudomonas aeruginosa</i>	167
5.4.5	Vancomycin and Teicoplanin Glycopeptide Antibiotics	170
5.4.6	Echinocandins: Antifungal Cyclic Hexapeptides	172
5.4.7	Syringomycins and Syringopeptins: The Outer Limit of NRPs	174
5.4.8	Structural Biology of NRPS Domains and Modules	178
5.5	Hybrid Nonribosomal Peptide-polyketide Assembly Lines	180
5.5.1	Statine, Isostatine and Vinyl-arginine Revisited	182
5.5.2	α -Cyclopiazonic Acid: a Dieckmann Condensation in Mid-pathway	183
5.5.3	Bleomycin and Yersiniabactin: Hybrid Assembly Lines that are Mostly NRPS	184
5.5.4	Epothilone D and Rapamycin: Hybrid NRP-PK Scaffolds where the PK Units Dominate	185
5.5.5	Colibactin: a Genotoxic Human Gut Hybrid Scaffold with a Reactive Cyclopropane	187
5.6	Tailoring Enzymes and Morphed Scaffolds: RiPPs vs. NRPs vs. NRP-PK Hybrids	189
	References	190

6	Isoprenoids/Terpenes	193
6.1	Isoprene-based Scaffolds Comprise the Most Abundant Class of Natural Products	193
6.2	Δ^2 - and Δ^3 -Isopentenyl Diphosphates are the Biological Isoprenyl Building Blocks for Head-to-tail Alkylative Chain Elongations	193
6.3	Long-chain Prenyl Scaffolds	196
6.4	Two Routes to the IPP Isomers: Classical and Nonclassical Pathways	197
6.5	Self-condensation of Two Δ^2 -IPPs to the Chrysanthemyl Cyclopropyl Framework	202
6.6	Cation-driven Scaffold Rearrangements and Quenching	202
6.6.1	Monoterpenes: Geranyl-PP to α -terpinyl Cation and Its Partitioning to Products	202
6.6.2	Sesquiterpenes: Six Regiospecific Cyclizations from C15 Farnesyl-PP	204
6.6.3	How Good Are Terpene Synthases at Directing Flux of the Sequential Series of Cations in Their Active Sites?	207
6.6.4	Abscisic Acid	209
6.7	Diterpene Cyclization and Scaffold Complexity Generation	210
6.7.1	Geranylgeranyl-PP to <i>ent</i> -kaurene	210
6.7.2	Geranylgeranyl-PP to Taxadiene	212
6.7.3	Pleuromutilin	216
6.7.4	Momilactone B and Forskolin	217
6.8	Head-to-head vs. Head-to-tail Alkylative Couplings: C30 and C40 Hydrocarbons	219
6.9	Squalene-2,3-oxide and Cyclized Triterpenes	222
6.9.1	Formation of Squalene-2,3-oxide	222
6.9.2	Squalene Cyclases: Squalene to Hopene Framework	224
6.9.3	Oxidosqualene to Lanosterol, Cycloartenol, β -amyrin	224
6.9.4	Structural Biology Insights	227
6.9.5	Promiscuity of Oxidosqualene Cyclases: How Good Are the Oxidocyclases at Directing Flux Down One Reaction Manifold?	228
6.9.6	Lanosterol to Cholesterol and Beyond: A Bevy of Oxygenases	231
6.9.7	Regiospecific Furanosteroids	234
6.10	Phytoene to Carotenes and Vitamin A	241
6.11	Reaction of Isoprenes with Other Natural Product Classes	244
6.11.1	Meroterpenoids	245
6.11.2	Hyperforin is a Tetraprenylated Polyketide	250
6.11.3	Tetrahydrocannabinol	251
6.11.4	Paxilline	253
6.11.5	Merosterolic Acid	253
6.11.6	Xenovulene	255
6.12	Geranyl-PP to Secologanin: Entryway to Strictosidine and a Thousand Alkaloids	257
	References	260
7	Alkaloids I	265
7.1	Introduction	265
7.2	Amino Acid Building Blocks	267

7.3	Common Enzymatic Reactions in Alkaloid Biosynthetic Pathways	268
7.3.1	Reactions Involving Amino Acid Building Blocks	268
7.3.2	Ornithine as Building Block for Cocaine and Retronecine	270
7.3.3	Lysine to Pelletierine and Pseudopelletierine and Sparteine	272
7.3.4	Lysine to the 6,5-Indolizidine Bicyclic Framework	273
7.4	Three Aromatic Amino Acids as Alkaloid Building Blocks	274
7.4.1	Phenylalanine to Hyoscyamine to Scopolamine: Radical Rearrangement	274
7.4.2	Tyrosine is the Entry Point for Several Complex Alkaloid Scaffolds	279
7.4.3	Tyrosine to <i>S</i> -reticuline to Berberine	286
7.4.4	Tyrosine to <i>R</i> -reticuline to Morphine	288
7.5	Phenylalanine and Tyrosine Scaffolds Morphed to the 6-7-7 Tricyclic Framework of Colchicine	288
7.6	Tryptophan as a Building Block to Alkaloids	294
7.6.1	Tryptophan to Harmine: β -Carbolines	294
7.6.2	Tryptophan to Strictosidine and Beyond: Ajmalicine, Camptothecin, Quinine	294
7.6.3	Tryptophan to Lysergic Acid and Ergotamine	299
7.7	Tryptophan to Indolocarbazole Alkaloids	302
7.7.1	Rebeccamycin and Staurosporine	302
7.7.2	Prenylated Carbazole Metabolites	306
7.8	Tryptophan Oxidative Dimerization to Terrequinone	306
7.9	Additional Alkaloids: Steroidal Alkaloids	310
7.10	Summary	310
	References	313
8	Purine- and Pyrimidine-derived Natural Products	317
8.1	Introduction	317
8.2	Pairing of Specific Purines and Pyrimidines in RNA and DNA	318
8.3	Remnants of an RNA World?	319
8.4	Canonical Biosynthetic Routes to Purines and Pyrimidines	321
8.5	Caffeine, Theobromine, and Theophylline	324
8.6	Plant Isopentenyl Adenine Cytokinins	328
8.7	Maturation of Ribonucleotides to Modified Purine and Pyrimidine Natural Products	330
8.7.1	Heterocycle Modification	330
8.7.2	Sugar Modifications	333
8.7.3	Cyclopentanetriol "Carba" Analogs of the D-Ribose Moiety in Neplanocin A and Aristeromycin	337
8.8	Peptidyl Nucleosides	337
8.8.1	Switch from Ribose to Hexose Sugars in Nucleotide Analogs	337
8.8.2	Modification of 5'-Substituents	342
8.9	Natural C-glycosides	353
8.9.1	Pseudouridimycin: Pseudouridine Formation Logic	353
8.9.2	Pyrazofurin and Formycin A	355
8.10	Summary	357
	References	357

9	Phenylpropanoid Natural Product Biosynthesis	361
9.1	Introduction	361
9.2	Phenylalanine to <i>para</i> -Coumaryl-CoA	362
9.2.1	Phenylalanine Ammonia Lyase: Phenylalanine to Cinnamate	362
9.2.2	Cinnamate Hydroxylase: Cinnamate to <i>para</i> -Coumarate	367
9.2.3	<i>para</i> -Coumaryl-CoA Ligase: <i>para</i> -Coumarate to <i>para</i> -Coumaryl-CoA	368
9.3	Monolignol, Lignan, and Lignin Biosynthesis	368
9.3.1	<i>para</i> -Coumaryl-CoA to Three Monolignols	368
9.3.2	Dimerization of Monolignols to Lignans	368
9.3.3	Pinoresinol to Podophyllotoxin and Etoposide: Oxygenase Scaffold Morphing	370
9.3.4	Lignin Formation and Function: Peroxidases and Laccases	380
9.4	<i>para</i> -Coumaryl-CoA to All the Other Classes of Phenylpropanoids	382
9.4.1	Type III PKS with One Malonyl-CoA Chain Extension	383
9.4.2	Stilbene Synthases <i>vs.</i> Chalcone Synthases: Rerouting Substrates to Different Products after Three Chain Extensions	386
9.5	Chalcone to Flavanones and Beyond	387
9.5.1	Chalcone Isomerases Convert Chalcones to Flavanones	387
9.5.2	Dihydroflavonol to Anthocyanidins	390
9.5.3	Chalcones to Aurones	390
9.5.4	Flavanones to Isoflavones to Phytoalexins	394
9.5.5	Isoflavones to Rotenone	395
9.5.6	Phytoestrogens	397
9.6	Cinnamate-derived Phenylpropanoids	397
9.6.1	Cinnamate to Phenylpropenes and Phenylpropenals	397
9.6.2	Cinnamate to Coumarins	399
9.6.3	Ferulate to Piperine and Capsaicin	400
9.7	A Closing Look at a Different Phenylpropanoid Route: Tyrosine as Precursor to Plastoquinones and Tocopherols	404
9.8	Summary	404
	References	408
10	Alkaloids II: Indole Terpenes	413
10.1	Introduction	413
10.2	Two Routes to Tricyclic Scaffolds from Tryptophan: β -Carbolines and Pyrroloindoles	414
10.3	Trp-Xaa Diketopiperazine NRPS Assembly-line Products as Substrates for Regioselective Prenylations	416
10.4	Seven Nucleophilic Sites on the Indole Ring: a Cornucopia of Possibilities	418
10.5	Fungal Generation of Tryptophan-derived Alkaloids from DKP	423
10.5.1	Tryptophan to Fumitremorgin C to Fumitremorgin B to Verruculogen to Fumitremorgin A	423
10.5.2	Fumitremorgins to Spirotryprostatin Framework	426
10.5.3	Brevianamide F to Notoamide D	429
10.5.4	Brevianamide F to the Bicyclo[2.2.2]diazooctane Cores in Brevianamides A and B	429

10.6	Bacterial Generation of Pentacyclic Indolecarbazoles	432
10.7	Vinca Alkaloids	432
10.7.1	Strictosidine is a Central Tripartite Vinca Alkaloid Intermediate	434
10.7.2	Strictosidine Glycosidase Unleashes the Reactivity of Strictosidine Aglycone	436
10.7.3	Strictosidine Aglycone to Stemmadenine	436
10.7.4	Stemmadenine to Catharanthine and Tabersonine	436
10.7.5	Tabersonine to Vindoline	438
10.7.6	Coupling of Vindoline and Catharanthine to Vinblastine and Vincristine	438
10.8	Communesins: Short Pathways to Scaffold Complexity	440
10.9	Tryptophan to Cyclopiazonic Acid	442
10.10	Summary	445
	References	446
11	Natural Product Oligosaccharides and Glycosides	449
11.1	Introduction	449
11.2	Glucose is the Predominant Hexose in Primary Metabolism	455
11.2.1	Glucose-6-phosphate and Glucose-1-phosphate	456
11.2.2	Glucose-1-phosphate to UDP-glucose	458
11.2.3	Glycosyltransferases Use NDP-hexoses to Transfer Glycosyl Units to Cosubstrate Nucleophiles	460
11.2.4	Glycosyltransferases in Plants	462
11.2.5	NDP-hexoses vs. Phosphoribosyl Diphosphate	465
11.3	A Gallery of Glycosylated Natural Products	465
11.3.1	Steroidal and Phenylpropanoid Glycosides	465
11.3.2	Microbial Natural Product Glycosides	466
11.4	The Chemical Logic for Converting NDP-glucose to NDP-modified Hexoses	470
11.4.1	Formation of 4-keto-6-deoxyglucose	470
11.4.2	Formation of Deoxysugars Found in Various NPs	474
11.4.3	Natural Products with Amino- and Thiosugars	479
11.5	Balance of Glycosyltransferases and Glycosidases: Cyanogenic Glycosides and Glucosinolates	482
11.5.1	Cyanogenic Glucosides	483
11.5.2	Glucosinolate Biosynthesis	483
11.6	Aminoglycosides: Oligosaccharides Without an Aglycone	488
11.6.1	Kanamycin and Apramycin	488
11.7	Other Glycosylated Natural Products	491
11.7.1	Streptomycin	491
11.7.2	Moenomycins	493
11.8	Summary	498
	References	498
12	Oxygenases, Thwarted Oxygenases, and Oxygen-dependent Halogenases	503
12.1	Introduction	503
12.2	O ₂ , Thermodynamic Activation, and Kinetic Stability	504

12.2.1	One-electron Transfers for O ₂ Reductive Activation	504
12.2.2	Four One-electron Steps in the Redox Traverse from O ₂ to 2 H ₂ O	504
12.2.3	Inorganic and Organic Redox Cofactors that Mediate One-electron Transfers to O ₂	506
12.3	Oxygenases	507
12.3.1	Flavoenzymes: Reductive and Reoxidative Half-reactions	507
12.4	Inorganic Redox-active Metalloenzyme Oxygenases: Two Copper Enzymes	513
12.5	Iron-based Oxygenases: Three Flavors of the Biological Big Gun Oxygenases	518
12.5.1	Sources and Routes for Electron Input into Fe ^{III} -O ₂ and Fe ^{II} -O ₂ Complexes	520
12.5.2	Scope of Cytochrome P450 Oxygenations. Alcohols, Phenols, Epoxides, Lactones, Sulfur, and Nitrogen Oxidations	523
12.5.3	Multiple and Tandem Oxygenations of Scaffolds	525
12.5.4	Nitrogen Oxygenations in Natural Products Yield N-O and N-N Bonds	536
12.5.5	Nonheme Iron (NHI) Oxygenases	539
12.5.6	Taurine <i>vs.</i> Phenylalanine Hydroxylase Logic	541
12.5.7	Scope of NHI Oxygenations: Monooxygenases <i>vs.</i> Dioxygenases	543
12.5.8	Di-iron Oxygenases	547
12.5.9	Hydroxylations Completed Following Scaffold Radical-based Rearrangements	550
12.6	Thwarted Oxygenases	553
12.6.1	Definition of Thwarted Oxygenases	553
12.7	Oxygen-dependent Halogenases	572
12.7.1	Oxygen-dependent Halogenases	573
12.8	Diverted Oxygenases	585
12.8.1	Oxygen Diversion of Enzyme-generated Substrate Carbanions	585
12.9	Pyridoxal Phosphate: Two-electron Chemistry <i>vs.</i> One-electron Chemistry	589
12.9.1	Oxygen-independent One-electron PLP Reaction Manifolds	589
12.9.2	Oxygen-dependent Diversions of Aminoacyl-PLP Carbanionic Intermediates	594
12.10	Overview of Reductive Oxygen Chemical Biology	599
	References	600
13	<i>S</i>-Adenosylmethionine	607
13.1	Introduction to Two Modes of Reactivity of <i>S</i> -Adenosylmethionine	607
13.2	<i>S</i> -Adenosylmethionine Synthetase	609
13.3	Two-electron Reaction Manifolds for <i>S</i> -Adenosylmethionine	609
13.3.1	Mechanism for Carbanion Generation in DNA Cytidine Methyltransferases	614
13.3.2	All Three Substituents on the Sulfonium in SAM are Activated for Electrophilic Transfer	614
13.3.3	Intramolecular Capture of the Aminobutyryl Side Chain of SAM Yields 3-, 4-, and 5-Member Heterocycles	617
13.3.4	<i>S</i> -Adenosylmethionine Ylide and Carboxymethyl SAM	620
13.4	One-electron Reaction Pathways from SAM	623
13.4.1	Features of the Radical SAM Enzyme Family	623
13.4.2	Homolysis of the C-S ⁺ Bonds of SAM in Radical SAM Enzymes	625
13.4.3	5'-Deoxyadenosyl Radicals	627
13.4.4	Covalent Organoiron Adducts: Obligate or Conditional Intermediates	

On-pathway?	627
13.4.5 Multiple Ways to Classify Radical SAM Enzymes	629
13.4.6 Class ABCD Radical SAM Enzymes	630
13.4.7 Fate and Stoichiometry of SAM: Zero, One, or Two Consumed	637
13.4.8 Alternative Fate of the 5'-Deoxyadenosyl Radical	642
13.5 Cyclopropanation: Three Routes from SAM to Cyclopropane Rings	646
13.6 Radical SAM Enzymes in Metalloprotein Maturation	648
13.7 C4-Aminobutyryl Radical in Diphthamide Residue of EF2	650
13.8 Overview of SAM in Natural Product Biosynthesis	653
References	654
14 Pericyclases in Natural Product Biosynthesis	659
14.1 Pericyclic Reactions	659
14.2 Four Main Types of Pericyclic Reactions	660
14.3 Historic Examples of Biologic Pericyclic Reactions	662
14.3.1 Chorismate Mutase: A Claisen Rearrangement Catalyst	662
14.3.2 Precorrin-8X Methyl Mutase	664
14.3.3 1,7-Sigmatropic Shift in Vitamin D Biosynthesis	664
14.3.4 Proposed 1,5-prototropic Shift During Isochorismate Lyase Catalytic Cycle	664
14.3.5 Electrocyclic Reversion as First Biosynthetic Step to Pre-vitamin D ₃	667
14.4 Contemporary Studies of Enzymatic Pericyclases: Cope Rearrangements	667
14.5 Contemporary Studies of Cycloadditions by Diels–Alderase Enzymes	670
14.5.1 Decalin Formation in Lovastatin Biosynthesis	673
14.5.2 SpnF in Building the Fused 5,6-ring in Spinosyn	676
14.5.3 AbyU Builds a Spiro-tetronate Ring System on the Way to Abyssomycin	676
14.5.4 Decalin Formation on the Way to the Anti-HIV Fungal Metabolite Sch210972	677
14.5.5 Tandem Decalin and Spiro-tetronate-forming Diels–Alderases	680
14.6 Enzyme Catalysts for Hetero-Diels–Alder Cycloadditions	681
14.6.1 LepI: Competition Between Diels–Alder and Hetero-Diels–Alder/ Retro-Claisen Cyclization Paths	685
14.6.2 Enzymatic Partitioning of an Intermediate Between Hetero-Diels–Alder and Alder-ene Pericyclic Reactions	687
14.6.3 An Aza-Diels–Alder Cyclization to the Trithiazolyl Dihydropyridine Core of Thiocillin-type Thiazole Peptides	689
14.7 Proposed Competing Diels–Alder Cyclizations to Form the Alkaloids Catharanthine and Tabersonine	695
14.8 A Universe of Unexamined Isoprenoid Metabolites for Diels–Alderases	696
14.9 Contemporary Studies on Electrocyclic Reactions in Biologic Metabolites	696
14.10 Overview	701
References	701
15 Natural Product Isolation and Characterization: Gene-independent Approaches	707
15.1 Isolation Protocols for Natural Products	707
15.1.1 Historical Isolation Protocols	707
15.2 Contemporary Isolation of Natural Products	709

15.2.1	From Historical Single-crystal X-ray to Current Microcrystal Electron Diffraction to Determine Natural Product Structures	713
15.2.2	Morphine Isolation as a Representative Alkaloid Isolation	717
15.2.3	Vinblastine and Vincristine from <i>Catharanthus roseus</i> , Antitumor Drugs from the Madagascar Periwinkle	718
15.2.4	β -Lactam Antibiotic Fermentations	720
15.3	Expanding the Inventory of Natural Products	721
15.3.1	Marine Actinomycetes	721
15.3.2	Metabolites from Marine Niches	723
15.3.3	Endophytic Fungi	726
15.3.4	Insect-Fungi-Bacteria Symbioses	727
15.3.5	Bacteria from Nematode Microbiomes	727
15.3.6	Intersection of More than Two Biosynthetic Pathways	730
15.3.7	Culturing the Unculturable	730
15.4	One Strain Many Compounds	733
	References	737
16	Natural Products in the Post-genomic Era	741
16.1	Introduction	741
16.2	Bioinformatic and Computational Predictions of Biosynthetic Gene Clusters	743
16.3	Bioinformatics Dedicated to Biosynthetic Gene Clusters for Natural Products	746
16.4	Genome Mining: Turning Natural Products Research on Its Head	747
16.4.1	What to Look For	747
16.5	Strategies to Enhance or Express Silent Gene Clusters in Producing Vs. Heterologous Hosts	751
16.5.1	Identification of a 12-gene Biosynthetic Cluster for Avenacin from <i>Avena strigosa</i> Root Tips Using Transient Transformation of <i>Nicotiana benthamiana</i>	753
16.5.2	Genome Mining for the Domoic Acid Genes in a Diatom	756
16.5.3	De-orphaning a Fungal Metabolic Pathway: Aspterric Acid	756
16.5.4	Genome Mining of New Scaffolds from Fungi	759
16.5.5	Bioinformatics-based Natural Product Prospecting in Bacterial Genomes	761
16.6	Pathway Engineering for Metabolite Overproduction and/or Diversification	763
16.6.1	Overproduction	763
16.6.2	Tropane Phytochemicals from Yeast Heterologous Pathway Expression	764
16.6.3	Bioengineering for Complex Metabolite Diversification	764
16.6.4	Mixing and Matching Core Enzymes and Alternative Tailoring Enzymes	768
	References	773
	Subject Index	776